


ICD-10-PCS Update

NOTICE: The Centers for Medicare and Medicaid Services (CMS) has updated the FY 2020 International Classification of Diseases, Tenth Revision, Procedure Coding System (ICD-10-PCS), effective August 1, 2020. The specific changes are outlined below.

New ICD-10-PCS Codes

| XWØ13F5 | $Introduction\ of\ Other\ New\ Technology\ The rapeutic\ Substance\ into\ Subcutaneous\ Tissue,\ Percutaneous\ Approach,\ New\ Technology\ Group\ 5$ |
|---------|--|
| XWØ33E5 | Introduction of Remdesivir Anti-infective into Peripheral Vein, Percutaneous Approach, New Technology Group 5 |
| XWØ33F5 | Introduction of Other New Technology Therapeutic Substance into Peripheral Vein, Percutaneous Approach, New Technology Group 5 |
| XWØ33G5 | Introduction of Sarilumab into Peripheral Vein, Percutaneous Approach, New Technology Group 5 |
| XWØ33H5 | Introduction of Tocilizumab into Peripheral Vein, Percutaneous Approach, New Technology Group 5 |
| XWØ43E5 | Introduction of Remdesivir Anti-infective into Central Vein, Percutaneous Approach, New Technology Group 5 |
| XWØ43F5 | Introduction of Other New Technology Therapeutic Substance into Central Vein, Percutaneous Approach, New Technology Group 5 |
| XWØ43G5 | Introduction of Sarilumab into Central Vein, Percutaneous Approach, New Technology Group 5 |
| XWØ43H5 | Introduction of Tocilizumab into Central Vein, Percutaneous Approach, New Technology Group 5 |
| XWØDXF5 | Introduction of Other New Technology Therapeutic Substance into Mouth and Pharynx, External Approach, New Technology Group 5 |
| XW13325 | Transfusion of Convalescent Plasma (Nonautologous) into Peripheral Vein, Percutaneous Approach, New Technology Group 5 |
| XW14325 | Transfusion of Convalescent Plasma (Nonautologous) into Central Vein, Percutaneous Approach, New Technology Group 5 |

ICD-10-PCS Index Changes



ICD-10-PCS Substance Key and Substance Definitions Table Changes

Substance Key

| Trade Name or Synonym | ICD-10-PCS Value | PCS Section | |
|-----------------------|-------------------------------|--------------------|--|
| ACTEMRA® | Tocilizumab (H) | New Technology (X) | |
| GS-5734 | Remdesivir Anti-infective (E) | New Technology (X) | |
| KEVZARA® | Sarilumab (G) | New Technology (X) | |
| Veklury | Remdesivir Anti-infective (E) | New Technology (X) | |

ICD-10-PCS 2020 Update 1

Substance Definitions

| ICD-10-PCS Value | Trade Name or Synonym | PCS Section |
|-------------------------------|---------------------------------|--------------------|
| Remdesivir Anti-infective (E) | Includes: GS-5734 Veklury | New Technology (X) |
| Sarilumab (G) | Includes: KEVZARA® | New Technology (X) |
| Tocilizumab (H) | Includes: ACTEMRA® | New Technology (X) |

ICD-10-PCS Tabular Changes

NOTICE: Table XWØ has been updated to reflect the addition of new codes added to the ICD-10-PCS classification, effective August 1, 2020. These have been demarcated in the table with green font AND italics.

- New Technology Anatomical Regions Introduction Def Definition: Putting in or on a therapeutic, diagnostic, nutritional, physiological, or prophylactic substance except blood or blood products

| Body Part Character 4 | Approach Character 5 | Device/Substance/Technology Character 6 | Qualifier Character 7 |
|--------------------------|-------------------------|---|--------------------------|
| Subcutaneous Tissue | 3 Percutaneous | F Other New Technology Therapeutic Substance W Caplacizumab | 5 New Technology Group 5 |
| B Peripheral Vein | 3 Percutaneous | 2 Ceftazidime-Avibactam Anti-infective 3 Idarucizumab, Dabigatran Reversal Agent 4 Isavuconazole Anti- infective 5 Blinatumomab Antineoplastic Immunotherapy | 1 New Technology Group 1 |
| Peripheral Vein | 3 Percutaneous | 7 Coagulation Factor Xa, Inactivated9 Defibrotide Sodium Anticoagulant | 2 New Technology Group 2 |
| B Peripheral Vein | 3 Percutaneous | A Bezlotoxumab Monoclonal Antibody B Cytarabine and Daunorubicin Liposome Antineoplastic C Engineered Autologous Chimeric Antigen Receptor T-cell Immunotherapy | 3 New Technology Group 3 |
| Peripheral Vein | 3 Percutaneous | E Remdesivir Anti-infective | 5 New Technology Group 5 |
| Peripheral Vein | 3 Percutaneous | F Other New Technology Therapeutic Substance | 3 New Technology Group 3 |
| Peripheral Vein | 3 Percutaneous | F Other New Technology Therapeutic Substance | 5 New Technology Group 5 |
| Peripheral Vein | 3 Percutaneous | G Plazomicin Anti-infective | 4 New Technology Group 4 |
| Peripheral Vein | 3 Percutaneous | G Sarilumab | 5 New Technology Group 5 |
| Peripheral Vein | 3 Percutaneous | H Synthetic Human Angiotensin II | 4 New Technology Group 4 |
| B Peripheral Vein | 3 Percutaneous | H Tocilizumab K Fosfomycin Anti-infective N Meropenem-vaborbactam Anti-infective Q Tagraxofusp-erzs Antineoplastic S lobenguane I-131 Antineoplastic U Imipenem-cilastatin-relebactam Anti-infective W Caplacizumab | 5 New Technology Group 5 |

XWØ Continued on next page

New Technology Anatomical Regions

XWØ Continued

Introduction Definition: Putting in or on a therapeutic, diagnostic, nutritional, physiological, or prophylactic substance except blood or blood products **Explanation: None**

| | Body Part Character 4 | | Approach Character 5 | | Device/Substance/Technology Character 6 | | Qualifier Character 7 |
|---|--------------------------|---|-------------------------|----------------------------|---|---|--------------------------|
| 4 | Central Vein | 3 | Percutaneous | 3 | Ceftazidime-Avibactam Anti-infective Idarucizumab, Dabigatran Reversal Agent Isavuconazole Anti-infective Blinatumomab Antineoplastic Immunotherapy | 1 | New Technology Group 1 |
| 4 | Central Vein | 3 | Percutaneous | 7 9 | Coagulation Factor Xa, Inactivated Defibrotide Sodium Anticoagulant | 2 | New Technology Group 2 |
| 4 | Central Vein | 3 | Percutaneous | | Bezlotoxumab Monoclonal Antibody Cytarabine and Daunorubicin Liposome Antineoplastic Engineered Autologous Chimeric Antigen Receptor T-cell Immunotherapy | 3 | New Technology Group 3 |
| 4 | Central Vein | 3 | Percutaneous | Ε | Remdesivir Anti-infective | 5 | New Technology Group 5 |
| 4 | Central Vein | 3 | Percutaneous | F | Other New Technology Therapeutic Substance | 3 | New Technology Group 3 |
| 4 | Central Vein | 3 | Percutaneous | F | Other New Technology Therapeutic Substance | 5 | New Technology Group 5 |
| 4 | Central Vein | 3 | Percutaneous | G | Plazomicin Anti-infective | 4 | New Technology Group 4 |
| 4 | Central Vein | 3 | Percutaneous | G | Sarilumab | 5 | New Technology Group 5 |
| 4 | Central Vein | 3 | Percutaneous | Н | Synthetic Human Angiotensin II | 4 | New Technology Group 4 |
| 4 | Central Vein | 3 | Percutaneous | N Q S U | Tocilizumab Fosfomycin Anti-infective Meropenem-vaborbactam Anti-infective Tagraxofusp-erzs Antineoplastic lobenguane I-131 Antineoplastic Imipenem-cilastatin-relebactam Anti-infective Caplacizumab | 5 | New Technology Group 5 |
| D | Mouth and Pharynx | X | External | 8 | Uridine Triacetate | 2 | New Technology Group 2 |
| D | Mouth and Pharynz | X | External | F J L R T V | Other New Technology Therapeutic Substance Apalutamide Antineoplastic Erdafitinib Antineoplastic Venetoclax Antineoplastic Ruxolitinib Gilteritinib Antineoplastic | 5 | New Technology Group 5 |

NOTICE: Table XW1 has been added to the ICD-10-PCS classification, effective August 1, 2020.

New Technology Anatomical Regions

Transfusion Definition: Putting in blood or blood products

Explanation: None

| Body Part | Approach | Device/Substance/Technology | Qualifier |
|--|----------------|---|--------------------------|
| Character 4 | Character 5 | Character 6 | Character 7 |
| 3 Peripheral Vein4 Central Vein | 3 Percutaneous | 2 Plasma, Convalescent (Nonautologous) | 5 New Technology Group 5 |

ICD-10-PCS 2020 Update 3