

Coders' Desk Reference for ICD-10-PCS Procedures

Clinical descriptions with answers to your
toughest ICD-10-PCS coding questions

2027



optumcoding.com

Contents

Illustrations	vii	Bypass, Femoral to Peroneal with In-Situ Saphenous Vein Graft	102
Introduction	1	Bypass, Lymphovenous (LVB)	103
ICD-10-PCS Overview	1	Cerclage, Cervical	104
How to Use <i>Coders' Desk Reference for ICD-10-PCS Procedures</i>	2	Change, Gastrojejunostomy Tube	105
ICD-10-PCS Official Guidelines for Coding and Reporting 2025 ...	7	Chemoembolization, Hepatic Artery	106
Conventions	7	Cholecystectomy	107
Medical and Surgical Section Guidelines (section Ø)	8	Chondroplasty, Knee Abrasion	108
Obstetric Section Guidelines (section 1)	13	Circumcision	108
Radiation Therapy Section Guidelines (section D)	13	Closure, Left Atrial Appendage	109
New Technology Section Guidelines (section X)	13	Colectomy, Total	110
ICD-10-PCS Root Operation Definitions	15	Colporrhaphy (Repair, Anterior and Posterior)	111
Root Operation Definitions for Other Sections	18	Colporrhaphy (Repair, Vaginal Laceration)	111
Abbreviations, Acronyms, and Symbols	23	Component Release, Abdominal Muscle	112
Procedure Eponyms	37	Conduit, Right Ventricle to Pulmonary Artery (RV-PA) (Sano Shunt)	113
Surgical Terms	63	Conization, Cervix, LEEP	114
Medical and Surgical	69	Control, Epistaxis, Ligation Anterior Ethmoidal Arteries	115
Abdominoplasty	69	Conversion, Gastrostomy to Jejunostomy (PEG-PEJ)	115
Ablation, Cardiac Conduction Tissue	70	Cordotomy, Spinal (Chordotomy)	116
Ablation, Endometrial	71	Correction, Syndactyly	117
Ablation, Vein, Thermal, Endovenous	72	Creation, Colostomy	117
Adenoidectomy (without Tonsillectomy)	72	Creation, Ileostomy	118
Adjustment, Cardiac Pacemaker Lead	73	Cystectomy (Bladder)	119
Adrenalectomy, Unilateral	74	Cystostomy, Suprapubic (Suprapubic Catheter)	120
Alveoloplasty (continued)	75	Cystourethroscopy, with Inspection, Bladder and Ureters	120
Alveolotomy	75	Debridement (Excisional)	121
Amputation, Below Knee	76	Debridement (Nonexcisional)	122
Amputation, Foot and Toe Ray	77	Decompression, Posterior Fossa (Chiari Malformation)	123
Amputation, Toe	78	Decompression, Subacromial, Rotator Cuff Tendon	124
Amygdalohippocampectomy	79	Decortication, Pulmonary	125
Anastomosis, Billroth I	80	Denervation, Facet (Percutaneous)	125
Anastomosis, Billroth II	80	Dilation and Curettage (D&C)	126
Aneurysmectomy, Abdominal Aortic, with Replacement	81	Dilation, Esophagus	127
Angioplasty, Percutaneous Transluminal Coronary (PTCA)	82	Discectomy	128
Angioplasty, Percutaneous Transluminal Coronary (PTCA) with Stent(s)	83	Diversion, Ascites from Peritoneal Cavity to Bladder	129
Angioplasty, Percutaneous Transluminal (PTA), Lower Extremity	84	Diversion, Urinary, Ileal Conduit	130
Angioplasty, Percutaneous Transluminal (PTA), Lower Extremity, with Stent	85	Drainage, Floor of Mouth	131
Aquablation, Prostate (Robotic Water Resection of the Prostate)	86	Elevation, Skull Fracture	132
Arterioplasty (Bovine Patch)	86	Embolization, Uterine Artery, Percutaneous	132
Arthrocentesis	87	Embolization, Uterine Artery, Percutaneous (continued)	133
Atherectomy, Percutaneous Transluminal, Coronary	88	Endarterectomy, Carotid	133
Banding, Gastric, Laparoscopic Adjustable (LAGB) (Lap-Band® System)	89	Enteroscopy, Double Balloon (DBE)	134
Biopsy, Bone Marrow	89	Enucleation, Eyeball, with Synchronous Implant	135
Biopsy, Liver	90	Epiglottopexy, Transoral Endoscopic	135
Biopsy, Lung, Transbronchial	91	Episiotomy	136
Biopsy, Lymph Node	92	Esophagectomy, Partial	136
Biopsy, Periurethral Tissue	93	Esophagectomy, Partial (continued)	137
Biopsy, Temporal Artery	93	Esophagectomy, Total	137
Blalock-Taussig Shunt Procedure, Modified	94	Esophagogastroduodenoscopy with Biopsy	138
Blepharoplasty	95	Evacuation, Acute Subdural Hematoma	139
Blepharoplasty (continued)	96	Excision, Lingual, Submucosal Minimally Invasive (SMILE)	139
Browpexy	96	Excision, Radical, Skin Lesion	140
Buckling, Scleral (with Implant)	97	Excision, Radioulnar Synostosis	140
Bunionectomy	98	Excision, Thoracic Spinal Dural Arteriovenous Fistula	141
Bunionectomy, Double Osteotomy	98	Exploration, Common Bile Duct	141
Bunionectomy, Tendon Transfer	99	Exploratory Laparotomy/Laparoscopy	142
Bypass Graft, Aorto-bifemoral	99	Extraction, Extracapsular Cataract with Intraocular Lens Implantation	142
Bypass Graft, Coronary Artery (CABG)	100	Fasciectomy, Plantar	143
Bypass, Extracranial-Intracranial	101	Fasciotomy, Palmar (Dupuytren's Contracture)	143
		Fistula, Arteriovenous (AVF)	144
		Fistulectomy, Anal	145
		Fistulectomy, Vesicovaginal	145

Fistulotomy, Anal 146

Fontan Stage I (Norwood Procedure) 146

Fontan Stage I (Continued) 147

Fontan Stage II (Glenn Procedure) (Caval-pulmonary Artery Anastomosis) 147

Fontan Stage III, Completion 148

Frenectomy, Labial 148

Frenotomy, Labial 149

Fundoplication, Gastroesophageal 149

Fusion, Ankle (Arthrodesis) 150

Fusion, Cervical Spine, Anterior (ACF) 150

Fusion, Cervical Spine, Anterior (Continued) 151

Fusion, Cervical Spine, Posterior (PCF) 152

Fusion, Lumbar, Posterior (PLF) 153

Fusion, Spinal, Interbody Fusion Device 154

Fusion, Spinal, Interbody Fusion Device (Continued) 155

Gastrectomy 156

Gastrectomy, Vertical Sleeve (VSG) 157

Gastrojejunostomy, Roux-en-Y (Gastric Bypass for Morbid Obesity) 158

Gastroplasty, Collis 159

Gastrostomy, Percutaneous Endoscopic (PEG) 160

Gender Reassignment Surgery 161

Genioplasty, Augmentation 161

Graft, Arterial, Chimney (Stent) 162

Graft, Arteriovenous (AV) 163

Graft, Dura Mater, Intracranial 164

Graft, Skin, Split-Thickness (STSG) 164

Graft, Skin, Split-Thickness (Continued) 165

Graft, Sphenoid Sinus (Fat) 165

Harvest, Graft, Autologous Bone Marrow 166

Harvesting, Knee Chondrocytes 166

Hemicolectomy 167

Hemicolectomy (Continued) 168

Hemorrhoidectomy 168

Herniorrhaphy, Femoral 169

Herniorrhaphy, Inguinal 170

Herniorrhaphy, Paraesophageal (Diaphragmatic) 170

Herniorrhaphy, Paraesophageal (Continued) 171

Herniorrhaphy, Ventral, Incisional (Hernia Repair) 171

Hysterectomy 172

Hysterectomy (Continued) 173

Implant, Cochlear (CI) 173

Implantation, Artificial Urinary Sphincter (AUS) 174

Implantation, Autologous Chondrocyte (ACI), Knee 175

Implantation, Epiretinal Visual Prosthesis 175

Implantation, Heart Replacement System (Artificial Heart) 176

Implantation, Heart Replacement System (Continued) 177

Incision and Loop Drainage, Suprapubic Subcutaneous Abscess 177

Insertion, Baclofen Pump 178

Insertion, Bone Growth Stimulator 178

Insertion, Brachytherapy, Radioactive Element 179

Insertion, Brachytherapy, Radioactive Element (continued) 180

Insertion, Cardiac Defibrillator Generator (ICD) 180

Insertion, Cardiac Lead(s) 181

Insertion, Cardiac Pacemaker Generator 182

Insertion, Cardiac Resynchronization Therapy Defibrillator (CRT-D) Pulse Generator 182

Insertion, Cardiac Resynchronization Therapy Pacemaker (CRT-P) Pulse Generator 183

Insertion, Central Line 184

Insertion, Deep Brain Stimulator (DBS) 185

Insertion, Defibrillator Lead, Extravascular 185

Insertion, Defibrillator Lead, Subcutaneous 186

Insertion, Endobronchial Valve, Endoscopic 186

Insertion, Evacuating Port System, Subdural (SEPS) 187

Insertion, Filter, Inferior Vena Cava (IVC) 187

Insertion, Hepatic Artery Infusion Device 188

Insertion, Implantable Subcutaneous Pump System for Ascites Drainage 189

Insertion, Indwelling Stent, Ureteral 190

Insertion, Infusion Pump into Subcutaneous Tissue and Fascia 191

Insertion, Intracranial Responsive Neurostimulator (RNS) 191

Insertion, Intracranial Responsive Neurostimulator or Deep Brain Stimulator Lead(s) 192

Insertion, Limb Lengthening Device 192

Insertion, Limb Lengthening Device (continued) 193

Insertion, Mechanical Circulatory Support Device 193

Insertion, Penile Prosthesis, Inflatable 194

Insertion, Spinal Stabilization Device 195

Insertion, Tissue Expander, Breast 196

Insertion, Tissue Expander, Subcutaneous Tissue 196

Insertion, Transcatheter Interatrial Shunt Device (Unidirectional Left-to-Right Shunt) 197

Insertion, Vascular Access Device (CVAD, VAD, TIVAD, Port-A Cath) 198

Insertion, Ventricular Assist Device 199

Intubation, Endotracheal 200

Jejunostomy, Percutaneous Endoscopic (PEJ) 201

Joint Replacement, Elbow (Total) 202

Joint Replacement, Hip (Partial) 203

Joint Replacement, Hip (Total) 204

Joint Replacement, Hip (continued) 205

Joint Replacement, Hip Resurfacing (Hip Resurfacing Arthroplasty) 205

Joint Replacement, Hip Revision (Revision Arthroplasty) 206

Joint Replacement, Hip Revision (continued) 207

Joint Replacement, Knee 208

Joint Replacement, Shoulder (Partial) 209

Joint Replacement, Shoulder (Total) 210

Joint Replacement, Shoulder, Reverse (Reverse Shoulder Arthroplasty) 211

Keratoplasty, Penetrating 211

Kyphoplasty (Percutaneous Vertebral Augmentation) 212

Laminectomy, Decompressive (Hemilaminectomy) 213

Laser Interstitial Thermal Therapy (LITT) 214

Lavage, Bronchoalveolar (BAL) 215

Lengthening, Tendon 215

Ligamentoplasty, Interspinous 216

Ligation and Stripping, Varicose Veins 216

Ligation, Esophageal Varices 217

Ligation, Tubal (Sterilization) 218

Lithotripsy, Coronary Intravascular 218

Lithotripsy, Direct Intracorporeal 219

Lithotripsy, Extracorporeal Shock Wave (ESWL) 220

Lithotripsy, Peripheral Intravascular (PIVL) 221

Lobectomy, Lung 222

Lobectomy, Temporal, Brain (Epilepsy) 223

Lysis, Adhesions, Abdominal (Abdominal Adhesiolysis) 224

Lysis, Adhesions, Female Pelvic (Pelvic Adhesiolysis) 225

Mammoplasty, Reduction 226

Mapping, Cardiac 226

Mapping, Cortical 227

Marsupialization, Bartholin's Gland Cyst 228

Marsupialization, Pilonidal Cyst 229

Mastectomy 230

Meniscectomy, Knee 231

Myomectomy, Uterine 232

Myringotomy with Tubes (Tympanostomy) 233

Nephrolithotomy, Percutaneous	234	Repair, Obstetrical Laceration/Episiotomy Extension	272
Nephrolithotripsy, Percutaneous	234	Repair, Rotator Cuff (Shoulder)	273
Nephrostomy (with Fragmentation), Percutaneous	235	Repair, Superior Labrum Anterior and Posterior (SLAP)	273
Nephrostomy (without Fragmentation), Percutaneous	236	Repair, Tendon (Tenorrhaphy)	274
Nephroureterectomy	236	Repair, Truncus Arteriosus with Aortic Valve Creation	275
Neurolysis, Trigeminal Nerve Decompression)	237	Repair, Ventricular Septal Defect (VSD)	276
Neuroplasty, Peripheral	237	Replacement, Intervertebral Disc, Artificial	277
Nuss Procedure	238	Replacement, Pacemaker Generator (End of Life)	278
Orchiectomy	239	Replacement, Radial Head (Radial Head Arthroplasty)	278
Orchiopexy	240	Replacement, Radial Head (continued)	279
Osteosynthesis, Rotational Tibial (Tibial Rotationplasty)	241	Replacement, Rapid Deployment Aortic Valve (RDAVR)	279
Pancreaticogastrostomy	241	Replacement, Transcatheter Aortic Valve (TAVR)	280
Panniculectomy, Cosmetic	242	Replantation, Scalp	280
Paracentesis, Peritoneal Cavity	243	Reposition, Uterus, Transvaginal	281
Parathyroidectomy	244	Resection, Abdominoperineal (APR)	281
Parotidectomy	245	Resection, Lymph Node	282
Pleurectomy, Parietal, with Decortication	246	Resection, Stapled Transanal Rectal (STARR) (Rectorectostomy)	283
Plication, Emphysematous Bleb	246	Revision, Graft, Arteriovenous (AV)	283
Plication, Emphysematous Bleb (continued)	247	Revision, Shunt, Transjugular Intrahepatic Portosystemic (TIPS)	284
Proctectomy	247	Rhinoplasty, Augmentation	284
Prostatectomy	248	Rhinoscopy	285
Pyloromyotomy	249	Rhizotomy, Spinal Nerve Root	285
Rastelli Procedure (Right Ventricular-Pulmonary Artery Conduit)	250	Rupture, Shoulder Joint Adhesions (Arthrolysis) (Manual)	286
Ravitch Procedure (Repair of Pectus Deformity)	251	Sacroplasty	286
Recession, Extraocular Muscle	251	Septoplasty, Deviated Nasal Septum	287
Reconstruction, Bladder Neck (Neo-urethra), Bladder Flap	252	Septostomy, Percutaneous, Atrial Balloon (Rashkind Procedure)	287
Reconstruction, Breast (Transverse Rectus Abdominis Myocutaneous (TRAM) Free Flap)	252	Shunt, Endolymphatic	288
Reconstruction, Breast (continued)	253	Shunt, Lumboatrial	288
Reconstruction, Breast (Transverse Rectus Abdominis Myocutaneous (TRAM) Pedicle Flap)	253	Shunt, Lumboatrial (continued)	289
Reconstruction, Lateral Ulnar Collateral Ligament (LUCL)	254	Shunt, Peritoneovenous (Denver, LeVeen)	289
Reconstruction, Urethra, Male (Urethroplasty)	254	Shunt, Transjugular Intrahepatic Portosystemic (TIPS)	290
Reduction, Fracture, Closed with Percutaneous Pinning	255	Sialoadenectomy	290
Reduction, Fracture, Open, with Internal Fixation (ORIF)	255	Sialoadenectomy (continued)	291
Reduction, Joint Dislocation	256	Sialodochoplasty, Parotid Duct	291
Reimplantation, Parathyroid (Autotransplantation)	256	Sialolithotomy	292
Reimplantation, Ureteral	257	Sinuplasty (Balloon Sinuplasty, Balloon Sinus Dilation (BSD)) ..	292
Release, Achilles' Tendon (Achillotomy) (Achillotomy)	257	Sling Suspension, Urethral (Pubovaginal Sling)	293
Release, Carpal Tunnel	258	Sphincteroplasty, Pancreatic	293
Release, Chordee	259	Sphincterotomy, Papillotomy Endoscopic Retrograde Cholangiopancreatography	294
Release, Coracoacromial Ligament	259	Spinal Tap (Lumbar Puncture)	294
Removal, Esophageal Foreign Body	260	Spinal Tap (continued)	295
Removal, Ingrown Toenail	260	Splenectomy, Partial	295
Removal, Internal Fixation Device, Bone	261	Splenectomy, Total	296
Removal, Intracranial Responsive Neurostimulator (RNS) Generator	261	Stapedectomy, with Prosthesis	296
Removal, Intracranial Responsive Neurostimulator (RNS) or Deep Brain Stimulator (DBS) Lead	262	Stapedectomy, with Prosthesis (complete)	297
Removal, Pituitary Tumor, Transsphenoidal	263	Suctioning, Bronchial (For Removal of Mucus Plug)	297
Repair, Aneurysm, Abdominal Aorta, Endovascular with Stent Graft (EVAR)	264	Switch, Duodenal (Biliopancreatic Diversion)	298
Repair, Aneurysm, Cerebral, Craniotomy with Clipping	265	Switch Procedure, Arterial	299
Repair, Aneurysm, Cerebral, Endovascular	266	Sympathectomy, Thoracic Endoscopic (ETS)	300
Repair, Atrial Septal Defect (ASD) (Atrioseptoplasty) (Repair of Foramen Ovale (Patent))	266	Tethering, Vertebral Body (VBT)	301
Repair, Atrial Septal Defect (continued)	267	Thoracentesis	302
Repair, Bronchopleural Fistula, Autologous Graft, Omentum ..	268	Thoracoscopy (Diagnostic)	303
Repair, Cleft Lip (Cheiloplasty)	268	Thoracostomy, Tube	303
Repair, Cleft Lip (continued)	269	Thrombectomy, Percutaneous Mechanical (Pharmacomechanical) (PMT)	304
Repair, Cleft Palate, Alveolar	269	Thyroidectomy	305
Repair, Complete Common Atrioventricular Canal Defect	270	Tonsillectomy, Lingual	306
Repair, Hypospadias	271	Tonsillectomy (Without Adenoidectomy)	307
Repair, Labral Tear (Shoulder)	271	Tonsillectomy with Adenoidectomy	308
		Trabeculectomy Ab Externo	309
		Trabeculoplasty, Laser	310

Tracheostomy 310
 Tracheostomy (continued) 311
 Tracheostomy Revision (Stomoplasty) 311
 Tracheostomy Tube Change 312
 Transfer, Lymph Node (LNT) 312
 Transplant, Heart 313
 Transplant, Kidney 314
 Transplant, Liver 314
 Transplant, Lung 315
 Transplant, Meniscus 316
 Transplant, Uterus 317
 Transposition, Nerve 318
 Turbinectomy, Submucous Resection 318
 Turbinectomy, Submucous Resection (continued) 319
 Ureteroneocystostomy 319
 Ureteroplasty 320
 Urethropexy (Retropubic Urethral Suspension) 321
 Uvulopalatopharyngoplasty 321
 Valvotomy (Valvulotomy) 322
 Valvuloplasty 322
 Valvuloplasty (continued) 323
 Vasectomy 324
 Ventriculostomy 324
 Ventriculostomy (continued) 325
 Ventriculostomy, Reopening, Endoscopic Third (ETV) 326
 Vertebroplasty 326
 Vertebroplasty (continued) 327
 Vitrectomy 327
 Washing, Bronchial 328
 Wedge Resection, Mitral Valve Leaflet 328
 Wedge Resection, Mitral Valve Leaflet (continued) 329
 Whipple 329
 Z-plasty, Skin (Scar Revision) 330
Medical and Surgical-Related 331
Obstetrics 331
 Abortion 331
 Abortion (continued) 332
 Amniocentesis 332
 Cesarean Section (C-section) 333
 Delivery, Assisted, Manually 334
 Delivery, Assisted with Instrumentation 335
 Delivery, Vaginal, Breech 336
 Extraction, Retained Placenta, Manual 336
 Insertion, Monitoring Electrode 337
 Removal, Ectopic Pregnancy 338
 Repair, In Utero Fetal Myelomeningocele 339
 Version, External Cephalic (ECV) 339
Placement 340
 Application, Stereotactic Head Frame 340
 Compression, Lymphedema, Intermittent Pneumatic 340
 Immobilization (Cast/Splint) 341
 Packing 342
 Traction 343
Administration 344
 Brachytherapy, Intravascular Coronary (with Percutaneous
 Transluminal Coronary Angioplasty [PTCA]) 344
 Chemotherapy, Hyperthermic Intraperitoneal 345
 Dialysis, Peritoneal (PD) 345
 Induction of Labor, Medical 346
 Infusion, Vasopressor Agent 346
 Injection, Epidural Steroid 347
 Injection, Sclerosing Agent for Esophageal Varix 347
 Introduction, Antineoplastic Agent, Hepatic Artery 348
 Irrigation, Joint 349
 Pleurodesis, Talc 349

Thrombolysis (Injection of Thrombolytic) (Tissue
 Plasminogen Activator [tPA][r-tPA]) 350
 Transfusion, Fresh Frozen Plasma (FFP) 351
 Transfusion, Intraosseous 351
 Transplant, Bone Marrow (BMT) 352
 Transplant, Stem Cell 352
Measurement and Monitoring 353
 Angiography, Intraoperative Fluorescence Vascular 353
 PCS Root Type 353
 Catheterization, Cardiac 354
 Electrocardiography (Intraoperative) 355
 Fractional Flow Reserve (FFR), Coronary 355
 Interrogation, Device, Cardiac Rhythm Related 356
 Measurement, Intracranial Arterial Flow 357
 Measurement, Musculoskeletal Intracompartmental
 Pressure 358
 Measurement, Portal Venous Pressure 358
 Monitoring, Central Venous Pressure 359
 Monitoring, Fetal Heart Rate, Transvaginal (Internal) 360
 Monitoring, Intracranial Pressure 361
 Monitoring, Neurophysiological, Intraoperative 362
 Stress Test, Cardiac (Myocardial Perfusion Scan)
 (Cardiovascular Stress Test) 363
Extracorporeal or Systemic Assistance and Performance ... 364
 Balloon Pump, Intra-aortic (IABP) 364
 Bypass, Cardiopulmonary 364
 Cardioversion and Defibrillation, External 365
 Filtration, Extracorporeal Peripheral Venovenous,
 Intraoperative 365
 Hemodialysis 366
 Oxygen Therapy, Supersaturated 366
 Oxygenation, Extracorporeal Membrane (ECMO) 367
 Oxygenation, Hyperbaric, Wound 367
 Performance, Extracorporeal Hepatic (Liver Dialysis) 368
 Removal, Carbon Dioxide, Extracorporeal (ECCO₂R)
 (Respiratory Dialysis) 368
 Ventilation, Mechanical, Assistance, Prone 369
 Ventilation, Mechanical, Assistance, Supine 370
 Ventilation, Mechanical, Performance 371
Extracorporeal or Systemic Therapies 372
 Oxygenation, Hyperbaric (Decompression) 372
 Perfusion, Respiratory Donor Organ (EVLV)
 (ex-vivo lung perfusion) 372
 Pheresis 373
 Phototherapy 374
 Therapy, Shock Wave, Extracorporeal (ESWT),
 Musculoskeletal (Orthotripsy) 374
 Ultrasound, Therapeutic 375
Osteopathic 376
 Manipulative Treatment, Osteopathic 376
Other Procedures 377
 Acupuncture 377
 PCS Root Type 377
 Assistance, Computer 378
 Assistance, Robotic 379
 Collection, Cerebrospinal Fluid from Indwelling Device 379
 Guidance, Fiber Optic 3D 380
Chiropractic 381
 Manipulation, Chiropractic, Mechanically Assisted 381
Ancillary 383
Imaging 383
 Angiography, Cardiac (Coronary Arteriography)
 (Angiocardiography) 383
 Arteriography, Renal (Renal Angiography) (Angiography,
 Renal Arteries) 384

Echocardiography, Intracardiac	385	Narcosynthesis	401
Echocardiography, Transesophageal (TEE)	386	Substance Abuse Treatment	402
Endoscopic Retrograde Cholangiopancreatography (ERCP)	386	Detoxification, Substance Abuse	402
Fluoroscopy	387	New Technology	403
MRI, Fetal, Central Nervous System	388	Angioplasty, Percutaneous Transluminal (PTA), Lower	
Ultrasonography, Fetal	388	Extremity, with Everolimus-eluting Resorbable	
Ultrasound, Intravascular, Coronary Arteries (IVUS)	389	Scaffold	403
Ventriculography, Cardiac	390	Filtration, Circulatory, Blood Pathogen	404
Videofluoroscopy, Esophageal (Modified Barium Swallow)	390	Filtration, Cerebral Embolic	405
Nuclear Medicine	391	Fusion, Ankle, Gyroid-Sheet Lattice Device	406
Adenosine Sestamibi Planar Scan, Heart Muscle (Technetium)	391	Fusion, Ankle, Open-truss Device	406
Cisternography, Cerebrospinal Fluid Flow Imaging	391	Fusion, Spinal, Facet Joint Fusion Device	407
Scan, Pulmonary, Ventilation and Perfusion	392	Histotripsy, Liver	407
Radiation Therapy	393	Immunotherapy, Engineered Chimeric Antigen Receptor	
Brachytherapy, Prostate	393	(CAR) T-cell	408
Brachytherapy, Unidirectional	394	Insertion, Antibiotic-eluting Bone Void Filler	409
Oncology Treatment, Hyperthermia	395	Insertion, Spinal, Carbon/PEEK Spinal Stabilization Device	409
Radiation Therapy, External Beam	396	Introduction, Coronary Arteries, Paclitaxel-Coated Balloon	
Radiation Therapy, Intraoperative (IORT)	397	Technology	410
Radiation Therapy, Plaque Radiation, Eye	397	Occlusion, Coronary Sinus, Intermittent	410
Radiation Therapy, Stereotactic Radiosurgery, Brain	398	Placement, Magnetic Growth Rods	411
Radiation Therapy, Superficial Dermatologic	398	Replacement, Artery, Bioengineered Human Acellular Vessel	411
Physical Rehabilitation and Diagnostic Audiology	399	Replacement, Meniscus	412
Assessment, Cochlear Implant	399	Restriction, Coronary Sinus	412
Section Qualifier	399	Supplement, Extraluminal Support Device, Vein (for AVF)	413
Electrocochleography, Transtympanic (ECOG)	399	Supplement, Extraluminal Support Device, Vein Graft	
Section Qualifier	399	(for CABG)	413
Mental Health	400	Treatment, Intraoperative, Vascular Grafts (Intraoperative	
Biofeedback	400	Administration of Endothelial Damage Inhibitor)	414
Electroconvulsive Therapy	400	Alphabetic Index	415
Intervention, Crisis	400		

Introduction

Coding is a complicated business. It is not enough to have a current copy of an ICD-10-PCS book—coders must have a firm enough grasp of medical terminology, anatomy, and surgical techniques to be able to translate procedure descriptions in medical records into detailed codes. ICD-10-PCS guidelines state that the physician is not responsible for changing the common procedure terminology he or she uses to document procedures so that it better matches terminology used in the coding system. Rather, the burden is on the coder, who must interpret physicians' procedure descriptions and reflect them in the appropriate ICD-10-PCS codes. The *Coders' Desk Reference for ICD-10-PCS Procedures* addresses this challenge.

This book provides coders, coding managers, medical staff and health care professionals, payers, educators, and students with comprehensive, clear descriptions of procedures. The goal is to enrich users' clinical understanding of surgical procedures and how they relate to the way ICD-10-PCS classifies procedures. The result is improved coding confidence so that code selection becomes more accurate and efficient. The coding guidance in *Coders' Desk Reference for ICD-10-PCS Procedures* is based on the official version of the ICD-10 Procedure Coding System (ICD-10-PCS), effective October 1, 2024. (Please note that this procedure coding reference is intended to be used with an official ICD-10-PCS code book.)

This desk reference is organized by common procedure nomenclature used in the hospital setting, which is linked to the related root operation tables. The procedures are described in layman's terms, translated to ICD-10-PCS root operation terminology, and the corresponding root operation tables are identified.

Detailed descriptions using terminology coders see in medical documents, together with coding clarification and guidance and important instruction regarding ICD-10-PCS conventions, make *Coders' Desk Reference for ICD-10-PCS Procedures* an unparalleled guidebook to code selection.

Important Message: Not all categories, subcategories, or procedures have been represented in this edition of the *Coders' Desk Reference for ICD-10-PCS Procedures*. Additional procedures not part of the 2025 edition will gradually be incorporated into future editions.

ICD-10-PCS Overview

ICD-10-PCS Code Structure

ICD-10-PCS has a multiaxial, seven-character, alphanumeric code structure. Each character contains up to 34 possible values. Each value represents a specific option for the general character definition. The 10 digits 0–9 and the 24 letters A–H, J–N, and P–Z may be used for each character. The letters O and I are not used so as to avoid confusion with the digits 0 and 1.

An ICD-10-PCS code is the result of a process rather than a single fixed set of digits or alphabetic characters. The process consists of combining semi-independent values from among a selection of values, according to the rules governing the construction of codes. A code is derived by choosing a specific value for each of the seven characters. Based on details about the procedure performed, values are assigned for each character specifying the section, body system, root operation, body part, approach, device, and qualifier. Because the definition of each character is also a function of its physical position in the code, the same letter or number placed in a different position in the code has a different meaning.

The seven characters that make up a complete code have specific meanings that vary for each of the 17 sections of the manual. Procedures are divided into sections that identify the general type of procedure (e.g., Medical and Surgical, Obstetrics, Imaging). The first character of the procedure code always specifies the section. The second through seventh characters have the same meaning within each section but may mean different things in other sections. In all sections, the third character specifies the general type, or root operation, of procedure performed (e.g., Resection, Transfusion, Fluoroscopy), while the other characters give additional information such as the body part and approach.

ICD-10-PCS Index

Codes may be found in the index based on the general type of procedure (e.g., Resection, Transfusion, Fluoroscopy), or a more commonly used term (e.g., appendectomy). For example, the code for percutaneous intraluminal dilation of the coronary arteries with an intraluminal device can be found in the ICD-10-PCS index under "Dilation" or a synonym for dilation (e.g., "Angioplasty"). The index then specifies the first three or four values of the code or directs the user to see another term.

The user can use the alphabetic index to locate the appropriate table containing all the information necessary to construct a procedure code. The PCS tables should always be consulted to find the most appropriate valid code. Coders may choose a valid code directly from the tables; they do not have to consult the index before proceeding to the tables to complete the code.

Main Terms

The alphabetic index reflects the structure of the tables. The index:

- Is based on the value of the third character
- Contains common procedure terms
- Lists anatomic sites
- Uses device terms

The main terms in the alphabetic index are root operations, root procedure types, or common procedure names. The index provides at least the first three or four values of the code, and some entries may provide complete valid codes. However, the user should always consult the appropriate table to verify that the most appropriate valid code has been selected.

For the Medical and Surgical and related sections, the root operation values are used as main terms in the index. The subterms under the root operation main terms are body parts. For the Ancillary section of the code tables, the main terms in the index are the general type of procedure performed.

The second type of term in the index uses common procedure names, such as "appendectomy" or "fundoplication." These common terms are listed as main terms with a "see" reference noting the PCS root operations that are possible valid code tables based on the objective of the procedure.

Use Reference

The index also lists anatomic sites from the Body Part Key and device terms from the Device Key. These terms are listed with "use" references, which are additional references to the terms located in the appendix keys. The term provided is the body part value or device value to be selected when constructing a procedure code using the code tables. This type of index reference does not direct the user to another term in the index, but provides guidance regarding character value selection. Therefore, "use" references generally do not refer to specific valid code tables.

ICD-10-PCS Code Tables

ICD-10-PCS contains 17 sections of code tables organized by general type of procedure. Each table is composed of rows that specify the valid combinations of code values. In most sections of the coding system, the upper portion of each table contains a description of the first three characters of the procedure code. In the Medical and Surgical section, for example, the first three characters contain the name of the section, the body system, and the root operation performed. The four columns in the table specify the last four characters. In the Medical and Surgical section, they are labeled body part, approach, device and qualifier, respectively. Each row in the table specifies the valid combination of values for characters 4 through 7. All seven characters must be specified to form a valid code.

Note that the code must be constructed with a combination of values within the same row of the table. A combination of values from different rows of the same table will result in an invalid code.

How to Use Coders' Desk Reference for ICD-10-PCS Procedures

Coders' Desk Reference for ICD-10-PCS Procedures is divided into convenient sections for easy use. The basic format of the book provides clinical coding support with illustrations, narratives, and other resources that help the user work from the medical record. The book begins with special chapters that provide detailed information on coding guidelines and conventions relating to ICD-10-PCS procedure coding, as well as common abbreviations, acronyms, symbols, eponyms, and surgical terms found in the medical record. It then follows the organization of ICD-10-PCS, looking at procedures and their associated ICD-10-PCS root operation tables. Due to the significant expansion of the number of ICD-10-PCS codes, it is impossible to include a description of every procedure. Included are representative examples of procedures, organized by section and subsection.

List of Illustrations

This is a list of illustrations by procedure name with a cross-reference to the appropriate page.

ICD-10-PCS Official Guidelines for Coding and Reporting 2026

For the new coder, and even for the veteran, this chapter provides an overview and detailed instructions on ICD-10-PCS coding guidelines and conventions.

ICD-10-PCS Root Operation Definitions

This resource is a compilation of all root operations in the Medical and Surgical, Medical and Surgical-Related, and Ancillary sections as well as the New Technology section of the ICD-10-PCS manual. It provides a definition and in some cases a more detailed explanation of the root operation to better reflect its purpose or objective. Examples of related procedures may also be provided.

Abbreviations, Acronyms, and Symbols

The medical profession has its own shorthand for documentation. Here, acronyms, abbreviations, and symbols commonly seen on operative reports or medical charts are listed for easy reference.

Procedure Eponyms

In the medical record, procedures are often documented by their common name or eponym (such as Billroth's operation I). Eponyms honor the developer of a procedure or test but do little to clarify what the procedure is. ICD-10-PCS does not cross-reference eponyms even though they are commonly noted in medical documentation. Our editors have researched the procedure eponyms in the volume 3 index of the ICD-9 book and identified the associated ICD-10-PCS three- and sometimes four-character tables. The three-character description references the root operation and body system; the four-character description specifies the root operation and body part, when applicable.

Surgical Terms

Operative reports contain words and phrases that not only communicate the importance and urgency of surgery, but also describe the techniques. The *Coders' Desk Reference for ICD-10-PCS Procedures* glossary of surgical terms includes the terms operative reports most commonly use to describe techniques and tools.

Procedures

The first section of the desk reference, *Medical and Surgical*, contains the majority of procedures typically reported in an inpatient setting.

The next section is *Medical and Surgical-Related* sections, with subsections as listed below:

- Obstetrics
- Placement
- Administration
- Measurement and Monitoring
- Extracorporeal or Systemic Assistance and Performance
- Extracorporeal or Systemic Therapies
- Osteopathic
- Other Procedures
- Chiropractic

Next is the *Ancillary* section, which contains subsections for Imaging, Nuclear Medicine, and Radiation Therapy. Codes in these sections contain character values for contrast, modality qualifier, and equipment.

Last is the *New Technology* section, which contains codes identifying procedures requested via the new technology application process, and codes that capture new technologies not currently classified in ICD-10-PCS.

This section may include medical and surgical procedures, medical and surgical-related procedures, or ancillary procedures that are currently designated as new technology.

Alphabetic Index

The "Alphabetic Index" enables the user to look up a procedure by principal procedure or keyword, such as "Bypass," followed by descriptive terms, such as "Extracranial-Intracranial." "See also" notes are cross-referenced terms within the desk reference that provide additional information.

ICD-10-PCS Root Operation Definitions

0 Medical and Surgical		Definition	
ICD-10-PCS Value		Definition	
0	Alteration	Definition:	Modifying the anatomic structure of a body part without affecting the function of the body part
		Explanation:	Principal purpose is to improve appearance
		Examples:	Face lift, breast augmentation
1	Bypass	Definition:	Altering the route of passage of the contents of a tubular body part
		Explanation:	Rerouting contents of a body part to a downstream area of the normal route, to a similar route and body part, or to an abnormal route and dissimilar body part. Includes one or more anastomoses, with or without the use of a device.
		Examples:	Coronary artery bypass, colostomy formation
2	Change	Definition:	Taking out or off a device from a body part and putting back an identical or similar device in or on the same body part without cutting or puncturing the skin or a mucous membrane
		Explanation:	All CHANGE procedures are coded using the approach EXTERNAL
		Examples:	Urinary catheter change, gastrostomy tube change
3	Control	Definition:	Stopping, or attempting to stop, postprocedural or other acute bleeding
		Explanation:	None
		Examples:	Control of post-prostatectomy hemorrhage, control of intracranial subdural hemorrhage, control of bleeding duodenal ulcer, control of retroperitoneal hemorrhage
4	Creation	Definition:	Putting in or on biological or synthetic material to form a new body part that to the extent possible replicates the anatomic structure or function of an absent body part
		Explanation:	Used for gender reassignment surgery and corrective procedures in individuals with congenital anomalies
		Examples:	Creation of vagina in a male, creation of right and left atrioventricular valve from common atrioventricular valve
5	Destruction	Definition:	Physical eradication of all or a portion of a body part by the direct use of energy, force, or a destructive agent
		Explanation:	None of the body part is physically taken out
		Examples:	Fulguration of rectal polyp, cautery of skin lesion
6	Detachment	Definition:	Cutting off all or a portion of the upper or lower extremities
		Explanation:	The body part value is the site of the detachment, with a qualifier if applicable to further specify the level where the extremity was detached
		Examples:	Below knee amputation, disarticulation of shoulder
7	Dilation	Definition:	Expanding an orifice or the lumen of a tubular body part
		Explanation:	The orifice can be a natural orifice or an artificially created orifice. Accomplished by stretching a tubular body part using intraluminal pressure or by cutting part of the orifice or wall of the tubular body part.
		Examples:	Percutaneous transluminal angioplasty, internal urethrotomy
8	Division	Definition:	Cutting into a body part, without draining fluids and/or gases from the body part, in order to separate or transect a body part
		Explanation:	All or a portion of the body part is separated into two or more portions
		Examples:	Spinal cordotomy, osteotomy
9	Drainage	Definition:	Taking or letting out fluids and/or gases from a body part
		Explanation:	The qualifier DIAGNOSTIC is used to identify drainage procedures that are biopsies
		Examples:	Thoracentesis, incision and drainage
B	Excision	Definition:	Cutting out or off, without replacement, a portion of a body part
		Explanation:	The qualifier DIAGNOSTIC is used to identify excision procedures that are biopsies
		Examples:	Partial nephrectomy, liver biopsy
C	Extirpation	Definition:	Taking or cutting out solid matter from a body part
		Explanation:	The solid matter may be an abnormal byproduct of a biological function or a foreign body; it may be imbedded in a body part or in the lumen of a tubular body part. The solid matter may or may not have been previously broken into pieces.
		Examples:	Thrombectomy, choledocholithotomy
D	Extraction	Definition:	Pulling or stripping out or off all or a portion of a body part by the use of force
		Explanation:	The qualifier DIAGNOSTIC is used to identify extractions that are biopsies

Procedure Eponyms

Eponym	Description	ICD-10-PCS Table Reference
Abbe	Vaginal construction — creation of vaginal canal (vaginoplasty) without graft or prosthesis	ØUQG Repair Vagina
Abbe	Vaginal construction — creation of vaginal canal (vaginoplasty) with graft or prosthesis	ØUUG Supplement Vagina
AbioCor®	Implantation of total internal biventricular heart replacement system	Ø2RK Replacement Ventricle, Right Ø2RL Replacement Ventricle, Left
Aburel	Intra-amniotic injection of abortifacient for abortion	1ØA Abortion Pregnancy
Adams	Excision of palmar fascia for release of Dupuytren's contracture	ØJB Excision Subcutaneous Tissue and Fascia
Adams	Advancement of round ligament(s) of uterus	ØUS9 Reposition Uterus
Adams	Crushing of nasal septum	Ø9SM Reposition Nasal Septum
AESOP®	Robotic assisted procedures — Automated Endoscopic System for Optimal Positioning	8EØ Other Procedures Physiological Systems and Anatomical Regions
Albee	Bone peg, femoral neck Graft for slipping patella Sliding inlay graft, tibia	ØQU Supplement Lower Bones
Albert	Arthrodesis, knee	ØSG Fusion Lower Joints
Aldridge (-Studdiford)	Urethral sling	ØTSD Reposition Urethra
Alexander	Shortening of round ligaments of uterus	ØUS9 Reposition Uterus
Alexander-Adams	Shortening of round ligaments of uterus	ØUS9 Reposition Uterus
Almoor	Extrapesoral drainage	Ø99 Drainage Ear, Nose, Sinus
Altmeier	Perineal rectal pull-through operation	ØDTP Resection Rectum
Ammon	Dacryocystotomy incision (for drainage) of a lacrimal sac	Ø89 Drainage Eye
Anderson	Tibial lengthening	ØQ8 Division Lower Bones ØQR Replacement Lower Bones ØQU Supplement Lower Bones
Anderson-Hynes	Dismembered pyeloplasty	ØTQ Repair Urinary System
Anel	Dilation of lacrimal duct	Ø87X Dilation Lacrimal Duct, Right Ø87Y Dilation Lacrimal Duct, Left
Arslan	Fenestration of inner ear	Ø9QD Repair Inner Ear, Right Ø9QE Repair Inner Ear, Left
Asai	Laryngoplasty	ØCQS Repair Larynx ØCRS Replacement Larynx ØCUS Supplement Larynx
Baffes	Interatrial transposition of venous return	Ø2U5 Supplement Atrial Septum
Baffle	Atrial/interatrial/intra-atrial transposition of venous return	Ø2U5 Supplement Atrial Septum
Baldy-Webster	Uterine suspension	ØUS9 Reposition Uterus
Bankart	Capsular repair into glenoid, for shoulder dislocation	ØRS Reposition Upper Joints
Bardenheuer	Ligation of innominate artery	Ø3L2 Occlusion Innominate Artery
Barkan	Goniotomy with/without goniotomy puncture	Ø89 Drainage Eye
Barr	Transfer of tibialis posterior tendon	ØLX Transfer Tendons
Barsky	Closure of cleft hand	ØXQJ Repair Hand, Right ØXQK Repair Hand, Left
Bassett	Radical vulvectomy with inguinal lymph node dissection	ØUTM Resection Vulva Ø7B Excision Lymphatic and Hemic Systems Ø7T Resection Lymphatic and Hemic Systems
Bassini	Inguinal hernia repair (herniorrhaphy)	ØYQ Repair Anatomical Regions, Lower Extremities
Batch-Spittler-McFaddin	Amputation—knee disarticulation	ØY6 Detachment Anatomical Regions, Lower Extremities

Abdominoplasty

Body System

Anatomical Regions, General

PCS Root Operation

Alteration

Repair

Supplement

Root Operation Table

ØWØ Anatomical Regions, General, Alteration

ØWQ Anatomical Regions, General, Repair

ØWU Anatomical Regions, General, Supplement

Body Part

Abdominal Wall

Approach

Open

External (Repair, Stoma)

Device

Autologous Tissue Substitute (Alteration, Supplement)

Synthetic Substitute (Alteration, Supplement)

Nonautologous Tissue Substitute (Alteration, Supplement)

No Device (Alteration, Repair)

Qualifier

Stoma

No Qualifier

Description

An abdominoplasty is a repair of the abdominal wall, which is classified to the body system "General Anatomical Regions" in PCS. Anatomically, the abdominal wall is subdivided into two general regions: the anterolateral and the posterior abdominal wall. It is composed of three tissue layers: skin, superficial fascia, and muscle. Surgical procedures on the abdominal wall involve all three of these tissue layers. Abdominoplasty may be performed for either cosmetic or medical purposes.

Alteration

Alteration involves modifying an anatomic structure without affecting the function of the body part. The root operation Alteration identifies procedures that are cosmetic in nature. Use of this root operation

requires diagnostic confirmation that the abdominoplasty is being performed to improve appearance.

Abdominoplasty performed for cosmetic reasons may also be referred to as a "tummy tuck." The procedure involves removing excess skin and underlying subcutaneous tissue and abdominal fat as well as tightening and restoring abdominal musculature. A cosmetic abdominoplasty may also involve reinforcement of the abdominal wall with biological or synthetic material, which is reported with the appropriate device value.

Focus Point

A cosmetic abdominoplasty (abdominal panniculectomy) that involves only the removal of excess skin, underlying subcutaneous tissue, and fat, without muscle tightening, is assigned a code from table ØJØ.

Repair

The root operation Repair involves restoring a body part, in this case the abdominal wall, to its normal anatomic structure and function. Repair is primarily used when an injury to the abdominal wall requires layered suture repair. Repair of the abdominal wall may also be required for stoma complications, such as a parastomal hernia. When the repair of the abdominal wall is focused on a stoma, the qualifier Stoma is reported.

Focus Point

Do not report the root operation Repair when mesh is used to reinforce a repair of the abdomen. See the root operation Supplement.

Supplement

When the abdominal wall is repaired and biological or synthetic material is used to reinforce or augment the repair, the correct root operation is Supplement. A common procedure classified to this root operation is the repair of a hernia involving the abdominal wall using mesh to reinforce the repair. Mesh may also be used in the repair of complex abdominal wall anomalies.

Focus Point

Do not report the root operation Supplement when biological or synthetic material is used but the objective of the procedure is solely cosmetic in nature. In this case, the correct root operation is Alteration and the biological or synthetic material used to reinforce the abdominal wall is captured using the appropriate device value. All methods, approaches, and devices used to improve appearance are coded as Alteration.

Coding Guidance

AHA: 2017, 3Q, 8; 2014, 4Q, 38

Cerclage, Cervical

Body System

Female Reproductive System

PCS Root Operation

Restriction

Root Operation Table

ØUV Female Reproductive System, Restriction

Body Part

Cervix

Approach

Open

Percutaneous

Via Natural or Artificial Opening

Device

Extraluminal Device

Intraluminal Device

No Device


Description

Cerclage of the cervix is performed to prevent miscarriage by reinforcing weak cervical muscles in a patient with a history of cervical incompetence, short cervical length, or cervical insufficiency. The cerclage may be performed prior to pregnancy or in early pregnancy, usually between weeks 12 and 16.

Cerclage may be performed transabdominally, but the most common approach is vaginal Via Natural or Artificial Opening. In vaginal cerclage, the physician inserts a speculum into the vagina to view the cervix of a pregnant or nonpregnant patient. A thick, nondissolvable suture or a thin wire is threaded around the cervix and secured to reinforce the cervical muscles and prevent cervical dilation. In McDonald cerclage, the cervix is grasped and a purse-string stitch is placed around the high endo-cervix, near to the internal os (opening) to close it. In the Shirodkar operation, the suture is buried under incisions in the vaginal mucosa and cinched to secure closure of the os. In some cases, a thin piece of fascia or other nondissolvable material may be placed instead of a wire or suture. This would be reported as an Intraluminal Device, as would a device such as a cerclage pessary placed around the cervical os within the vaginal canal (lumen).

An Open abdominal approach for cerclage may be used in instances such as traumatic cervical laceration, congenital shortening of the cervix, previous failed vaginal cerclage, or advanced cervical effacement. In abdominal cervical cerclage, a small abdominal incision just above the pubic hairline gives the physician access to the peritoneal space, and a band is placed around the cervix at the level of the internal

os to prevent spontaneous abortion from an incompetent cervix. The abdominal incision is closed with sutures. In some cases, a thin piece of fascia or other nondissolvable material may be placed instead of a wire or suture. In such cases, report an Extraluminal Device around the external surface of the cervix.



Although it remains in place after the surgery, the suture typically placed during cerclage is considered a surgical supply rather than a device. If material other than a wire or suture is placed, report Extraluminal Device or Intraluminal Device.

Focus Point

Because the cervical os is not completely closed off, restriction is the correct root operation for cervical cerclage. The root operation Restriction describes, "Partially closing an orifice or the lumen of a tubular body part."

Focus Point

Wires and sutures placed in cervical cerclage are considered surgical supplies and are not considered devices. Removal of cervical cerclage in these cases is reported with root operation Extirpation.

Coding Guidance

AHA: 2015, 3Q, 25

Fusion, Cervical Spine, Posterior (PCF)

See also Fusion, Cervical Spine, Anterior (ACF)

Body System

Upper Joints

PCS Root Operation

Fusion

Root Operation Table

ØRG Upper Joints, Fusion

Body Part

Occipital-Cervical Joint	Cervical Vertebral Joints, 2 or more
Cervical Vertebral Joint	Cervicothoracic Vertebral Joint

Approach

Open
Percutaneous
Percutaneous Endoscopic

Device

Autologous Tissue Substitute
Synthetic Substitute
Nonautologous Tissue Substitute

Qualifier

Posterior Approach, Posterior Column

Description

Spinal fusion, also known as spinal arthrodesis, fuses together one or more vertebral joints with bone graft, allograft implants or dowels, graft-filled titanium cages, and spacers, and in some cases is supplemented by screws, plates, and rods. Graft-filled titanium cages or spacers, referred to as Interbody Fusion devices in ICD-10-PCS, are specifically used for fusions of the anterior spinal column and are not an option for posterior column fusions. Spinal arthrodesis may be performed to treat conditions such as herniated discs or degenerative, traumatic, or congenital lesions; or to stabilize fractures or dislocations of the spine. Codes identify the specific body parts for a single vertebral joint or multiple vertebral joints at each spine level where the procedure is performed (cervical, thoracic, or lumbar), the approach, and the spinal column fused (anterior, posterior) as well as devices.

The goal of posterior cervical fusion is to stabilize the spine, reducing pain and deformity. Posterior cervical fusion may also be performed in conjunction with anterior cervical spinal fusion, usually when multiple levels are involved. It may be performed with or without a posterior laminectomy for decompression, and with or without instrumentation such as metal screws and rods. Screws and rods are usually used to add stability and increase fusion success rates.

The patient is placed under general anesthesia and positioned in the prone (lying on the stomach) position. Using an Open approach, a small incision is made in the midline of the back of the neck, the muscles are dissected and retracted off the lamina, and the vertebrae and facet joints are exposed. The surgeon uses a high-speed burr to perform a laminectomy, cutting a trough of bone, and thickened ligaments and/or bone spurs may be removed, decompressing the spinal cord and/or nerve roots. Herniated or degenerated disc material may also be removed. The soft tissue and cartilage of the facet joints are removed, and the surfaces are prepared for the bone graft by burring, allowing surface area for growth of bone.

Autologous Tissue Substitute bone graft may be obtained from the iliac crest, or Synthetic Substitute bone graft or Nonautologous Tissue donor graft may be used. The bone graft material is packed into the facet joints. The back muscles are then released over the bone graft, using tension to hold the bone graft in place. Instrumentation such as wires,

screws, and plates, or screws and rods may be added to hold the vertebrae together in a natural position, preventing facet motion and increasing the success of the fusion. After the spine is stabilized, the wound area is irrigated with sterile water containing antibiotics. The deep fascial layer and subcutaneous layers are closed with sutures, and the skin is closed with sutures or staples. Temporary drains may be inserted in the surgical wound to prevent fluid buildup. A sterile bandage is applied.

Focus Point

Discectomy is usually performed with spinal fusion surgery. Report an additional code for the discectomy procedure, using root operation Excision for a partial discectomy and Resection for a total discectomy.

Focus Point

Additional procedures such as laminectomy, foraminotomy, and excision of thickened ligaments performed to decompress the cervical spinal cord and/or spinal nerves in conjunction with posterior cervical spinal fusion are reported separately as Release, Cervical Spinal Cord and/or Release, Cervical Nerve, based on which structures (spinal cord or nerve roots) are decompressed. The root operation Release meets the objective of removing the lamina, bone spurs (foramina), or ligaments to complete the decompression.

Report only one code for any procedures done to Release a single body part. If both spinal cord and spinal nerves are decompressed, two codes can be reported using Release, Cervical Spinal Cord and Release, Cervical Nerve. Multiple procedures guideline B3.2b applies only when the procedure is performed on separate and distinct body parts.

Focus Point

Bone graft harvested from the local incision is not reported separately. However, if a separate incision is required to harvest the graft, such as from the iliac crest, this may be reported in addition to the primary procedure (fusion). This is consistent with ICD-10-PCS guideline B3.9.

Focus Point

When multiple devices are used, code to the highest value listed highest to lowest (with the same approach, body part, and qualifier):

- Interbody Fusion Device (with bone graft or bone graft substitute)
- Autologous Tissue Substitute (alone or with nonautologous and/or with synthetic material)
- Nonautologous Tissue Substitute (alone or with synthetic)
- Synthetic Tissue Substitute

When multiple vertebral joints are fused, each vertebral joint that uses a different device and/or a different qualifier is coded separately. See guidelines B3.10b and B3.10c.

Focus Point

When the spinal fusion procedure is performed through two separate approaches—both anterior and posterior—requiring that the patient be repositioned, two codes are reported: one for the anterior approach through the front of the neck and one for the posterior approach through the back of the neck.

Focus Point

Reporting placement of bone morphogenic protein (BMP) placed during a spinal fusion is optional and at the discretion of the facility. It is reported with a code from the Administration section (3E0).

Coding Guidance

AHA: 2023, 2Q, 25; 2022, 2Q, 23; 2019, 2Q, 19; 2018, 1Q, 8; 2018, 1Q, 22; 2017, 2Q, 23; 2016, 2Q, 17; 2015, 2Q, 21; 2014, 3Q, 9, 30; 2014, 2Q, 6-8; 2013, 3Q, 25; 2013, 1Q, 21, 29

Valvotomy (Valvulotomy)

Body System

Heart and Great Vessels

PCS Root Operation

Dilation

Release

Root Operation Table

Ø27 Heart and Great Vessels, Dilation

Ø2N Heart and Great Vessels, Release

Body Part

Aortic Valve

Mitral Valve

Pulmonary Valve

Tricuspid Valve

Approach

Open

Percutaneous

Percutaneous Endoscopic

Device

Intraluminal Device, Drug-eluting (Dilation)

Intraluminal Device (Dilation)

No Device

Description

Valvotomy is an operation used to restore blood flow through a valve that is abnormally narrowed due to stenosis, scarring, inflammation, or congenital deformity. A percutaneous balloon dilation procedure is most commonly performed.

Dilation

The root operation Dilation is coded when the objective of the procedure is to enlarge the diameter of a tubular body part or orifice.

Dilation includes intraluminal or extraluminal methods. A device placed to maintain the new diameter that remains at the conclusion of the procedure is an integral part of the Dilation procedure and is coded to a sixth-character device value in the Dilation procedure code.

Dilation of the heart valve is performed percutaneously using a balloon-tipped catheter that is guided into the heart from an artery in the arm or the groin. Once in the opening of the valve, the balloon is inflated to enlarge the opening.

Release

Release is the freeing of fused leaflets by incising along the edges of the leaflets or by separating the leaflets with the force of a finger.

Release procedures are coded to the body part being freed and can be performed on the area around a body part, on the attachments to a body part, or between subdivisions of a body part that are causing the abnormal constraint.

Focus Point

Typically, balloon dilation is documented as valvuloplasty in an operative report; however, the objective of the procedure is the same.

Focus Point

Release should not be confused with Division. Division involves incising and separating a body part, while Release involves incising restraining tissue such as scar tissue or adhesions.

Focus Point

Commissurotomy (surgical incision of the junction between cusps of a cardiac valve) performed with the objective of dilating the valve is integral to the Dilation procedure and is not reported separately.

Coding Guidance

AHA: 2016, 1Q, 16

Valvuloplasty

See also Wedge Resection, Mitral Valve Leaflet

See also Replacement, Transcatheter Aortic Valve (TAVR)

See also Replacement, Rapid Deployment Aortic Valve (RDAVR)

Body System

Heart and Great Vessels

PCS Root Operation

Dilation

Repair

Replacement

Supplement

Root Operation Table

Ø27 Heart and Great Vessels, Dilation

Ø2Q Heart and Great Vessels, Repair

Ø2R Heart and Great Vessels, Replacement

Ø2U Heart and Great Vessels, Supplement

Body Part

Aortic Valve

Mitral Valve

Pulmonary Valve

Tricuspid Valve

Chordae Tendineae

Approach

Open

Percutaneous

Percutaneous Endoscopic

Device

Intraluminal Device, Drug-eluting (Dilation)

Intraluminal Device (Dilation)

No Device (Dilation, Repair)

Autologous Tissue Substitute (Replacement, Supplement)

Zooplasmic Tissue (Replacement, Supplement)

Synthetic Substitute (Replacement, Supplement)

Nonautologous Tissue Substitute (Replacement, Supplement)

Qualifier

Transapical (Replacement, Aortic Valve, Mitral Valve, Pulmonary Valve, Percutaneous, Supplement, Mitral Valve, Percutaneous)

Truncal Valve (Repair, Supplement, Aortic Valve)

Atrioventricular Valve, Left (Repair, Supplement, Mitral Valve)

Atrioventricular Valve, Right (Repair, Supplement Tricuspid Valve)

No Qualifier

Extracorporeal or Systemic Assistance and Performance

Balloon Pump, Intra-aortic (IABP)

Body System

Physiological Systems

PCS Root Operation

Assistance

Root Operation Table

5A0 Extracorporeal or Systemic Assistance and Performance, Physiological Systems, Assistance

Body System

Cardiac

Duration

Intermittent
Continuous

Function

Output

Qualifier

Balloon Pump

Description

Implantation of an intra-aortic pulsation balloon pump (IABP) consists of placing a balloon catheter into the descending thoracic aorta that inflates and deflates with the patient's heartbeat. This pump assists in circulating the blood to the heart and the body, allowing the heart to rest or recover from heart failure, MI, injury, trauma, or shock. This procedure is done to help support the function of the left ventricle of the heart and can also be used during interventional cardiac procedures

such as arthrectomies and angioplasties, particularly in high-risk patients.

The left or right femoral artery is exposed in the groin. After the vessel is occluded above and below the proposed insertion site, the artery is opened transversely. Occasionally, the end of a small tube of Gore-Tex may be sewn to the side of the artery. The tip of the balloon catheter is inserted into the artery (or Gore-Tex tube). The clamp occluding the artery upstream is released, and the balloon catheter is advanced to the femoral artery and into the aorta above the level of the kidney arteries, but not beyond the left arm artery. It is connected to a pump, and the pump is turned on. The pump inflates and deflates the balloon during each heartbeat cycle. Inflation of the balloon can be set to trigger intermittently according to the patient's ECG or blood pressure or continuously by a cardiac pacemaker or a pre-set continuous internal rate. The pump may be used for a few hours or up to two weeks.

Focus Point

IABP, like cardiopulmonary bypass, is an exception to the usual practice of not reporting supporting procedures that are components of a larger operation. When a surgical procedure is performed with IABP, it is coded as an additional procedure.

Focus Point

An IABP is neither classified nor coded as a device in ICD-10-PCS. It is not appropriate to assign a code with root operation Insertion when the balloon pump is placed or with the root operation Removal when the pump is disconnected. The use of an IABP is appropriately reported using the root operation Assistance.

Coding Guidance

AHA: 2022, 3Q, 23; 2021, 2Q, 12; 2018, 2Q, 3; 2013, 3Q, 18

Bypass, Cardiopulmonary

Body System

Physiological Systems

PCS Root Operation

Performance

Root Operation Table

5A1 Extracorporeal or Systemic Assistance and Performance, Physiological Systems, Performance

Body System

Cardiac

Duration

Continuous

Function

Output

Qualifier

No Qualifier

Description

Cardiopulmonary bypass, also known as artificial heart and lung or pump oxygenator, is a form of extracorporeal (situated or occurring outside the body) circulation utilized to temporarily perform the

complete functions of the heart and lungs during surgery and maintain the circulation of blood and the oxygen content of the body.

In cardiopulmonary bypass (CPB), venous blood is diverted to a heart-lung machine, which mechanically pumps and oxygenates the blood on a continuous basis temporarily so the heart can be bypassed while an open procedure on the heart or coronary arteries is performed. Roller or centrifugal pumps push the patient's venous blood through a membrane oxygenator to perform the gas exchange usually performed by the lungs, and then the blood is returned to the patient's arterial flow. During bypass, the lungs are deflated and immobile, and the heart is motionless and bloodless. CPB is performed under systemic hypothermia, reducing the risk of ischemia.

Focus Point

Cardiopulmonary bypass is an exception to the usual practice of not reporting supporting procedures that are components of a larger operation. When a surgical procedure is performed with cardiopulmonary bypass, it is coded as an additional procedure.

Focus Point

Qualifier value J Automated, is used to identify the usage of automated devices for mechanical chest compressions.

Coding Guidance

AHA: 2016, 1Q, 27; 2015, 4Q, 22; 2014, 3Q, 16, 20; 2014, 1Q, 10; 2013, 3Q, 18

Mental Health

Biofeedback

Body System

None

PCS Root Type

Biofeedback

Root Operation Table

GZC Mental Health, Biofeedback

Type Qualifier

Other Biofeedback

Description

Biofeedback involves a person learning to influence autonomic or involuntary nervous system responses and physiologic responses that are normally regulated voluntarily because his or her control has been affected by trauma or disease. The patient learns through monitoring to associate body responses with related stimuli and how to control those responses. Biofeedback helps regulate body processes such as heart rate, blood pressure, temperature, and muscle tension, and is

considered effective in the treatment of migraine headaches, high blood pressure, incontinence, Raynaud's syndrome, and anticipatory nausea due to chemotherapy.

Common forms of biofeedback therapy include electromyography (EMG) for muscle tension measurement, thermal biofeedback for skin temperature measurement, and electroencephalography (EEG) for brain wave activity measurement.

The clinician prepares the patient with electrodes attached to the skin or handheld sensors. The electrodes or sensors measure information (feedback) about the body (bio) such as skin temperature, blood pressure, muscle tension, or brain wave activity and send signals that are displayed on a monitor. The clinician then leads the patient through mental exercises that teach the patient how certain thought processes, stimuli, and actions affect these physiological responses. The treating clinician works with the patient to learn to recognize and manipulate these responses through relaxation and awareness techniques. Through trial and error, biofeedback helps the patient to use thoughts to control the body.

Electroconvulsive Therapy

Body System

None

PCS Root Type

Electroconvulsive Therapy

Root Operation Table

GZB Mental Health, Electroconvulsive Therapy

Type Qualifier

Unilateral-Single Seizure

Bilateral-Single Seizure

Other Electroconvulsive Therapy

Description

Electroconvulsive therapy (ECT), formerly known as electroshock therapy or shock treatment, is the intentional initiation of a seizure used to treat certain mental illnesses. ECT is often used to combat chronic or profound major depression, especially psychotic or intractable manic

forms, and for people who cannot take antidepressants. Electric current is used to trigger a seizure, which causes changes in the brain that improve symptoms related to mental health conditions.

Following administration of a general anesthetic and a muscle relaxant, electrodes are placed on one or both sides of the patient's head. Bilateral electrode placement passes the electric current across the whole brain. Unilateral electrode placement passes the current across one hemisphere of the brain. Using an ECT machine, a measured electrical dose is applied for about a second to commence seizures, with the seizures typically lasting 30 seconds to a minute. EEG and EKG monitors follow the seizure activity and heart rhythm while the patient sleeps through the therapy. The patient awakens a few minutes later. Multiple sessions may be needed to complete treatment.

Focus Point

An additional code for the EEG or EKG should be appended according to multiple procedures guideline B3.2c.

Intervention, Crisis

Body System

None

PCS Root Type

Crisis Intervention

Root Operation Table

GZ2 Mental Health, Crisis Intervention

Type Qualifier

None

Description

Crisis intervention (therapy) provides supportive therapy to help a patient overcome assault, violence, or other trauma. Crisis intervention

is aimed at reducing the intensity of the reaction to the crisis, developing more effective coping skills, and helping the patient recover from the crisis.

The therapist provides individual psychotherapy in an office or outpatient facility using supportive interactions, suggestion, persuasion, reality discussions, re-education, behavior modification techniques, reassurance, and occasionally medication. These interactions are done with the goal of gaining further insight and affecting behavior change or support through understanding. The technique and type of therapy may vary in accordance with the patient's circumstances.

Alphabetic Index

A

- abdomen 376, 381
- abdomen muscle 112, 253
- abdominal adhesiolysis 224
- abdominal aorta 81, 99, 264
- abdominal artery 100
- abdominal wall 69, 171, 242, 342, 343
- abdominoplasty 69
- ablation
 - cardiac conduction tissue 70
 - endometrial 71
 - vein, thermal, endovenous 72
- abortifacient 331
- abortion 331, 332
- ACF 150
- achillotomy 257
- achillotomy 257
- ACI 175
- acupuncture 377
- adenoidectomy (without tonsillectomy) 72
- adenoids 72, 308
- adenosine sestamibi planar scan, heart muscle (technetium) 391
- adhesiolysis, abdominal 224
- adhesiolysis, pelvic (female) 225
- adjustment, cardiac pacemaker lead 73
- administration 344
 - dialysis, peritoneal (PD) 345
 - induction of labor, medical 346
 - infusion, vasopressor agent 346
 - injection, epidural steroid 347
 - injection, sclerosing agent for esophageal varix 347
 - introduction, antineoplastic agent, hepatic artery 348
 - irrigation, joint 349
 - pleurodesis, talc 349
 - thrombolysis (injection of thrombolytic) (tissue plasminogen activator) 350
 - transfusion, fresh frozen plasma (FFP) 351
 - transplant, bone marrow (BMT) 352
 - transplant, stem cell 352
- administration, intraoperative, endothelial damage inhibitor 414
- adrenal gland 74
- adrenalectomy, unilateral 74
- allogeneic 313, 314, 315, 317
- alteration 69, 95, 96, 161, 226, 242, 284
- alveoloplasty 75
- alveolotomy 75
- amniocentesis 332
- amniotic fluid
 - diagnostic 332
 - therapeutic 332
- ampulla of Vater 219, 220, 293, 294
- amputation
 - below knee 76
 - foot and toe ray 77
 - toe 78
- amygdalohippocampectomy 79
- anal sphincter 145, 146, 272
- anastomosis, Billroth I 80
- anastomosis, Billroth II 80
- anastomosis, caval-pulmonary 147
- anatomical orifices 342
- anatomical regions 69, 76, 77, 78, 96, 129, 131, 136, 142, 161, 169, 170, 171, 179, 242, 243, 272, 289, 302, 303, 340, 341, 342, 343, 344, 345, 346, 347, 348, 349, 350, 376, 377, 378, 379, 381, 387, 394, 395, 396, 408, 409, 410
 - general 69, 96, 129, 131, 136, 142, 161, 171, 179, 185, 242, 243, 272, 289, 302, 303, 311
 - lower extremities 76, 77, 78, 169, 170, 179
 - upper extremities 179
- ancillary 383
- aneurysmectomy, abdominal aortic, with replacement 81
- angiocardiology 383
- angiography, cardiac (coronary arteriography) (angiocardiology) 383
- angiography, intraoperative fluorescence vascular 353
- angiography, renal arteries 384
- angioplasty, percutaneous transluminal (PTA), lower extremity 84
- angioplasty, percutaneous transluminal (PTA), lower extremity, with everolimus-eluting resorbable scaffold 403
- angioplasty, percutaneous transluminal (PTA), lower extremity, with stent 85
- angioplasty, percutaneous transluminal coronary (PTCA) 82
- angioplasty, percutaneous transluminal coronary (PTCA) with stent(s) 83
- ankle joint 150, 406
 - ankle joint, left 406
 - ankle joint, right 406
- anorectal 342
- anterior chamber 309, 310
- antibiotic-eluting bone void filler 409
- anti-inflammatory 347
- antineoplastic 348
- anus 145, 146, 272, 281
- aorta 100
- aortic valve 275, 279, 280, 322
- application, stereotactic head frame 340
- APR 281
- aquablation, prostate 86
- arterial 355, 357
- arteriography, coronary 383
- arteriography, renal (renal angiography) (angiography, renal arteries) 384
- arterioplasty (bovine patch) 86
- arthrocentesis 87
- arthrodesis 150
- arthrolysis 286
- arthroplasty 205, 206, 211, 278
- artificial heart 176
- artificial sphincter 174
- ascending colon 117
- ASD 266
- assessment, cochlear implant 399
- assistance 364, 365, 366, 367, 368, 369, 370, 405, 410
- assistance, computer 378
- assistance, robotic 379
- atherectomy, percutaneous transluminal, coronary 88
- atrial appendage 109
- atrial septum 266
- atrioseptoplasty 266
- atrioventricular valve 322
- atrium 109, 181, 197, 287, 324
- auditory ossicle 296
- augmentation, percutaneous vertebral 212
- AUS 174
- autologous 352
- autologous arterial tissue 94, 99, 100, 101, 113