



Desk Reference

Coders' Desk Reference for ICD-10-PCS Procedures

Clinical descriptions with answers to your
toughest ICD-10-PCS coding questions

2027



Contents

Illustrations	vii
Introduction	1
ICD-10-PCS Overview	1
How to Use Coders' Desk Reference for ICD-10-PCS Procedures	2
ICD-10-PCS Official Guidelines for Coding and Reporting 2025 ..	7
Conventions	7
Medical and Surgical Section Guidelines (section Ø)	8
Obstetric Section Guidelines (section 1)	13
Radiation Therapy Section Guidelines (section D)	13
New Technology Section Guidelines (section X)	13
ICD-10-PCS Root Operation Definitions	15
Root Operation Definitions for Other Sections	18
Abbreviations, Acronyms, and Symbols	23
Procedure Eponyms	37
Surgical Terms	63
Medical and Surgical	69
Abdominoplasty	69
Ablation, Cardiac Conduction Tissue	70
Ablation, Endometrial	71
Ablation, Vein, Thermal, Endovenous	72
Adenoidectomy (without Tonsillectomy)	72
Adjustment, Cardiac Pacemaker Lead	73
Adrenalectomy, Unilateral	74
Alveoloplasty (continued)	75
Alveolotomy	75
Amputation, Below Knee	76
Amputation, Foot and Toe Ray	77
Amputation, Toe	78
Amygdalohippocampectomy	79
Anastomosis, Billroth I	80
Anastomosis, Billroth II	80
Aneurysmectomy, Abdominal Aortic, with Replacement	81
Angioplasty, Percutaneous Transluminal Coronary (PTCA)	82
Angioplasty, Percutaneous Transluminal Coronary (PTCA) with Stent(s)	83
Angioplasty, Percutaneous Transluminal (PTA), Lower Extremity	84
Angioplasty, Percutaneous Transluminal (PTA), Lower Extremity, with Stent	85
Aquablation, Prostate (Robotic Water Resection of the Prostate)	86
Arterioplasty (Bovine Patch)	86
Arthrocentesis	87
Atherectomy, Percutaneous Transluminal, Coronary	88
Banding, Gastric, Laparoscopic Adjustable (LAGB) (Lap-Band® System)	89
Biopsy, Bone Marrow	89
Biopsy, Liver	90
Biopsy, Lung, Transbronchial	91
Biopsy, Lymph Node	92
Biopsy, Periurethral Tissue	93
Biopsy, Temporal Artery	93
Blalock-Taussig Shunt Procedure, Modified	94
Blepharoplasty	95
Blepharoplasty (continued)	96
Browpexy	96
Buckling, Scleral (with Implant)	97
Bunionectomy	98
Bunionectomy, Double Osteotomy	98
Bunionectomy, Tendon Transfer	99
Bypass Graft, Aorto-bifemoral	99
Bypass Graft, Coronary Artery (CABG)	100
Bypass, Extracranial-Intracranial	101
Bypass, Femoral to Peroneal with In-Situ Saphenous Vein Graft	102
Bypass, Lymphovenous (LVB)	103
Cerclage, Cervical	104
Change, Gastrojejunostomy Tube	105
Chemoembolization, Hepatic Artery	106
Cholecystectomy	107
Chondroplasty, Knee Abrasion	108
Circumcision	108
Closure, Left Atrial Appendage	109
Colectomy, Total	110
Colporrhaphy (Repair, Anterior and Posterior)	111
Colporrhaphy (Repair, Vaginal Laceration)	111
Component Release, Abdominal Muscle	112
Conduit, Right Ventricle to Pulmonary Artery (RV-PA) (Sano Shunt)	113
Conization, Cervix, LEEP	114
Control, Epistaxis, Ligation Anterior Ethmoidal Arteries	115
Conversion, Gastrostomy to Jejunostomy (PEG-PEJ)	115
Cordotomy, Spinal (Chordotomy)	116
Correction, Syndactyly	117
Creation, Colostomy	117
Creation, Ileostomy	118
Cystectomy (Bladder)	119
Cystostomy, Suprapubic (Suprapubic Catheter)	120
Cystourethroscopy, with Inspection, Bladder and Ureters	120
Debridement (Excisional)	121
Debridement (Nonexcisional)	122
Decompression, Posterior Fossa (Chiari Malformation)	123
Decompression, Subacromial, Rotator Cuff Tendon	124
Decortication, Pulmonary	125
Denervation, Facet (Percutaneous)	125
Dilation and Curettage (D&C)	126
Dilation, Esophagus	127
Discectomy	128
Diversion, Ascites from Peritoneal Cavity to Bladder	129
Diversion, Urinary, Ileal Conduit	130
Drainage, Floor of Mouth	131
Elevation, Skull Fracture	132
Embolization, Uterine Artery, Percutaneous	132
Embolization, Uterine Artery, Percutaneous (continued)	133
Endarterectomy, Carotid	133
Enteroscopy, Double Balloon (DBE)	134
Enucleation, Eyeball, with Synchronous Implant	135
Epiglottopexy, Transoral Endoscopic	135
Episiotomy	136
Esophagectomy, Partial	136
Esophagectomy, Partial (continued)	137
Esophagectomy, Total	137
Esophagogastroduodenoscopy with Biopsy	138
Evacuation, Acute Subdural Hematoma	139
Excision, Lingual, Submucosal Minimally Invasive (SMILE)	139
Excision, Radical, Skin Lesion	140
Excision, Radioulnar Synostosis	140
Excision, Thoracic Spinal Dural Arteriovenous Fistula	141
Exploration, Common Bile Duct	141
Exploratory Laparotomy/Laparoscopy	142
Extraction, Extracapsular Cataract with Intraocular Lens Implantation	142
Fasciectomy, Plantar	143
Fasciotomy, Palmar (Dupuytren's Contracture)	143
Fistula, Arteriovenous (AVF)	144
Fistulectomy, Anal	145
Fistulectomy, Vesicovaginal	145

Fistulotomy, Anal	146
Fontan Stage I (Norwood Procedure)	146
Fontan Stage I (Continued)	147
Fontan Stage II (Glenn Procedure) (Caval-pulmonary Artery Anastomosis)	147
Fontan Stage III, Completion	148
Frenectomy, Labial	148
Frenotomy, Labial	149
Fundoplication, Gastroesophageal	149
Fusion, Ankle (Arthrodesis)	150
Fusion, Cervical Spine, Anterior (ACF)	150
Fusion, Cervical Spine, Anterior (Continued)	151
Fusion, Cervical Spine, Posterior (PCF)	152
Fusion, Lumbar, Posterior (PLF)	153
Fusion, Spinal, Interbody Fusion Device	154
Fusion, Spinal, Interbody Fusion Device (Continued)	155
Gastrectomy	156
Gastrectomy, Vertical Sleeve (VSG)	157
Gastrojejunostomy, Roux-en-Y (Gastric Bypass for Morbid Obesity)	158
Gastroplasty, Collis	159
Gastrostomy, Percutaneous Endoscopic (PEG)	160
Gender Reassignment Surgery	161
Genioplasty, Augmentation	161
Graft, Arterial, Chimney (Stent)	162
Graft, Arteriovenous (AV)	163
Graft, Dura Mater, Intracranial	164
Graft, Skin, Split-Thickness (STSG)	164
Graft, Skin, Split-Thickness (Continued)	165
Graft, Sphenoid Sinus (Fat)	165
Harvest, Graft, Autologous Bone Marrow	166
Harvesting, Knee Chondrocytes	166
Hemicolectomy	167
Hemicolectomy (Continued)	168
Hemorrhoidectomy	168
Herniorrhaphy, Femoral	169
Herniorrhaphy, Inguinal	170
Herniorrhaphy, Paraesophageal (Diaphragmatic)	170
Herniorrhaphy, Paraesophageal (Continued)	171
Herniorrhaphy, Ventral, Incisional (Hernia Repair)	171
Hysterectomy	172
Hysterectomy (Continued)	173
Implant, Cochlear (CI)	173
Implantation, Artificial Urinary Sphincter (AUS)	174
Implantation, Autologous Chondrocyte (ACI), Knee	175
Implantation, Epiretinal Visual Prosthesis	175
Implantation, Heart Replacement System (Artificial Heart)	176
Implantation, Heart Replacement System (Continued)	177
Incision and Loop Drainage, Suprapubic Subcutaneous Abscess	177
Insertion, Baclofen Pump	178
Insertion, Bone Growth Stimulator	178
Insertion, Brachytherapy, Radioactive Element	179
Insertion, Brachytherapy, Radioactive Element (continued)	180
Insertion, Cardiac Defibrillator Generator (ICD)	180
Insertion, Cardiac Lead(s)	181
Insertion, Cardiac Pacemaker Generator	182
Insertion, Cardiac Resynchronization Therapy Defibrillator (CRT-D) Pulse Generator	182
Insertion, Cardiac Resynchronization Therapy Pacemaker (CRT-P) Pulse Generator	183
Insertion, Central Line	184
Insertion, Deep Brain Stimulator (DBS)	185
Insertion, Defibrillator Lead, Extravascular	185
Insertion, Defibrillator Lead, Subcutaneous	186
Insertion, Endobronchial Valve, Endoscopic	186
Insertion, Evacuating Port System, Subdural (SEPS)	187
Insertion, Filter, Inferior Vena Cava (IVC)	187
Insertion, Hepatic Artery Infusion Device	188
Insertion, Implantable Subcutaneous Pump System for Ascites Drainage	189
Insertion, Indwelling Stent, Ureteral	190
Insertion, Infusion Pump into Subcutaneous Tissue and Fascia	191
Insertion, Intracranial Responsive Neurostimulator (RNS)	191
Insertion, Intracranial Responsive Neurostimulator or Deep Brain Stimulator Lead(s)	192
Insertion, Limb Lengthening Device	192
Insertion, Limb Lengthening Device (continued)	193
Insertion, Mechanical Circulatory Support Device	193
Insertion, Penile Prosthesis, Inflatable	194
Insertion, Spinal Stabilization Device	195
Insertion, Tissue Expander, Breast	196
Insertion, Tissue Expander, Subcutaneous Tissue	196
Insertion, Transcatheter Interstitial Shunt Device (Unidirectional Left-to-Right Shunt)	197
Insertion, Vascular Access Device (CVAD, VAD, TIVAD, Port-A-Cath)	198
Insertion, Ventricular Assist Device	199
Intubation, Endotracheal	200
Jejunostomy, Percutaneous Endoscopic (PEJ)	201
Joint Replacement, Elbow (Total)	202
Joint Replacement, Hip (Partial)	203
Joint Replacement, Hip (Total)	204
Joint Replacement, Hip (continued)	205
Joint Replacement, Hip Resurfacing (Hip Resurfacing Arthroplasty)	205
Joint Replacement, Hip Revision (Revision Arthroplasty)	206
Joint Replacement, Hip Revision (continued)	207
Joint Replacement, Knee	208
Joint Replacement, Shoulder (Partial)	209
Joint Replacement, Shoulder (Total)	210
Joint Replacement, Shoulder, Reverse (Reverse Shoulder Arthroplasty)	211
Keratoplasty, Penetrating	211
Kyphoplasty (Percutaneous Vertebral Augmentation)	212
Laminectomy, Decompressive (Hemilaminectomy)	213
Laser Interstitial Thermal Therapy (LITT)	214
Lavage, Bronchoalveolar (BAL)	215
Lengthening, Tendon	215
Ligamentoplasty, Interspinous	216
Ligation and Stripping, Varicose Veins	216
Ligation, Esophageal Varices	217
Ligation, Tubal (Sterilization)	218
Lithotripsy, Coronary Intravascular	218
Lithotripsy, Direct Intracorporeal	219
Lithotripsy, Extracorporeal Shock Wave (ESWL)	220
Lithotripsy, Peripheral Intravascular (PIVL)	221
Lobectomy, Lung	222
Lobectomy, Temporal, Brain (Epilepsy)	223
Lysis, Adhesions, Abdominal (Abdominal Adhesiolysis)	224
Lysis, Adhesions, Female Pelvic (Pelvic Adhesiolysis)	225
Mammoplasty, Reduction	226
Mapping, Cardiac	226
Mapping, Cortical	227
Marsupialization, Bartholin's Gland Cyst	228
Marsupialization, Pilonidal Cyst	229
Mastectomy	230
Meniscectomy, Knee	231
Myomectomy, Uterine	232
Myringotomy with Tubes (Tympanostomy)	233

Nephrolithotomy, Percutaneous	234
Nephrolithotripsy, Percutaneous	234
Nephrostomy (with Fragmentation), Percutaneous	235
Nephrostomy (without Fragmentation), Percutaneous	236
Nephroureterectomy	236
Neurolysis, Trigeminal (Trigeminal Nerve Decompression)	237
Neuroplasty, Peripheral	237
Nuss Procedure	238
Orchiectomy	239
Orchiopexy	240
Osteosynthesis, Rotational Tibial (Tibial Rotationplasty)	241
Pancreaticogastrostomy	241
Panniculectomy, Cosmetic	242
Paracentesis, Peritoneal Cavity	243
Parathyroidectomy	244
Parotidectomy	245
Pleurectomy, Parietal, with Decortication	246
Plication, Emphysematous Bleb	246
Plication, Emphysematous Bleb (continued)	247
Proctectomy	247
Prostatectomy	248
Pyloromyotomy	249
Rastelli Procedure (Right Ventricular-Pulmonary Artery Conduit)	250
Ravitch Procedure (Repair of Pectus Deformity)	251
Recession, Extraocular Muscle	251
Reconstruction, Bladder Neck (Neo-urethra), Bladder Flap	252
Reconstruction, Breast (Transverse Rectus Abdominis Myocutaneous (TRAM) Free Flap)	252
Reconstruction, Breast (continued)	253
Reconstruction, Breast (Transverse Rectus Abdominis Myocutaneous (TRAM) Pedicle Flap)	253
Reconstruction, Lateral Ulnar Collateral Ligament (LUCL)	254
Reconstruction, Urethra, Male (Urethroplasty)	254
Reduction, Fracture, Closed with Percutaneous Pinning	255
Reduction, Fracture, Open, with Internal Fixation (ORIF)	255
Reduction, Joint Dislocation	256
Reimplantation, Parathyroid (Autotransplantation)	256
Reimplantation, Ureteral	257
Release, Achilles' Tendon (Achillototomy) (Achillotomy)	257
Release, Carpal Tunnel	258
Release, Chordée	259
Release, Coracoacromial Ligament	259
Removal, Esophageal Foreign Body	260
Removal, Ingrown Toenail	260
Removal, Internal Fixation Device, Bone	261
Removal, Intracranial Responsive Neurostimulator (RNS) Generator	261
Removal, Intracranial Responsive Neurostimulator (RNS) or Deep Brain Stimulator (DBS) Lead	262
Removal, Pituitary Tumor, Transsphenoidal	263
Repair, Aneurysm, Abdominal Aorta, Endovascular with Stent Graft (EVAR)	264
Repair, Aneurysm, Cerebral, Craniotomy with Clipping	265
Repair, Aneurysm, Cerebral, Endovascular	266
Repair, Atrial Septal Defect (ASD) (Atrioseptoplasty) (Repair of Foramen Ovale (Patent))	266
Repair, Atrial Septal Defect (continued)	267
Repair, Bronchopleural Fistula, Autologous Graft, Omentum	268
Repair, Cleft Lip (Cheiloplasty)	268
Repair, Cleft Lip (continued)	269
Repair, Cleft Palate, Alveolar	269
Repair, Complete Common Atrioventricular Canal Defect	270
Repair, Hypospadias	271
Repair, Labral Tear (Shoulder)	271
Repair, Obstetrical Laceration/Episiotomy Extension	272
Repair, Rotator Cuff (Shoulder)	273
Repair, Superior Labrum Anterior and Posterior (SLAP)	273
Repair, Tendon (Tenorrhaphy)	274
Repair, Truncus Arteriosus with Aortic Valve Creation	275
Repair, Ventricular Septal Defect (VSD)	276
Replacement, Intervertebral Disc, Artificial	277
Replacement, Pacemaker Generator (End of Life)	278
Replacement, Radial Head (Radial Head Arthroplasty)	278
Replacement, Radial Head (continued)	279
Replacement, Rapid Deployment Aortic Valve (RDAVR)	279
Replacement, Transcatheter Aortic Valve (TAVR)	280
Replantation, Scalp	280
Reposition, Uterus, Transvaginal	281
Resection, Abdominoperineal (APR)	281
Resection, Lymph Node	282
Resection, Stapled Transanal Rectal (STARR) (Rectorectostomy)	283
Revision, Graft, Arteriovenous (AV)	283
Revision, Shunt, Transjugular Intrahepatic Portosystemic (TIPS)	284
Rhinoplasty, Augmentation	284
Rhinoscopy	285
Rhizotomy, Spinal Nerve Root	285
Rupture, Shoulder Joint Adhesions (Arthrolysis) (Manual)	286
Sacroplasty	286
Septoplasty, Deviated Nasal Septum	287
Septostomy, Percutaneous, Atrial Balloon (Rashkind Procedure)	287
Shunt, Endolymphatic	288
Shunt, Lumboatrial	288
Shunt, Lumboatrial (continued)	289
Shunt, Peritoneovenous (Denver, LeVeen)	289
Shunt, Transjugular Intrahepatic Portosystemic (TIPS)	290
Sialoadenectomy	290
Sialoadenectomy (continued)	291
Sialodochoplasty, Parotid Duct	291
Sialolithotomy	292
Sinuplasty (Balloon Sinuplasty, Balloon Sinus Dilation (BSD))	292
Sling Suspension, Urethral (Pubovaginal Sling)	293
Sphincteroplasty, Pancreatic	293
Sphincterotomy, Papillotomy Endoscopic Retrograde Cholangiopancreatography	294
Spinal Tap (Lumbar Puncture)	294
Spinal Tap (continued)	295
Splenectomy, Partial	295
Splenectomy, Total	296
Stapedectomy, with Prosthesis	296
Stapedectomy, with Prosthesis (complete)	297
Suctioning, Bronchial (For Removal of Mucus Plug)	297
Switch, Duodenal (Biliopancreatic Diversion)	298
Switch Procedure, Arterial	299
Sympathectomy, Thoracic Endoscopic (ETS)	300
Tethering, Vertebral Body (VBT)	301
Thoracentesis	302
Thoracoscopy (Diagnostic)	303
Thoracostomy, Tube	303
Thrombectomy, Percutaneous Mechanical (Pharmacomechanical) (PMT)	304
Thyroidectomy	305
Tonsillectomy, Lingual	306
Tonsillectomy (Without Adenoidectomy)	307
Tonsillectomy with Adenoidectomy	308
Trabeculectomy Ab Externo	309
Trabeculoplasty, Laser	310

Tracheostomy	310	Thrombolysis (Injection of Thrombolytic) (Tissue Plasminogen Activator [tPA][r-tPA])	350
Tracheostomy (continued)	311	Transfusion, Fresh Frozen Plasma (FFP)	351
Tracheostomy Revision (Stomaplasty)	311	Transfusion, Intraosseous	351
Tracheostomy Tube Change	312	Transplant, Bone Marrow (BMT)	352
Transfer, Lymph Node (LNT)	312	Transplant, Stem Cell	352
Transplant, Heart	313	Measurement and Monitoring	353
Transplant, Kidney	314	Angiography, Intraoperative Fluorescence Vascular	353
Transplant, Liver	314	PCS Root Type	353
Transplant, Lung	315	Catheterization, Cardiac	354
Transplant, Meniscus	316	Electrocorticography (Intraoperative)	355
Transplant, Uterus	317	Fractional Flow Reserve (FFR), Coronary	355
Transposition, Nerve	318	Interrogation, Device, Cardiac Rhythm Related	356
Turbinectomy, Submucous Resection	318	Measurement, Intracranial Arterial Flow	357
Turbinectomy, Submucous Resection (continued)	319	Measurement, Musculoskeletal Intracompartmental Pressure	358
Ureteroneocystostomy	319	Measurement, Portal Venous Pressure	358
Ureteroplasty	320	Monitoring, Central Venous Pressure	359
Urethropexy (Retropubic Urethral Suspension)	321	Monitoring, Fetal Heart Rate, Transvaginal (Internal)	360
Uvulopalatopharyngoplasty	321	Monitoring, Intracranial Pressure	361
Valvotomy (Valvulotomy)	322	Monitoring, Neurophysiological, Intraoperative	362
Valvuloplasty	322	Stress Test, Cardiac (Myocardial Perfusion Scan) (Cardiovascular Stress Test)	363
Valvuloplasty (continued)	323	Extracorporeal or Systemic Assistance and Performance	364
Vasectomy	324	Balloon Pump, Intra-aortic (IABP)	364
Ventriculostomy	324	Bypass, Cardiopulmonary	364
Ventriculostomy (continued)	325	Cardioversion and Defibrillation, External	365
Ventriculostomy, Reopening, Endoscopic Third (ETV)	326	Filtration, Extracorporeal Peripheral Veno-Venous, Intraoperative	365
Vertebraloplasty	326	Hemodialysis	366
Vertebraloplasty (continued)	327	Oxygen Therapy, Supersaturated	366
Vitrectomy	327	Oxygenation, Extracorporeal Membrane (ECMO)	367
Washing, Bronchial	328	Oxygenation, Hyperbaric, Wound	367
Wedge Resection, Mitral Valve Leaflet	328	Performance, Extracorporeal Hepatic (Liver Dialysis)	368
Wedge Resection, Mitral Valve Leaflet (continued)	329	Removal, Carbon Dioxide, Extracorporeal (ECCO ₂ R) (Respiratory Dialysis)	368
Whipple	329	Ventilation, Mechanical, Assistance, Prone	369
Z-plasty, Skin (Scar Revision)	330	Ventilation, Mechanical, Assistance, Supine	370
Medical and Surgical-Related	331	Ventilation, Mechanical, Performance	371
Obstetrics	331	Extracorporeal or Systemic Therapies	372
Abortion	331	Oxygenation, Hyperbaric (Decompression)	372
Abortion (continued)	332	Perfusion, Respiratory Donor Organ (EVLP) (ex-vivo lung perfusion)	372
Amniocentesis	332	Pheresis	373
Cesarean Section (C-section)	333	Phototherapy	374
Delivery, Assisted, Manually	334	Therapy, Shock Wave, Extracorporeal (ESWT), Musculoskeletal (Orthotripsy)	374
Delivery, Assisted with Instrumentation	335	Ultrasound, Therapeutic	375
Delivery, Vaginal, Breech	336	Osteopathic	376
Extraction, Retained Placenta, Manual	336	Manipulative Treatment, Osteopathic	376
Insertion, Monitoring Electrode	337	Other Procedures	377
Removal, Ectopic Pregnancy	338	Acupuncture	377
Repair, In Utero Fetal Myelomeningocele	339	PCS Root Type	377
Version, External Cephalic (ECV)	339	Assistance, Computer	378
Placement	340	Assistance, Robotic	379
Application, Stereotactic Head Frame	340	Collection, Cerebrospinal Fluid from Indwelling Device	379
Compression, Lymphedema, Intermittent Pneumatic	340	Guidance, Fiber Optic 3D	380
Immobilization (Cast/Splint)	341	Chiropractic	381
Packing	342	Manipulation, Chiropractic, Mechanically Assisted	381
Traction	343	Ancillary	383
Administration	344	Imaging	383
Brachytherapy, Intravascular Coronary (with Percutaneous Transluminal Coronary Angioplasty [PTCA])	344	Angiography, Cardiac (Coronary Arteriography) (Angiocardiography)	383
Chemotherapy, Hyperthermic Intraperitoneal	345	Arteriography, Renal (Renal Angiography) (Angiography, Renal Arteries)	384
Dialysis, Peritoneal (PD)	345		
Induction of Labor, Medical	346		
Infusion, Vasopressor Agent	346		
Injection, Epidural Steroid	347		
Injection, Sclerosing Agent for Esophageal Varix	347		
Introduction, Antineoplastic Agent, Hepatic Artery	348		
Irrigation, Joint	349		
Pleurodesis, Talc	349		

Echocardiography, Intracardiac	385	Narcosynthesis	401
Echocardiography, Transesophageal (TEE)	386	Substance Abuse Treatment	402
Endoscopic Retrograde Cholangiopancreatography (ERCP)	386	Detoxification, Substance Abuse	402
Fluoroscopy	387	New Technology	403
MRI, Fetal, Central Nervous System	388	Angioplasty, Percutaneous Transluminal (PTA), Lower Extremity, with Everolimus-eluting Resorbable Scaffold	403
Ultrasonography, Fetal	388	Filtration, Circulatory, Blood Pathogen	404
Ultrasound, Intravascular, Coronary Arteries (IVUS)	389	Filtration, Cerebral Embolic	405
Ventriculography, Cardiac	390	Fusion, Ankle, Gyroid-Sheet Lattice Device	406
Videofluoroscopy, Esophageal (Modified Barium Swallow)	390	Fusion, Ankle, Open-truss Device	406
Nuclear Medicine	391	Fusion, Spinal, Facet Joint Fusion Device	407
Adenosine Sestamibi Planar Scan, Heart Muscle (Technetium)	391	Histotripsy, Liver	407
Cisternography, Cerebrospinal Fluid Flow Imaging	391	Immunotherapy, Engineered Chimeric Antigen Receptor (CAR) T-cell	408
Scan, Pulmonary, Ventilation and Perfusion	392	Insertion, Antibiotic-eluting Bone Void Filler	409
Radiation Therapy	393	Insertion, Spinal, Carbon/PEEK Spinal Stabilization Device	409
Brachytherapy, Prostate	393	Introduction, Coronary Arteries, Paclitaxel-Coated Balloon Technology	410
Brachytherapy, Unidirectional	394	Occlusion, Coronary Sinus, Intermittent	410
Oncology Treatment, Hyperthermia	395	Placement, Magnetic Growth Rods	411
Radiation Therapy, External Beam	396	Replacement, Artery, Bioengineered Human Acellular Vessel	411
Radiation Therapy, Intraoperative (IORT)	397	Replacement, Meniscus	412
Radiation Therapy, Plaque Radiation, Eye	397	Restriction, Coronary Sinus	412
Radiation Therapy, Stereotactic Radiosurgery, Brain	398	Supplement, Extraluminal Support Device, Vein (for AVF)	413
Radiation Therapy, Superficial Dermatologic	398	Supplement, Extraluminal Support Device, Vein Graft (for CABG)	413
Physical Rehabilitation and Diagnostic Audiology	399	Treatment, Intraoperative, Vascular Grafts (Intraoperative Administration of Endothelial Damage Inhibitor)	414
Assessment, Cochlear Implant	399	Alphabetic Index	415
Section Qualifier	399		
Electrocochleography, Transtympanic (ECOG)	399		
Section Qualifier	399		
Mental Health	400		
Biofeedback	400		
Electroconvulsive Therapy	400		
Intervention, Crisis	400		

Introduction

Coding is a complicated business. It is not enough to have a current copy of an ICD-10-PCS book—coders must have a firm enough grasp of medical terminology, anatomy, and surgical techniques to be able to translate procedure descriptions in medical records into detailed codes. ICD-10-PCS guidelines state that the physician is not responsible for changing the common procedure terminology he or she uses to document procedures so that it better matches terminology used in the coding system. Rather, the burden is on the coder, who must interpret physicians' procedure descriptions and reflect them in the appropriate ICD-10-PCS codes. The *Coders' Desk Reference for ICD-10-PCS Procedures* addresses this challenge.

This book provides coders, coding managers, medical staff and health care professionals, payers, educators, and students with comprehensive, clear descriptions of procedures. The goal is to enrich users' clinical understanding of surgical procedures and how they relate to the way ICD-10-PCS classifies procedures. The result is improved coding confidence so that code selection becomes more accurate and efficient. The coding guidance in *Coders' Desk Reference for ICD-10-PCS Procedures* is based on the official version of the ICD-10 Procedure Coding System (ICD-10-PCS), effective October 1, 2024. (Please note that this procedure coding reference is intended to be used with an official ICD-10-PCS code book.)

This desk reference is organized by common procedure nomenclature used in the hospital setting, which is linked to the related root operation tables. The procedures are described in layman's terms, translated to ICD-10-PCS root operation terminology, and the corresponding root operation tables are identified.

Detailed descriptions using terminology coders see in medical documents, together with coding clarification and guidance and important instruction regarding ICD-10-PCS conventions, make *Coders' Desk Reference for ICD-10-PCS Procedures* an unparalleled guidebook to code selection.

Important Message: Not all categories, subcategories, or procedures have been represented in this edition of the *Coders' Desk Reference for ICD-10-PCS Procedures*. Additional procedures not part of the 2025 edition will gradually be incorporated into future editions.

ICD-10-PCS Overview

ICD-10-PCS Code Structure

ICD-10-PCS has a multiaxial, seven-character, alphanumeric code structure. Each character contains up to 34 possible values. Each value represents a specific option for the general character definition. The 10 digits 0–9 and the 24 letters A–H, J–N, and P–Z may be used for each character. The letters O and I are not used so as to avoid confusion with the digits 0 and 1.

An ICD-10-PCS code is the result of a process rather than a single fixed set of digits or alphabetic characters. The process consists of combining semi-independent values from among a selection of values, according to the rules governing the construction of codes. A code is derived by choosing a specific value for each of the seven characters. Based on details about the procedure performed, values are assigned for each character specifying the section, body system, root operation, body part, approach, device, and qualifier. Because the definition of each character is also a function of its physical position in the code, the same letter or number placed in a different position in the code has a different meaning.

The seven characters that make up a complete code have specific meanings that vary for each of the 17 sections of the manual. Procedures are divided into sections that identify the general type of procedure (e.g., Medical and Surgical, Obstetrics, Imaging). The first character of the procedure code always specifies the section. The second through seventh characters have the same meaning within each section but may mean different things in other sections. In all sections, the third character specifies the general type, or root operation, of procedure performed (e.g., Resection, Transfusion, Fluoroscopy), while the other characters give additional information such as the body part and approach.

ICD-10-PCS Index

Codes may be found in the index based on the general type of procedure (e.g., Resection, Transfusion, Fluoroscopy), or a more commonly used term (e.g., appendectomy). For example, the code for percutaneous intraluminal dilation of the coronary arteries with an intraluminal device can be found in the ICD-10-PCS index under "Dilation" or a synonym for dilation (e.g., "Angioplasty"). The index then specifies the first three or four values of the code or directs the user to see another term.

The user can use the alphabetic index to locate the appropriate table containing all the information necessary to construct a procedure code. The PCS tables should always be consulted to find the most appropriate valid code. Coders may choose a valid code directly from the tables; they do not have to consult the index before proceeding to the tables to complete the code.

Main Terms

The alphabetic index reflects the structure of the tables. The index:

- Is based on the value of the third character
- Contains common procedure terms
- Lists anatomic sites
- Uses device terms

The main terms in the alphabetic index are root operations, root procedure types, or common procedure names. The index provides at least the first three or four values of the code, and some entries may provide complete valid codes. However, the user should always consult the appropriate table to verify that the most appropriate valid code has been selected.

For the Medical and Surgical and related sections, the root operation values are used as main terms in the index. The subterms under the root operation main terms are body parts. For the Ancillary section of the code tables, the main terms in the index are the general type of procedure performed.

The second type of term in the index uses common procedure names, such as "appendectomy" or "fundoplication." These common terms are listed as main terms with a "see" reference noting the PCS root operations that are possible valid code tables based on the objective of the procedure.

Use Reference

The index also lists anatomic sites from the Body Part Key and device terms from the Device Key. These terms are listed with "use" references, which are additional references to the terms located in the appendix keys. The term provided is the body part value or device value to be selected when constructing a procedure code using the code tables. This type of index reference does not direct the user to another term in the index, but provides guidance regarding character value selection. Therefore, "use" references generally do not refer to specific valid code tables.

ICD-10-PCS Code Tables

ICD-10-PCS contains 17 sections of code tables organized by general type of procedure. Each table is composed of rows that specify the valid combinations of code values. In most sections of the coding system, the upper portion of each table contains a description of the first three characters of the procedure code. In the Medical and Surgical section, for example, the first three characters contain the name of the section, the body system, and the root operation performed. The four columns in the table specify the last four characters. In the Medical and Surgical section, they are labeled body part, approach, device and qualifier, respectively. Each row in the table specifies the valid combination of values for characters 4 through 7. All seven characters must be specified to form a valid code.

Note that the code must be constructed with a combination of values within the same row of the table. A combination of values from different rows of the same table will result in an invalid code.

How to Use Coders' Desk Reference for ICD-10-PCS Procedures

Coders' Desk Reference for ICD-10-PCS Procedures is divided into convenient sections for easy use. The basic format of the book provides clinical coding support with illustrations, narratives, and other resources that help the user work from the medical record. The book begins with special chapters that provide detailed information on coding guidelines and conventions relating to ICD-10-PCS procedure coding, as well as common abbreviations, acronyms, symbols, eponyms, and surgical terms found in the medical record. It then follows the organization of ICD-10-PCS, looking at procedures and their associated ICD-10-PCS root operation tables. Due to the significant expansion of the number of ICD-10-PCS codes, it is impossible to include a description of every procedure. Included are representative examples of procedures, organized by section and subsection.

List of Illustrations

This is a list of illustrations by procedure name with a cross-reference to the appropriate page.

ICD-10-PCS Official Guidelines for Coding and Reporting 2026

For the new coder, and even for the veteran, this chapter provides an overview and detailed instructions on ICD-10-PCS coding guidelines and conventions.

ICD-10-PCS Root Operation Definitions

This resource is a compilation of all root operations in the Medical and Surgical, Medical and Surgical-Related, and Ancillary sections as well as the New Technology section of the ICD-10-PCS manual. It provides a definition and in some cases a more detailed explanation of the root operation to better reflect its purpose or objective. Examples of related procedures may also be provided.

Abbreviations, Acronyms, and Symbols

The medical profession has its own shorthand for documentation. Here, acronyms, abbreviations, and symbols commonly seen on operative reports or medical charts are listed for easy reference.

Procedure Eponyms

In the medical record, procedures are often documented by their common name or eponym (such as Billroth's operation I). Eponyms honor the developer of a procedure or test but do little to clarify what the procedure is. ICD-10-PCS does not cross-reference eponyms even though they are commonly noted in medical documentation. Our editors have researched the procedure eponyms in the volume 3 index of the ICD-9 book and identified the associated ICD-10-PCS three- and sometimes four-character tables. The three-character description references the root operation and body system; the four-character description specifies the root operation and body part, when applicable.

Surgical Terms

Operative reports contain words and phrases that not only communicate the importance and *urgency* of surgery, but also describe the techniques. The *Coders' Desk Reference for ICD-10-PCS Procedures* glossary of surgical terms includes the terms operative reports most commonly use to describe techniques and tools.

Procedures

The first section of the desk reference, *Medical and Surgical*, contains the majority of procedures typically reported in an inpatient setting.

The next section is *Medical and Surgical-Related* sections, with subsections as listed below:

- Obstetrics
- Placement
- Administration
- Measurement and Monitoring
- Extracorporeal or Systemic Assistance and Performance
- Extracorporeal or Systemic Therapies
- Osteopathic
- Other Procedures
- Chiropractic

Next is the *Ancillary* section, which contains subsections for *Imaging*, *Nuclear Medicine*, and *Radiation Therapy*. Codes in these sections contain character values for contrast, modality qualifier, and equipment.

Last is the *New Technology* section, which contains codes identifying procedures requested via the new technology application process, and codes that capture new technologies not currently classified in ICD-10-PCS.

This section may include medical and surgical procedures, medical and surgical-related procedures, or ancillary procedures that are currently designated as new technology.

Alphabetic Index

The "Alphabetic Index" enables the user to look up a procedure by principal procedure or keyword, such as "Bypass," followed by descriptive terms, such as "Extracranial-Intracranial." "See also" notes are cross-referenced terms within the desk reference that provide additional information.

ICD-10-PCS Root Operation Definitions

0 Medical and Surgical

ICD-10-PCS Value	Definition
0 Alteration	Definition: Modifying the anatomic structure of a body part without affecting the function of the body part
	Explanation: Principal purpose is to improve appearance
	Examples: Face lift, breast augmentation
1 Bypass	Definition: Altering the route of passage of the contents of a tubular body part
	Explanation: Rerouting contents of a body part to a downstream area of the normal route, to a similar route and body part, or to an abnormal route and dissimilar body part. Includes one or more anastomoses, with or without the use of a device.
	Examples: Coronary artery bypass, colostomy formation
2 Change	Definition: Taking out or off a device from a body part and putting back an identical or similar device in or on the same body part without cutting or puncturing the skin or a mucous membrane
	Explanation: All CHANGE procedures are coded using the approach EXTERNAL
	Examples: Urinary catheter change, gastrostomy tube change
3 Control	Definition: Stopping, or attempting to stop, postprocedural or other acute bleeding
	Explanation: None
	Examples: Control of post-prostatectomy hemorrhage, control of intracranial subdural hemorrhage, control of bleeding duodenal ulcer, control of retroperitoneal hemorrhage
4 Creation	Definition: Putting in or on biological or synthetic material to form a new body part that to the extent possible replicates the anatomic structure or function of an absent body part
	Explanation: Used for gender reassignment surgery and corrective procedures in individuals with congenital anomalies
	Examples: Creation of vagina in a male, creation of right and left atrioventricular valve from common atrioventricular valve
5 Destruction	Definition: Physical eradication of all or a portion of a body part by the direct use of energy, force, or a destructive agent
	Explanation: None of the body part is physically taken out
	Examples: Fulguration of rectal polyp, cauterization of skin lesion
6 Detachment	Definition: Cutting off all or a portion of the upper or lower extremities
	Explanation: The body part value is the site of the detachment, with a qualifier if applicable to further specify the level where the extremity was detached
	Examples: Below knee amputation, disarticulation of shoulder
7 Dilation	Definition: Expanding an orifice or the lumen of a tubular body part
	Explanation: The orifice can be a natural orifice or an artificially created orifice. Accomplished by stretching a tubular body part using intraluminal pressure or by cutting part of the orifice or wall of the tubular body part.
	Examples: Percutaneous transluminal angioplasty, internal urethrotomy
8 Division	Definition: Cutting into a body part, without draining fluids and/or gases from the body part, in order to separate or transect a body part
	Explanation: All or a portion of the body part is separated into two or more portions
	Examples: Spinal cordotomy, osteotomy
9 Drainage	Definition: Taking or letting out fluids and/or gases from a body part
	Explanation: The qualifier DIAGNOSTIC is used to identify drainage procedures that are biopsies
	Examples: Thoracentesis, incision and drainage
B Excision	Definition: Cutting out or off, without replacement, a portion of a body part
	Explanation: The qualifier DIAGNOSTIC is used to identify excision procedures that are biopsies
	Examples: Partial nephrectomy, liver biopsy
C Extirpation	Definition: Taking or cutting out solid matter from a body part
	Explanation: The solid matter may be an abnormal byproduct of a biological function or a foreign body; it may be imbedded in a body part or in the lumen of a tubular body part. The solid matter may or may not have been previously broken into pieces.
	Examples: Thrombectomy, choledocholithotomy
D Extraction	Definition: Pulling or stripping out or off all or a portion of a body part by the use of force
	Explanation: The qualifier DIAGNOSTIC is used to identify extractions that are biopsies

Procedure Eponyms

Eponym	Description	ICD-10-PCS Table Reference
Abbe	Vaginal construction — creation of vaginal canal (vaginoplasty) without graft or prosthesis	ØUQG Repair Vagina
Abbe	Vaginal construction — creation of vaginal canal (vaginoplasty) with graft or prosthesis	ØUUG Supplement Vagina
AbioCor®	Implantation of total internal biventricular heart replacement system	Ø2RK Replacement Ventricle, Right Ø2RL Replacement Ventricle, Left
Aburel	Intra-amniotic injection of abortifacient for abortion	10A Abortion Pregnancy
Adams	Excision of palmar fascia for release of Dupuytren's contracture	ØJB Excision Subcutaneous Tissue and Fascia
Adams	Advancement of round ligament(s) of uterus	ØUS9 Reposition Uterus
Adams	Crushing of nasal septum	Ø9SM Reposition Nasal Septum
AESOP®	Robotic assisted procedures — Automated Endoscopic System for Optimal Positioning	8EØ Other Procedures Physiological Systems and Anatomical Regions
Albee	Bone peg, femoral neck Graft for slipping patella Sliding inlay graft, tibia	ØQU Supplement Lower Bones
Albert	Arthrodesis, knee	ØSG Fusion Lower Joints
Aldridge (-Studdiford)	Urethral sling	ØTSD Reposition Urethra
Alexander	Shortening of round ligaments of uterus	ØUS9 Reposition Uterus
Alexander-Adams	Shortening of round ligaments of uterus	ØUS9 Reposition Uterus
Almoor	Extrapetrosal drainage	Ø99 Drainage Ear, Nose, Sinus
Altemeier	Perineal rectal pull-through operation	ØDTP Resection Rectum
Ammon	Dacryocystotomy incision (for drainage) of a lacrimal sac	Ø89 Drainage Eye
Anderson	Tibial lengthening	ØQ8 Division Lower Bones ØQR Replacement Lower Bones ØQU Supplement Lower Bones
Anderson-Hynes	Dismembered pyeloplasty	ØTQ Repair Urinary System
Anel	Dilation of lacrimal duct	Ø87X Dilation Lacrimal Duct, Right Ø87Y Dilation Lacrimal Duct, Left
Arslan	Fenestration of inner ear	Ø9QD Repair Inner Ear, Right Ø9QE Repair Inner Ear, Left
Asai	Laryngoplasty	ØCQS Repair Larynx ØCRS Replacement Larynx ØCUS Supplement Larynx
Baffles	Interatrial transposition of venous return	Ø2U5 Supplement Atrial Septum
Baffle	Atrial/interatrial/intra-atrial transposition of venous return	Ø2U5 Supplement Atrial Septum
Baldy-Webster	Uterine suspension	ØUS9 Reposition Uterus
Bankart	Capsular repair into glenoid, for shoulder dislocation	ØRS Reposition Upper Joints
Bardenheuer	Ligation of innominate artery	Ø3L2 Occlusion Innominate Artery
Barkan	Goniotomy with/without goniopuncture	Ø89 Drainage Eye
Barr	Transfer of tibialis posterior tendon	ØLX Transfer Tendons
Barsky	Closure of cleft hand	ØXQJ Repair Hand, Right ØXQK Repair Hand, Left
Bassett	Radical vulvectomy with inguinal lymph node dissection	ØUTM Resection Vulva Ø7B Excision Lymphatic and Hemic Systems Ø7T Resection Lymphatic and Hemic Systems
Bassini	Inguinal hernia repair (herniorrhaphy)	ØYQ Repair Anatomical Regions, Lower Extremities
Batch-Spittler-McFaddin	Amputation—knee disarticulation	ØY6 Detachment Anatomical Regions, Lower Extremities

Abdominoplasty

Body System

Anatomical Regions, General

PCS Root Operation

Alteration

Repair

Supplement

Root Operation Table

0W0 Anatomical Regions, General, Alteration

0WQ Anatomical Regions, General, Repair

0WU Anatomical Regions, General, Supplement

Body Part

Abdominal Wall

Approach

Open

External (Repair, Stoma)

Device

Autologous Tissue Substitute (Alteration, Supplement)

Synthetic Substitute (Alteration, Supplement)

Nonautologous Tissue Substitute (Alteration, Supplement)

No Device (Alteration, Repair)

Qualifier

Stoma

No Qualifier

Description

An abdominoplasty is a repair of the abdominal wall, which is classified to the body system "General Anatomical Regions" in PCS. Anatomically, the abdominal wall is subdivided into two general regions: the anterolateral and the posterior abdominal wall. It is composed of three tissue layers: skin, superficial fascia, and muscle. Surgical procedures on the abdominal wall involve all three of these tissue layers.

Abdominoplasty may be performed for either cosmetic or medical purposes.

Alteration

Alteration involves modifying an anatomic structure without affecting the function of the body part. The root operation Alteration identifies procedures that are cosmetic in nature. Use of this root operation

requires diagnostic confirmation that the abdominoplasty is being performed to improve appearance.

Abdominoplasty performed for cosmetic reasons may also be referred to as a "tummy tuck." The procedure involves removing excess skin and underlying subcutaneous tissue and abdominal fat as well as tightening and restoring abdominal musculature. A cosmetic abdominoplasty may also involve reinforcement of the abdominal wall with biological or synthetic material, which is reported with the appropriate device value.

Focus Point

A cosmetic abdominoplasty (abdominal panniculectomy) that involves only the removal of excess skin, underlying subcutaneous tissue, and fat, without muscle tightening, is assigned a code from table 0J0.

Repair

The root operation Repair involves restoring a body part, in this case the abdominal wall, to its normal anatomic structure and function. Repair is primarily used when an injury to the abdominal wall requires layered suture repair. Repair of the abdominal wall may also be required for stoma complications, such as a parastomal hernia. When the repair of the abdominal wall is focused on a stoma, the qualifier Stoma is reported.

Focus Point

Do not report the root operation Repair when mesh is used to reinforce a repair of the abdomen. See the root operation Supplement.

Supplement

When the abdominal wall is repaired and biological or synthetic material is used to reinforce or augment the repair, the correct root operation is Supplement. A common procedure classified to this root operation is the repair of a hernia involving the abdominal wall using mesh to reinforce the repair. Mesh may also be used in the repair of complex abdominal wall anomalies.

Focus Point

Do not report the root operation Supplement when biological or synthetic material is used but the objective of the procedure is solely cosmetic in nature. In this case, the correct root operation is Alteration and the biological or synthetic material used to reinforce the abdominal wall is captured using the appropriate device value. All methods, approaches, and devices used to improve appearance are coded as Alteration.

Coding Guidance

AHA: 2017, 3Q, 8; 2014, 4Q, 38

Cerclage, Cervical

Body System

Female Reproductive System

PCS Root Operation

Restriction

Root Operation Table

0UV Female Reproductive System, Restriction

Body Part

Cervix

Approach

Open

Percutaneous

Via Natural or Artificial Opening

Device

Extraluminal Device

Intraluminal Device

No Device


Description

Cerclage of the cervix is performed to prevent miscarriage by reinforcing weak cervical muscles in a patient with a history of cervical incompetence, short cervical length, or cervical insufficiency. The cerclage may be performed prior to pregnancy or in early pregnancy, usually between weeks 12 and 16.

Cerclage may be performed transabdominally, but the most common approach is vaginal. Via Natural or Artificial Opening. In vaginal cerclage, the physician inserts a speculum into the vagina to view the cervix of a pregnant or nonpregnant patient. A thick, nondissolvable suture or a thin wire is threaded around the cervix and secured to reinforce the cervical muscles and prevent cervical dilation. In McDonald cerclage, the cervix is grasped and a purse-string stitch is placed around the high endo-cervix, near to the internal os (opening) to close it. In the Shirodkar operation, the suture is buried under incisions in the vaginal mucosa and cinched to secure closure of the os. In some cases, a thin piece of fascia or other nondissolvable material may be placed instead of a wire or suture. This would be reported as an Intraluminal Device, as would a device such as a cerclage pessary placed around the cervical os within the vaginal canal (lumen).

An Open abdominal approach for cerclage may be used in instances such as traumatic cervical laceration, congenital shortening of the cervix, previous failed vaginal cerclage, or advanced cervical effacement. In abdominal cervical cerclage, a small abdominal incision just above the pubic hairline gives the physician access to the peritoneal space, and a band is placed around the cervix at the level of the internal

os to prevent spontaneous abortion from an incompetent cervix. The abdominal incision is closed with sutures. In some cases, a thin piece of fascia or other nondissolvable material may be placed instead of a wire or suture. In such cases, report an Extraluminal Device around the external surface of the cervix.



Although it remains in place after the surgery, the suture typically placed during cerclage is considered a surgical supply rather than a device. If material other than a wire or suture is placed, report Extraluminal Device or Intraluminal Device.

Focus Point

Because the cervical os is not completely closed off, restriction is the correct root operation for cervical cerclage. The root operation Restriction describes, "Partially closing an orifice or the lumen of a tubular body part."

Focus Point

Wires and sutures placed in cervical cerclage are considered surgical supplies and are not considered devices. Removal of cervical cerclage in these cases is reported with root operation Extirpation.

Coding Guidance

AHA: 2015, 3Q, 25

Fusion, Cervical Spine, Posterior (PCF)

See also Fusion, Cervical Spine, Anterior (ACF)

Body System

Upper Joints

PCS Root Operation

Fusion

Root Operation Table

0RG Upper Joints, Fusion

Body Part

Occipital-Cervical Joint
Cervical Vertebral Joint

Cervical Vertebral Joints, 2 or more
Cervicothoracic Vertebral Joint

Approach

Open
Percutaneous
Percutaneous Endoscopic

Device

Autologous Tissue Substitute
Synthetic Substitute
Nonautologous Tissue Substitute

Qualifier

Posterior Approach, Posterior Column

Description

Spinal fusion, also known as spinal arthrodesis, fuses together one or more vertebral joints with bone graft, allograft implants or dowels, graft-filled titanium cages, and spacers, and in some cases is supplemented by screws, plates, and rods. Graft-filled titanium cages or spacers, referred to as Interbody Fusion devices in ICD-10-PCS, are specifically used for fusions of the anterior spinal column and are not an option for posterior column fusions. Spinal arthrodesis may be performed to treat conditions such as herniated discs or degenerative, traumatic, or congenital lesions; or to stabilize fractures or dislocations of the spine. Codes identify the specific body parts for a single vertebral joint or multiple vertebral joints at each spine level where the procedure is performed (cervical, thoracic, or lumbar), the approach, and the spinal column fused (anterior, posterior) as well as devices.

The goal of posterior cervical fusion is to stabilize the spine, reducing pain and deformity. Posterior cervical fusion may also be performed in conjunction with anterior cervical spinal fusion, usually when multiple levels are involved. It may be performed with or without a posterior laminectomy for decompression, and with or without instrumentation such as metal screws and rods. Screws and rods are usually used to add stability and increase fusion success rates.

The patient is placed under general anesthesia and positioned in the prone (lying on the stomach) position. Using an Open approach, a small incision is made in the midline of the back of the neck, the muscles are dissected and retracted off the lamina, and the vertebrae and facet joints are exposed. The surgeon uses a high-speed burr to perform a laminectomy, cutting a trough of bone, and thickened ligaments and/or bone spurs may be removed, decompressing the spinal cord and/or nerve roots. Herniated or degenerated disc material may also be removed. The soft tissue and cartilage of the facet joints are removed, and the surfaces are prepared for the bone graft by burring, allowing surface area for growth of bone.

Autologous Tissue Substitute bone graft may be obtained from the iliac crest, or Synthetic Substitute bone graft or Nonautologous Tissue donor graft may be used. The bone graft material is packed into the facet joints. The back muscles are then released over the bone graft, using tension to hold the bone graft in place. Instrumentation such as wires,

screws, and plates, or screws and rods may be added to hold the vertebrae together in a natural position, preventing facet motion and increasing the success of the fusion. After the spine is stabilized, the wound area is irrigated with sterile water containing antibiotics. The deep fascial layer and subcutaneous layers are closed with sutures, and the skin is closed with sutures or staples. Temporary drains may be inserted in the surgical wound to prevent fluid buildup. A sterile bandage is applied.

Focus Point

Discectomy is usually performed with spinal fusion surgery. Report an additional code for the discectomy procedure, using root operation Excision for a partial discectomy and Resection for a total discectomy.

Focus Point

Additional procedures such as laminectomy, foraminotomy, and excision of thickened ligaments performed to decompress the cervical spinal cord and/or spinal nerves in conjunction with posterior cervical spinal fusion are reported separately as Release, Cervical Spinal Cord and/or Release, Cervical Nerve, based on which structures (spinal cord or nerve roots) are decompressed. The root operation Release meets the objective of removing the lamina, bone spurs (foramina), or ligaments to complete the decompression.

Report only one code for any procedures done to Release a single body part. If both spinal cord and spinal nerves are decompressed, two codes can be reported using Release, Cervical Spinal Cord and Release, Cervical Nerve. Multiple procedures guideline B3.2b applies only when the procedure is performed on separate and distinct body parts.

Focus Point

Bone graft harvested from the local incision is not reported separately. However, if a separate incision is required to harvest the graft, such as from the iliac crest, this may be reported in addition to the primary procedure (fusion). This is consistent with ICD-10-PCS guideline B3.9.

Focus Point

When multiple devices are used, code to the highest value listed highest to lowest (with the same approach, body part, and qualifier):

- *Interbody Fusion Device (with bone graft or bone graft substitute)*
- *Autologous Tissue Substitute (alone or with nonautologous and/or with synthetic material)*
- *Nonautologous Tissue Substitute (alone or with synthetic)*
- *Synthetic Tissue Substitute*

When multiple vertebral joints are fused, each vertebral joint that uses a different device and/or a different qualifier is coded separately. See guidelines B3.10b and B3.10c.

Focus Point

When the spinal fusion procedure is performed through two separate approaches—both anterior and posterior—requiring that the patient be repositioned, two codes are reported: one for the anterior approach through the front of the neck and one for the posterior approach through the back of the neck.

Focus Point

Reporting placement of bone morphogenic protein (BMP) placed during a spinal fusion is optional and at the discretion of the facility. It is reported with a code from the Administration section (3E0).

Coding Guidance

AHA: 2023, 2Q, 25; 2022, 2Q, 23; 2019, 2Q, 19; 2018, 1Q, 8; 2018, 1Q, 22; 2017, 2Q, 23; 2016, 2Q, 17; 2015, 2Q, 21; 2014, 3Q, 9, 30; 2014, 2Q, 6-8; 2013, 3Q, 25; 2013, 1Q, 21, 29

Valvotomy (Valvulotomy)

Body System

Heart and Great Vessels

PCS Root Operation

Dilation

Release

Root Operation Table

027 Heart and Great Vessels, Dilation

02N Heart and Great Vessels, Release

Body Part

Aortic Valve

Mitral Valve

Pulmonary Valve

Tricuspid Valve

Approach

Open

Percutaneous

Percutaneous Endoscopic

Device

Intraluminal Device, Drug-eluting (Dilation)

Intraluminal Device (Dilation)

No Device

Description

Valvotomy is an operation used to restore blood flow through a valve that is abnormally narrowed due to stenosis, scarring, inflammation, or congenital deformity. A percutaneous balloon dilation procedure is most commonly performed.

Dilation

The root operation Dilation is coded when the objective of the procedure is to enlarge the diameter of a tubular body part or orifice.

Dilation includes intraluminal or extraluminal methods. A device placed to maintain the new diameter that remains at the conclusion of the procedure is an integral part of the Dilation procedure and is coded to a sixth-character device value in the Dilation procedure code.

Dilation of the heart valve is performed percutaneously using a balloon-tipped catheter that is guided into the heart from an artery in the arm or the groin. Once in the opening of the valve, the balloon is inflated to enlarge the opening.

Release

Release is the freeing of fused leaflets by incising along the edges of the leaflets or by separating the leaflets with the force of a finger.

Release procedures are coded to the body part being freed and can be performed on the area around a body part, on the attachments to a body part, or between subdivisions of a body part that are causing the abnormal constraint.

Focus Point

Typically, balloon dilation is documented as valvuloplasty in an operative report; however, the objective of the procedure is the same.

Focus Point

Release should not be confused with Division. Division involves incising and separating a body part, while Release involves incising restraining tissue such as scar tissue or adhesions.

Focus Point

Commissurotomy (surgical incision of the junction between cusps of a cardiac valve) performed with the objective of dilating the valve is integral to the Dilation procedure and is not reported separately.

Coding Guidance

AHA: 2016, 1Q, 16

Valvuloplasty

See also Wedge Resection, Mitral Valve Leaflet

See also Replacement, Transcatheter Aortic Valve (TAVR)

See also Replacement, Rapid Deployment Aortic Valve (RDAVR)

Body System

Heart and Great Vessels

PCS Root Operation

Dilation

Repair

Replacement

Supplement

Root Operation Table

027 Heart and Great Vessels, Dilation

02Q Heart and Great Vessels, Repair

02R Heart and Great Vessels, Replacement

02U Heart and Great Vessels, Supplement

Body Part

Aortic Valve

Mitral Valve

Pulmonary Valve

Tricuspid Valve

Chordae Tendineae

Approach

Open

Percutaneous

Percutaneous Endoscopic

Device

Intraluminal Device, Drug-eluting (Dilation)

Intraluminal Device (Dilation)

No Device (Dilation, Repair)

Autologous Tissue Substitute (Replacement, Supplement)

Zooplastic Tissue (Replacement, Supplement)

Synthetic Substitute (Replacement, Supplement)

Nonautologous Tissue Substitute (Replacement, Supplement)

Qualifier

Transapical (Replacement, Aortic Valve, Mitral Valve, Pulmonary Valve, Percutaneous, Supplement, Mitral Valve, Percutaneous)

Truncal Valve (Repair, Supplement, Aortic Valve)

Atrioventricular Valve, Left (Repair, Supplement, Mitral Valve)

Atrioventricular Valve, Right (Repair, Supplement, Tricuspid Valve)

No Qualifier

Extracorporeal or Systemic Assistance and Performance

Balloon Pump, Intra-aortic (IABP)

Body System

Physiological Systems

PCS Root Operation

Assistance

Root Operation Table

5A0 Extracorporeal or Systemic Assistance and Performance, Physiological Systems, Assistance

Body System

Cardiac

Duration

Intermittent

Continuous

Function

Output

Qualifier

Balloon Pump

Description

Implantation of an intra-aortic pulsation balloon pump (IABP) consists of placing a balloon catheter into the descending thoracic aorta that inflates and deflates with the patient's heartbeat. This pump assists in circulating the blood to the heart and the body, allowing the heart to rest or recover from heart failure, MI, injury, trauma, or shock. This procedure is done to help support the function of the left ventricle of the heart and can also be used during interventional cardiac procedures

such as arthrectomies and angioplasties, particularly in high-risk patients.

The left or right femoral artery is exposed in the groin. After the vessel is occluded above and below the proposed insertion site, the artery is opened transversely. Occasionally, the end of a small tube of Gore-Tex may be sewn to the side of the artery. The tip of the balloon catheter is inserted into the artery (or Gore-Tex tube). The clamp occluding the artery upstream is released, and the balloon catheter is advanced to the femoral artery and into the aorta above the level of the kidney arteries, but not beyond the left arm artery. It is connected to a pump, and the pump is turned on. The pump inflates and deflates the balloon during each heartbeat cycle. Inflation of the balloon can be set to trigger intermittently according to the patient's ECG or blood pressure or continuously by a cardiac pacemaker or a pre-set continuous internal rate. The pump may be used for a few hours or up to two weeks.

Focus Point

IABP, like cardiopulmonary bypass, is an exception to the usual practice of not reporting supporting procedures that are components of a larger operation. When a surgical procedure is performed with IABP, it is coded as an additional procedure.

Focus Point

An IABP is neither classified nor coded as a device in ICD-10-PCS. It is not appropriate to assign a code with root operation Insertion when the balloon pump is placed or with the root operation Removal when the pump is disconnected. The use of an IABP is appropriately reported using the root operation Assistance.

Coding Guidance

AHA: 2022, 3Q, 23; 2021, 2Q, 12; 2018, 2Q, 3; 2013, 3Q, 18

Bypass, Cardiopulmonary

Body System

Physiological Systems

PCS Root Operation

Performance

Root Operation Table

5A1 Extracorporeal or Systemic Assistance and Performance, Physiological Systems, Performance

Body System

Cardiac

Duration

Continuous

Function

Output

Qualifier

No Qualifier

Description

Cardiopulmonary bypass, also known as artificial heart and lung or pump oxygenator, is a form of extracorporeal (situated or occurring outside the body) circulation utilized to temporarily perform the

complete functions of the heart and lungs during surgery and maintain the circulation of blood and the oxygen content of the body.

In cardiopulmonary bypass (CPB), venous blood is diverted to a heart-lung machine, which mechanically pumps and oxygenates the blood on a continuous basis temporarily so the heart can be bypassed while an open procedure on the heart or coronary arteries is performed. Roller or centrifugal pumps push the patient's venous blood through a membrane oxygenator to perform the gas exchange usually performed by the lungs, and then the blood is returned to the patient's arterial flow. During bypass, the lungs are deflated and immobile, and the heart is motionless and bloodless. CPB is performed under systemic hypothermia, reducing the risk of ischemia.

Focus Point

Cardiopulmonary bypass is an exception to the usual practice of not reporting supporting procedures that are components of a larger operation. When a surgical procedure is performed with cardiopulmonary bypass, it is coded as an additional procedure.

Focus Point

Qualifier value J Automated, is used to identify the usage of automated devices for mechanical chest compressions.

Coding Guidance

AHA: 2016, 1Q, 27; 2015, 4Q, 22; 2014, 3Q, 16, 20; 2014, 1Q, 10; 2013, 3Q, 18

Mental Health

Biofeedback

Body System

None

PCS Root Type

Biofeedback

Root Operation Table

GZC Mental Health, Biofeedback

Type Qualifier

Other Biofeedback

Description

Biofeedback involves a person learning to influence autonomic or involuntary nervous system responses and physiologic responses that are normally regulated voluntarily because his or her control has been affected by trauma or disease. The patient learns through monitoring to associate body responses with related stimuli and how to control those responses. Biofeedback helps regulate body processes such as heart rate, blood pressure, temperature, and muscle tension, and is

considered effective in the treatment of migraine headaches, high blood pressure, incontinence, Raynaud's syndrome, and anticipatory nausea due to chemotherapy.

Common forms of biofeedback therapy include electromyography (EMG) for muscle tension measurement, thermal biofeedback for skin temperature measurement, and electroencephalography (EEG) for brain wave activity measurement.

The clinician prepares the patient with electrodes attached to the skin or handheld sensors. The electrodes or sensors measure information (feedback) about the body (bio) such as skin temperature, blood pressure, muscle tension, or brain wave activity and send signals that are displayed on a monitor. The clinician then leads the patient through mental exercises that teach the patient how certain thought processes, stimuli, and actions affect these physiological responses. The treating clinician works with the patient to learn to recognize and manipulate these responses through relaxation and awareness techniques. Through trial and error, biofeedback helps the patient to use thoughts to control the body.

Electroconvulsive Therapy

Body System

None

PCS Root Type

Electroconvulsive Therapy

Root Operation Table

GZB Mental Health, Electroconvulsive Therapy

Type Qualifier

Unilateral-Single Seizure

Bilateral-Single Seizure

Other Electroconvulsive Therapy

Description

Electroconvulsive therapy (ECT), formerly known as electroshock therapy or shock treatment, is the intentional initiation of a seizure used to treat certain mental illnesses. ECT is often used to combat chronic or profound major depression, especially psychotic or intractable manic

forms, and for people who cannot take antidepressants. Electric current is used to trigger a seizure, which causes changes in the brain that improve symptoms related to mental health conditions.

Following administration of a general anesthetic and a muscle relaxant, electrodes are placed on one or both sides of the patient's head. Bilateral electrode placement passes the electric current across the whole brain. Unilateral electrode placement passes the current across one hemisphere of the brain. Using an ECT machine, a measured electrical dose is applied for about a second to commence seizures, with the seizures typically lasting 30 seconds to a minute. EEG and EKG monitors follow the seizure activity and heart rhythm while the patient sleeps through the therapy. The patient awakens a few minutes later. Multiple sessions may be needed to complete treatment.

Focus Point

An additional code for the EEG or EKG should be appended according to multiple procedures guideline B3.2c.

Intervention, Crisis

Body System

None

PCS Root Type

Crisis Intervention

Root Operation Table

GZ2 Mental Health, Crisis Intervention

Type Qualifier

None

Description

Crisis intervention (therapy) provides supportive therapy to help a patient overcome assault, violence, or other trauma. Crisis intervention

is aimed at reducing the intensity of the reaction to the crisis, developing more effective coping skills, and helping the patient recover from the crisis.

The therapist provides individual psychotherapy in an office or outpatient facility using supportive interactions, suggestion, persuasion, reality discussions, re-education, behavior modification techniques, reassurance, and occasionally medication. These interactions are done with the goal of gaining further insight and affecting behavior change or support through understanding. The technique and type of therapy may vary in accordance with the patient's circumstances.

Alphabetic Index

A

abdomen 376, 381
abdomen muscle 112, 253
abdominal adhesiolysis 224
abdominal aorta 81, 99, 264
abdominal artery 100
abdominal wall 69, 171, 242, 342, 343
abdominoplasty 69
ablation
 cardiac conduction tissue 70
 endometrial 71
 vein, thermal, endovenous 72
abortifacient 331
abortion 331, 332
ACF 150
achillotenotomy 257
achillotomy 257
ACI 175
acupuncture 377
adenoidectomy (without tonsillectomy) 72
adenoids 72, 308
adenosine sestamibi planar scan, heart muscle (technetium) 391
adhesiolysis, abdominal 224
adhesiolysis, pelvic (female) 225
adjustment, cardiac pacemaker lead 73
administration 344
 dialysis, peritoneal (PD) 345
 induction of labor, medical 346
 infusion, vasopressor agent 346
 injection, epidural steroid 347
 injection, sclerosing agent for esophageal varix 347
 introduction, antineoplastic agent, hepatic artery 348
 irrigation, joint 349
 pleurodesis, talc 349
 thrombolysis (injection of thrombolytic) (tissue plasminogen activator) 350
 transfusion, fresh frozen plasma (FFP) 351
 transplant, bone marrow (BMT) 352
 transplant, stem cell 352
administration, intraoperative, endothelial damage inhibitor 414
adrenal gland 74
adrenalectomy unilateral 74
allogeneic 313, 314, 315, 317
alteration 69, 95, 96, 161, 226, 242, 284
alveoplasty 75
alveolotomy 75
amniocentesis 332
amniotic fluid
 diagnostic 332
 therapeutic 332
ampulla of vater 219, 220, 293, 294
amputation
 below knee 76
 foot and toe ray 77
 toe 78
amygdalohippocampectomy 79
anal sphincter 145, 146, 272
anastomosis, Billroth I 80
anastomosis, Billroth II 80
anastomosis, caval-pulmonary 147
anatomical orifices 342
anatomical regions 69, 76, 77, 78, 96, 129, 131, 136, 142, 161, 169, 170, 171, 179, 242, 243, 272, 289, 302, 303, 340, 341, 342, 343, 344, 345, 346, 347, 348, 349, 350, 376, 377, 378, 379, 381, 387, 394, 395, 396, 408, 409, 410
general 69, 96, 129, 131, 136, 142, 161, 171, 179, 185, 242, 243, 272, 289, 302, 303, 311
lower extremities 76, 77, 78, 169, 170, 179
upper extremities 179
ancillary 383
aneurysmectomy, abdominal aortic, with replacement 81
angiography 383
angiography, cardiac (coronary arteriography) (angiography) 383
angiography, intraoperative fluorescence vascular 353
angiography, renal arteries 384
angioplasty, percutaneous transluminal (PTA), lower extremity 84
angioplasty, percutaneous transluminal (PTA), lower extremity, with everolimus-eluting resorbable scaffold 403
angioplasty, percutaneous transluminal (PTA), lower extremity, with stent 85
angioplasty, percutaneous transluminal coronary (PTCA) 82
angioplasty, percutaneous transluminal coronary (PTCA) with stent(s) 83
ankle joint 150, 406
ankle joint, left 406
ankle joint, right 406
anorectal 342
anterior chamber 309, 310
antibiotic-eluting bone void filler 409
anti-inflammatory 347
antineoplastic 348
anus 145, 146, 272, 281
aorta 100
aortic valve 275, 279, 280, 322
application, stereotactic head frame 340
APR 281
aquablation, prostate 86
arterial 355, 357
arteriography, coronary 383
arteriography, renal (renal angiography) (angiography, renal arteries) 384
arterioplasty (bovine patch) 86
arthrocentesis 87
arthrodesis 150
arthrolysis 286
arthroplasty 205, 206, 211, 278
artificial heart 176
artificial sphincter 174
ascending colon 117
ASD 266
assessment, cochlear implant 399
assistance 364, 365, 366, 367, 368, 369, 370, 405, 410
assistance, computer 378
assistance, robotic 379
atherectomy, percutaneous transluminal, coronary 88
atrial appendage 109
atrial septum 266
atrioseptoplasty 266
atrioventricular valve 322
atrium 109, 181, 197, 287, 324
auditory ossicle 296
augmentation, percutaneous vertebral 212
AUS 174
autologous 352
autologous arterial tissue 94, 99, 100, 101, 113