

# ICD-10-CM Expert for Hospitals

The complete official code set

Codes valid from October 1, 2023 through September 30, 2024



# **Contents**

How to Use IC	D-10-CM Expert for Hospitals 2024	iii	Chapter 7.	Diseases of the Eye and Adnexa (HØØ-H59)607
	1		Chapter 8.	Diseases of the Ear and Mastoid Process
What's New	for 2023	iii	5.13/2.53	(H6Ø-H95)645
Conversion <sup>-</sup>	Table	iii	Chapter 9.	Diseases of the Circulatory System (IØØ-I99)657
	Correct Coding		· ·	Diseases of the Respiratory System (JØØ-J99)703
	10-CM Guidelines for Coding and Reporting			Diseases of the Digestive System (KØØ-K95)721
	ggggggg		-	
	Diseases and Injuries		Chapter 12.	Diseases of the Skin and Subcutaneous Tissue (LØØ-L99)747
	m Table		Chamtar 12	Diseases of the Musculoskeletal System and
	Drugs and Chemicals		Chapter 13.	Connective Tissue (MØØ-M99)769
	Causes Index		Chanter 14	Diseases of the Genitourinary System (NØØ-N99)859
	otations			
Tabular List	of Diseases	V	Chapter 15.	Pregnancy, Childbirth and the Puerperium (000-09A)881
Code an	nd Code Descriptions	V	Cl . 16	
Tabular	Notations	V	Chapter 16.	Certain Conditions Originating in the Perinatal Period (P00-P96)921
Official I	Notations	V	Cl . 17	
- 1	Notations		Chapter 17.	Congenital Malformations, Deformations and Chromosomal Abnormalities (Q00-Q99)935
lcons		vi		
	ars		Chapter 18.	Symptoms, Signs and Abnormal Clinical and
	es			Laboratory Findings (RØØ-R99)955
•	rel Notations		Chapter 19.	Injury, Poisoning and Certain Other Consequences of External Causes (SØØ-T88)977
Illustrations		ix	Chapter 20.	External Causes of Morbidity (VØØ-Y99) 1187
What's New fo	or 2024	vi	Chapter 21.	Factors Influencing Health Status and Contact With Health Services (Z00-Z99)1255
	ates		Chanter 22	Codes for Special Purposes (UØØ-U85) 1295
	Updates		Chaptel 22.	codes for special raiposes (obb-oos)
Trophetary	opautes	***************************************	A man and in a	Annandissa 1
Conversion T	able of ICD-10-CM Codes	VII.		Appendixes-1
Conversion 1	able of ICD-10-CM Codes	XV		Valid 3-character ICD-10-CM CodesAppendixes–1
				Pharmacology List 2023Appendixes–3
10 Steps to Co	orrect Coding	xix		Z Codes for Long-Term Drug Use with Associated Drugs Appendixes–19
	ficial Guidelines for		Appendix D:	Major Complication and Comorbidity (MCC) Code List Appendixes–21
Coding and R	eportingCoding Gui	delines-1	Appendix E:	Complication and Comorbidity (CC) Code ListAppendixes–26
ICD 10 CM Inc	days Disassa and Inivite	1	Annendix F	Present on Admission (POA)
ICD-10-CM Inc	dex to Diseases and Injuries	I	пррепакт.	Tutorial Appendixes–44
			Appendix G:	Hospital Acquired ConditionsAppendixes–48
ICD-10-CM Ne	oplasm Table	342		Centers for Medicare & Medicaid
				Services Hierarchical Condition
ICD-10-CM Ta	ble of Drugs and Chemicals	361		Categories (CMS-HCC)Appendixes-76
			Appendix I:	Long-term Care Hospital Prospective Payment System Overview Appendixes–78
ICD-10-CM Inc	dex to External Causes	411	Appendix J:	Long-Term Care Hospital Quality Reporting Program Appendixes–80
ICD-10-CM Ta	bular List of Diseases and Injuries	447		reporting Frogramminism Appendixes 60
Chapter 1.	Certain Infectious and Parasitic Diseases	·········· <del>TT</del> /	Illustrations	Illustrations-1
Chapter 1.	(AØØ-B99)	447		iseases of the Blood and Blood-forming Organs and
Chapter 2.	Neoplasms (CØØ-D49)			Certain Disorders Involving the Immune
Chapter 3.	Diseases of the Blood and Blood-forming			Mechanism (D50–D89)Illustrations–1
Chapter 3.	Organs and Certain Disorders Involving the			Red Blood Cells Illustrations–1
	Immune Mechanism (D5Ø-D89)	513		White Blood Cell Illustrations-1
Chapter 4.	Endocrine, Nutritional and Metabolic Diseas			Platelet Illustrations–2
	(EØØ-E89)			Coagulation Illustrations–2
Chapter 5.	Mental, Behavioral, and Neurodevelopment			Spleen Anatomical Location and External StructuresIllustrations–3
	Disorders (FØ1-F99)	551		Spleen Interior StructuresIllustrations – 3
Chapter 6.	Diseases of the Nervous System (GØØ-G99)			Spiceri interior structures illustrations-5
h		<del>-</del>		

ICD-10-CM 2024

Contents ICD-10-CM 2024

Chapter 4. E	ndocrine, Nutritional and Metabolic	
	Diseases (E00–E89)	
	Endocrine System	
	Thyroid	Illustrations-5
	Thyroid and Parathyroid Glands	
	Pancreas Anatomy of the Adrenal Gland	
	Structure of an Ovary	
	Testis and Associated Structures	
	Thymus	
Chapter 6. D	Diseases of the Nervous System	
·	(G00–G99)	
	Brain	
	Cranial Nerves	
	Peripheral Nervous System	. Illustrations–10
	Spinal Cord and Spinal Nerves	
	Nerve Cell	. Illustrations–12
	Trigeminal and Facial Nerve Branches	Illustrations_12
Chapter 7.	Diseases of the Eye and Adnexa	
chapter 7.	(HØØ–H59)	. Illustrations–13
	Eye	
	Posterior Pole of Globe/Flow of	. mastrations 15
	Aqueous Humor	. Illustrations-13
	Lacrimal System	
	Eye Musculature	
	Eyelid Structures	. Illustrations–14
Chapter 8.	Diseases of the Ear and Mastoid	
	Process (H6Ø–H95)	
	Ear Anatomy	. Illustrations–15
Chapter 9.	Diseases of the Circulatory	
	System (IØØ–I99)	
	Anatomy of the Heart	. Illustrations—16
	Heart Volves	
	Heart Valves Heart Conduction System	
	Coronary Arteries	
	Arteries	. Illustrations 19
	Veins	
	Internal Carotid and Vertebral	
	Arteries and Branches	. Illustrations-21
	External Carotid Artery and	
	Branches	. Illustrations 21
	Branches of Abdominal Aorta	
	Portal Venous Circulation Lymphatic System	
	Axillary Lymph Nodes	. Illustrations=23
	Lymphatic System of Head	. IIIustiations—24
	and Neck	. Illustrations–24
	Lymphatic Capillaries	
	Lymphatic Drainage	
Chapter 10.	Diseases of the Respiratory	
	System (JØØ–J99)	
	Respiratory System	
	Upper Respiratory System	
	Lower Respiratory System	
	Paranasal Sinuses	
	Lung Segments	
	Alveoli	. iiiustrations–28

		100 10 01112021
Chapter 11.	Diseases of the Digestive System	
·	(KØØ–K95)	Illustrations-29
	Digestive System	
	Omentum and Mesentery	
	Peritoneum and Retroperitoneum	Illustrations-30
Chapter 12.	Diseases of the Skin and Subcutaneous	
	Tissue (LØØ–L99)	
	Nail Anatomy	
	Skin and Subcutaneous Tissue	Illustrations-31
Chapter 13.	Diseases of the Musculoskeletal System	
	and Connective Tissue (MØØ–M99)	
	Bones and Joints	
	Shoulder Anterior View	
	Shoulder Posterior View	
	Elbow Anterior View	
	Elbow Posterior View	
	Hand	
	Hip Anterior View	Illustrations–34
	Hip Posterior View	Illustrations – 34
	Knee Anterior View	
	Foot	
	Muscles	
Chapter 14	Diseases of the Genitourinary	iliustrations–33
Chapter 14	System (NØØ–N99)	Illustrations=36
	Urinary System	
	Male Genitourinary System	
	Female Internal Genitalia	
	Female Genitourinary Tract Lateral	iliustrations—57
	View	Illustrations=37
Chanter 15	Pregnancy, Childbirth and the	mastrations 37
Chapter 15.	Puerperium (OØØ–O9A)	.lllustrations-38
	Term Pregnancy – Single	
	Gestation	Illustrations=38
	Twin Gestation–Dichorionic–	mastrations 50
	Diamniotic (DI-DI)	Illustrations-38
	Twin Gestation–Monochorionic–	
	Diamniotic (MO-DI)	Illustrations-39
	Twin Gestation–Monochorionic–	
	Monoamniotic (MO-MO)	Illustrations-39
Chapter 19.	Injury, Poisoning and Certain Other	
	Consequences of External Causes	
	(SØØ-T88)	
	Types of Fractures	
	Salter-Harris Fracture Types	Illustrations-40

ii ICD-10-CM 2024

MCC

This data file can be accessed at the following:

https://www.optumcoding.com/ProductUpdates/ Title: "2023 ICD-10-CM for Hospital Edits Data File" Password: Inpatient23

**Note:** The following icons are placed at the end of the code description.

#### **Age Edits**

#### Newborn Age: 0

These diagnoses are intended for newborns and neonates and the patient's age must be 0 years.

N47.Ø Adherent prepuce, newborn

#### Pediatric Age: 0-17

These diagnoses are intended for children and the patient's age must be between 0 and 17 years.

L21.1 Seborrheic infantile dermatitis

#### Maternity Age: 9-64

These diagnoses are intended for childbearing patients between the age of 9 and 64 years.

002.9 Abnormal product of conception, unspecified ™♀

#### Adult Age: 15-124

These diagnoses are intended for patients between the age of 15 and 124 years.

R54 Age-related physical debility
Frailty
Old age
Senescence
Senile asthenia
Senile debility

EXCLUDES 1 age-related cognitive decline (R41.81)
sarcopenia (M62.84)
senile psychosis (FØ3)
senility NOS (R41.81)

#### **Sex Edits**

#### o Male diagnosis only

Q98.0 Klinefelter syndrome karyotype 47, XXY

#### Female diagnosis only

N35.12 Postinfective urethral stricture, not elsewhere classified, female 

Q

#### HI-HI4 Hospital Acquired Condition (HAC)

These codes identify conditions that are high cost or high volume or both, are either a complication or comorbidity (CC) or major complication or comorbidity (MCC) that as a secondary diagnosis results in assignment of a case to a higher-paying MS-DRG. These conditions are reasonably preventable through the application of evidence-based guidelines. If the condition is not present on admission (meaning it developed during the hospital admission), the case will not group to the higher-paying MS-DRG based solely upon the reporting of the HAC code. Many of these HACs are conditional, and are based on reporting the specific diagnosis code(s) in combination with certain procedure codes.

**Note:** Hospital-acquired conditions do not impact MS-LTC-DRG assignment.

The comprehensive list of HAC tables that coincide with these icon numbers appears in appendix G of this book.

N15.1 Renal and perinephric abscess MCC H6

#### CC Condition

This symbol designates a complication or comorbidity diagnosis that may affect DRG assignment. A complication or comorbidity diagnosis, CC condition, is defined as a significant acute disease, a significant acute manifestation of a chronic disease, an advanced or end-stage chronic disease, or a chronic disease associated with systemic physiological decompensation and debility that have consistently greater impact on hospital resources.

A comprehensive list of ICD-10-CM codes considered a CC appears in appendix E of this book.

G9Ø.59 Complex regional pain syndrome I of other specified site

#### MCC Condition

This symbol designates a major complication or comorbidity diagnosis that may affect DRG assignment. An MCC condition meets the same criteria as a CC condition but is associated with a higher acuity level and hospital resource consumption is expected to be higher than that for a CC condition. There are fewer conditions that meet the criteria as an MCC than those for a CC condition.

A comprehensive list of ICD-10-CM codes considered an MCC appears in appendix D of this book.

S35.238 Other injury of inferior mesenteric artery

**Note:** The assignment of an MS-DRG or MS-LTC-DRG often depends on the presence or absence of a secondary diagnosis code that is designated as an MCC or CC. However, in some instances the MCC or CC designation for that secondary diagnosis code is negated due to its relationship with the principal diagnosis; this is referred to as CC exclusion. The ICD-10 MS-DRG Definitions Manual included with the IPPS final rule provides a list of all principal diagnosis codes that would render ineffective the MCC/CC designation for a particular ICD-10-CM code when used as a secondary diagnosis. Optum has provided this CC exclusion list in an easily searchable data file, which can be accessed at the following:

https://www.optumcoding.com/ProductUpdates/ Title: "2023 ICD-10-CM for Hospitals CC Excludes Data File" Password: Inpatient23

#### Unspecified Site

Identifies codes that are considered an MCC or CC but lack specificity in regard to their anatomical location. The medical record documentation should be reviewed carefully, to ensure that no other code within the same category or subcategory can be assigned for greater specificity.

G81.00 Flaccid hemiplegia affecting unspecified side

CC UNS HCC

#### Unacceptable Principal Diagnosis

This symbol identifies codes that should not be assigned as principal diagnosis for *inpatient* admissions. Codes with an unacceptable principal diagnosis edit are considered supplementary — describing circumstances that influence an individual's health status or an additional code — identifying conditions that are not specific manifestations but may be due to an underlying cause.

T48.5X5 Adverse effect of other anti-common-cold drugs

#### HIV-related Condition

This symbol indicates that the condition is considered a major HIV-related diagnosis. When the condition is coded in combination with a diagnosis of human immunodeficiency virus (HIV), code B20, the case will move from MS-DRG/MS-LTC-DRG 977 to MS-DRGs/MS-LTC-DRGs 974-976.

G96.9 Disorder of central nervous system, unspecified

HIV

#### **Appendixes**

The additional resources described below have been included as appendixes for the *ICD-10-CM Expert for Hospitals*. These resources further instruct the professional coder on the appropriate application of the ICD-10-CM code set.

#### Appendix A: Valid 3-character ICD-10-CM Codes

The user may consult this table to confirm that no further specificity, such as the use of 4th, 5th, 6th, or 7th characters or placeholders (X), is necessary. All ICD-10-CM codes that are valid at the three-character level are listed.

#### Appendix B: Pharmacology List 2023

This reference is a comprehensive but not all-inclusive list of pharmacological agents used to treat acute and/or chronic conditions. Drugs are listed in alphabetical order by their brand and/or generic names along with their drug action and indications for which they may commonly be prescribed. Some drugs have also been mapped to their appropriate long-term drug use Z code.

# Appendix C: Z Codes for Long-Term Drug Use with Associated Drugs This resource correlates Z codes that are used to identify current long-term drug use with a list of drugs that are typically categorized to that class of drug.

**Note:** These tables are not all-inclusive but list some of the more commonly used drugs.

# **Appendix D: Major Complication and Comorbidity (MCC) Code List** This is a full listing of conditions considered to be major complications and/or comorbidities that when present as a secondary diagnosis may affect DRG assignment under the Medicare Severity DRG (MS-DRG) system.

**Note:** This resource provides the most current MCC information that was available at the time of publication using the proposed, version 40, MS-DRG grouper software and Definitions Manual files published with the fiscal 2023 IPPS proposed rule.

#### Appendix E: Complication and Comorbidity (CC) Code List

This is a full listing of conditions considered to be complications and/or comorbidities that when present as a secondary diagnosis may affect DRG assignment under the MS-DRG system.

**Note:** This resource provides the most current CG information that was available at the time of publication using the proposed, version 40, MS-DRG Grouper software and Definitions Manual files published with the fiscal 2023 IPPS proposed rule.

#### Appendix F: Present on Admission (POA) Tutorial

This tutorial walks the coder through the process of assigning the appropriate present-on-admission (POA) indicator for inpatient codes

based on the POA reporting guidelines. Detailed scenarios for a variety of situations are provided and discussed.

#### **Appendix G: Hospital Acquired Conditions**

This comprehensive table displays codes that identify conditions that are considered reasonably preventable when occurring during the hospital admission and may prevent the case from grouping to a higher-paying MS-DRG. Many of these HACs are conditional and are based on reporting the specific diagnosis code(s) in combination with certain procedure codes, which are also noted in this table.

**Note:** This resource provides the most current HAC information that was available at the time of publication using the proposed, version 40, MS-DRG Grouper software and Definitions Manual files published with the fiscal 2023 IPPS proposed rule.

## Appendix H: Centers for Medicare & Medicaid Services (CMS) Hierarchical Condition Categories (HCC) (CMS-HCC)

This resource provides the framework behind CMS's Medicare Advantage (MA) program, a risk-adjustment model developed as a means of compensating health care plans with large numbers of Medicare Part C beneficiaries. It includes a brief synopsis of the evolution of the program from its inception; insight into the various elements needed to predict risk, including the principles used to develop the hierarchical condition categories (HCCs), one of the fundamental components of the risk adjustment model; and a description of the audit process used to ensure the accuracy of payments made to MA plans.

#### Appendix I: Long-term Care Hospital Prospective Payment System Overview

The long-ferm care hospital prospective payment system (LTCH PPS) provides payment rates for LTCH facilities certified by Medicare as LTCH with an average length of stay (LOS) of 25 days or longer. This resource summarizes the certification qualifications for LTCH facilities, payment methodology, and current fiscal year PPS updates.

# Appendix J: Long-Term Care Hospital Quality Reporting Program The LTCH QRP is a mandatory reporting component for LTCH facilities certified by Medicare as LTCH with an average LOS of 25 days or longer. Much of the current QRP for LTCH, like other post-acute care providers, is based upon the requirements of the 2014 IMPACT Act. This resource summarizes the current QRP requirements for facilities certified as LTCH under Medicare, including required data set items and market-basket

#### Illustrations

payment impact.

This section includes illustrations of normal anatomy with ICD-10-CM-specific terminology.

ICD-10-CM 2024 ix

Malignant Primary Malignant Secondary	Ca in situ	Benign	Uncertain Behavior	Unspecified Behavior
--	------------	--------	-----------------------	-------------------------

Note: The list below gives the code number for neoplasms by anatomical site. For each site there are six possible code numbers according to whether the neoplasm in question is malignant, benign, in situ, of uncertain behavior, or of unspecified nature. The description of the neoplasm will often indicate which of the six columns is appropriate; e.g., malignant melanoma of skin, benign fibroadenoma of breast, carcinoma in situ of cervix uteri. Where such descriptors are not present, the remainder of the Index should be consulted where guidance is given to the appropriate column for each morphological (histological) variety listed; e.g., Mesonephroma - see Neoplasm, malignant; Embryoma — see also Neoplasm, uncertain behavior; Disease, Bowen's – see Neoplasm, skin, in situ. However, the guidance in the Index can be overridden if one of the descriptors mentioned above is present; e.g., malignant adenoma of colon is coded to C18.9 and not to D12.6 as the adjective "malignant" overrides the Index entry "Adenoma see also Neoplasm, benign, by site." Codes listed with a dash -, following the code have a required additional character for laterality. The tabular list must be reviewed for the complete code.

must be reviewed	for the c	omplete (	coae.			
Neoplasm,					l	
neoplastic	C8Ø.1	C79.9	DØ9.9	D36.9	D48.9	D49.9
abdomen,						
abdominal	C76.2	C79.8- <b>▼</b>	DØ9.8	D36.7	D48.7	D49.89
cavity	C76.2	C79.8- <b>▼</b>	DØ9.8	D36.7	D48.7	D49.89
organ	C76.2	C79.8- <b>✓</b>	DØ9.8	D36.7	D48.7	D49.89
viscera	C76.2	C79.8-✓	DØ9.8	D36.7	D48.7	D49.89
wall — see also	C/0.2	C/ 9.0-14	0.000	D30.7	D40.7	D49.09
Neoplasm,						
abdomen, wall,						
skin	C44.509	C79.2	DØ4.5	D23.5	D48.5	D49.2
connective	C44.507	C/ J.2	טטד.ט	023.3	D-10.5	D+7.2
tissue	C49.4	C79.8- <b>✓</b>		D21.4	D48.1	D49.2
skin	C44.509		_		_	
basal cell	C11.505					`
carcinoma	C44.519			_	_	_
specified type	C+4.517					
NEC NEC	C44.599			_		
squamous cell	C11.577				\	
carcinoma	C44.529	_	_	_	_	
abdominopelvic	C76.8	C79.8- <b>✓</b>		D36.7	D48.7	D49.89
accessory sinus — see	C/0.6	C/9.0-M		D30.7	D40.7	D49.09
Neoplasm, sinus						
acoustic nerve	C72.4- <b>▼</b>	C79.49		D33.3	D43.3	D49.7
	C/2.4-M	C/9.49		עסט.כ	D43.3	D49.7
adenoid (pharynx) (tissue)	C11.1	C79.89	DØØ.Ø8	D1Ø.6	D37.05	D49.0
adipose tissue — see	CII.I	C/9.09	סט.טעט	טוש.ט	כש. עכט	D49.0
also Neoplasm,						
connective						
tissue	C49.4	C79.89		D21.9	D48.1	D49.2
adnexa (uterine)	C57.4	C79.89	DØ7.39	D21.9 D28.7	D46.1 D39.8	D49.59
adrenal	C74.9- <b>✓</b>	C79.7- <b>✓</b>	DØ9.3	D35.0-	D44.1-	D49.7
		C79.7- <b>✓</b>				
capsule	C74.9		DØ9.3	D35.Ø-	D44.1-	D49.7
cortex	C74.0-	C79.7- <b>✓</b>	DØ9.3	D35.Ø- <b>✓</b>	D44.1-	D49.7
gland	C74.9- <b>✓</b>	C79.7- <b>✓</b>	DØ9.3	D35.Ø- <b>✓</b>	D44.1- <b>▼</b>	D49.7
medulla	C74.1- <b>✓</b>	C79.7- <b>✓</b>	DØ9.3	D35.Ø- <b>▼</b>	D44.1- <b></b> ✓	D49.7
ala nasi (external) —						
see also Neoplasm,						
skin, nose	C44.3Ø1	C79.2	DØ4.39	D23.39	D48.5	D49.2
alimentary canal or				, v		
tract NEC	C26.9	C78.80	DØ1.9	D13.9	D37.9	D49.Ø
alveolar	CØ3.9	C79.89	DØØ.03	D1Ø.39	D37.09	D49.Ø
mucosa	CØ3.9	C79.89	DØØ.Ø3	D1Ø.39	D37.09	D49.Ø
lower	CØ3.1	C79.89	DØØ.Ø3	D1Ø.39	D37.09	D49.Ø
upper	CØ3.Ø	C79.89	DØØ.Ø3	D1Ø.39	D37.09	D49.Ø
ridge or process	C41.1	C79.51	_	D16.5	D48.0	D49.2
carcinoma	CØ3.9	C79.8- <b>☑</b>	_	-	_	_
lower	CØ3.1	C79.8- <b>✓</b>	_	-	_	_
upper	CØ3.Ø	C79.8- <b>✓</b>	_	_	_	_
lower	C41.1	C79.51	_	D16.5	D48.Ø	D49.2
mucosa	CØ3.9	C79.89	DØØ.Ø3	D1Ø.39	D37.Ø9	D49.Ø
lower	CØ3.1	C79.89	DØØ.Ø3	D1Ø.39	D37.Ø9	D49.Ø
upper	CØ3.Ø	C79.89	DØØ.Ø3	D1Ø.39	D37.Ø9	D49.Ø
upper	C41.Ø	C79.51	_	D16.4	D48.Ø	D49.2
sulcus	CØ6.1	C79.89	DØØ.Ø2	D1Ø.39	D37.Ø9	D49.Ø
alveolus	CØ3.9	C79.89	DØØ.Ø3	D1Ø.39	D37.Ø9	D49.Ø
lower	CØ3.1	C79.89	DØØ.Ø3	D1Ø.39	D37.Ø9	D49.Ø
upper	CØ3.Ø	C79.89	DØØ.Ø3	D1Ø.39	D37.Ø9	D49.Ø
ampulla of Vater	C24.1	C78.89	DØ1.5	D13.5	D37.6	D49.Ø
ankle NEC	C76.5- <b>✓</b>	C79.89	DØ4.7- <b>▼</b>	D36.7	D48.7	D49.89
anorectum, anorectal						
(junction)	C21.8	C78.5	DØ1.3	D12.9	D37.8	D49.Ø
antecubital fossa or						
space	C76.4- <b>▼</b>	C79.89	DØ4.6- <b>▼</b>	D36.7	D48.7	D49.89

	Malignant Primary	Malignant Secondary	Ca in situ	Benign	Uncertain Behavior	Unspecified Behavior	
Neoplasm, neoplastic							
— continued antrum (Highmore)							
(maxillary)	C31.Ø	C78.39	DØ2.3	D14.0	D38.5	D49.1	
pyloric tympanicum	C16.3 C3Ø.1	C78.89 C78.39	DØØ.2 DØ2.3	D13.1 D14.0	D37.1 D38.5	D49.0 D49.1	
anus, anal	C21.Ø	C78.5	DØ1.3	D12.9	D37.8	D49.Ø	
canal cloacogenic	C21.1	C78.5	DØ1.3	D12.9	D37.8	D49.Ø	
zone	C21.2	C78.5	DØ1.3	D12.9	D37.8	D49.Ø	
margin — <i>see also</i> Neoplasm, anus,							
skin	C44.500	C79.2	DØ4.5	D23.5	D48.5	D49.2	
overlapping lesion with							
rectosigmoid							
junction or	C21.0						
rectum skin	C21.8 C44.500	C79.2	 DØ4.5	D23.5	— D48.5	D49.2	
basal cell	544545						
carcinoma specified type	C44.510	_	_	_	_	_	
NEC	C44.590	-	_	_	_	_	
squamous cell carcinoma	C44.520	_			_	_	
sphincter	C21.1	C78.5	DØ1.3	D12.9	D37.8	D49.Ø	
aorta (thoracic) abdominal	C49.3 C49.4	C79.89 C79.89		D21.3 D21.4	D48.1 D48.1	D49.2 D49.2	
aortic body	C75.5	C79.89	_	D35.6	D44.7	D49.7	
aponeurosis palmar	C49.9	C79.89 C79.89		D21.9 D21.1- <b></b> ✓	D48.1 D48.1	D49.2 D49.2	
plantar	C49.1-12	C79.89		D21.1-V	D48.1	D49.2 D49.2	
appendix	C18.1	C78.5	DØ1.Ø	D12.1	D37.3	D49.Ø	
arachnoid cerebral	C7Ø.9 C7Ø.Ø	C79.49 C79.32	_	D32.9 D32.0	D42.9 D42.0	D49.7 D49.7	
spinal	C7Ø.1	C79.49		D32.1	D42.1	D49.7	
areola arm NEC	C5Ø.Ø- <b>✓</b> C76.4- <b>✓</b>	C79.81 C79.89	DØ5- <b>▼</b>	D24- <b>✓</b> D36.7	D48.6- <b>☑</b> D48.7	D49.3 D49.89	
artery — see Neoplasm,	e, o <u></u>	2, 3,03	52 <b>_</b>	230.7	3 10.7	5 15105	
connective tissue aryepiglottic fold	C13.1	C79.89	DØØ.Ø8	D1Ø.7	D37.05	D49.Ø	
hypopharyngeal	C12.1	670.00	Dag go	D14.7	D27.05	D40.0	
aspect laryngeal aspect	C13.1 C32.1	C79.89 C78.39	DØØ.Ø8 DØ2.Ø	D10.7 D14.1	D37.05 D38.0	D49.0 D49.1	
marginal zone	C13.1	C79.89	DØØ.Ø8	D1Ø.7	D37.05	D49.Ø	
arytenoid (cartilage)	C32.3	C78.39	DØ2.Ø	D14.1	D38.Ø	D49.1	
fold — see Neoplasm,							
aryepiglottic associated with							
transplanted	600.2						
organ atlas	C8Ø.2 C41.2	— C79.51	_	— D16.6	— D48.0	— D49.2	
atrium, cardiac	C38.Ø	C79.89	_	D15.1	D48.7	D49.89	
auditory canal (external)							
(skin)	C44.2Ø- <b>▼</b>		DØ4.2-₩	D23.2-	D48.5	D49.2	
internal nerve	C3Ø.1 C72.4- <b>✓</b>	C78.39 C79.49	DØ2.3	D14.0 D33.3	D38.5 D43.3	D49.1 D49.7	
tube	C3Ø.1	C78.39	DØ2.3	D14.0	D38.5	D49.1	
opening auricle, ear — <i>see also</i>	C11.2	C79.89	DØØ.Ø8	D1Ø.6	D37.05	D49.Ø	
Neoplasm, skin,							
ear auricular canal	C44.2Ø- <b>✓</b>	C79.2	DØ4.2- <b>☑</b>	D23.2- <b>✓</b>	D48.5	D49.2	
(external) — see							
<i>also</i> Neoplasm, skin, ear	C44.2Ø- <b>▼</b>	C79.2	DØ4.2- <b>✓</b>	D23.2- <b>✓</b>	D48.5	D49.2	
internal	C3Ø.1	C78.39	DØ2.3	D14.0	D38.5	D49.2	
autonomic nerve or nervous system							
NEC (see Neoplasm,							
nerve, peripheral) axilla, axillary	C76.1	C79.89	DØ9.8	D36.7	D48.7	D49.89	
fold — see also	3, 0,1	2, 2, 3,	555.0	350.7	3 .0.,	2	
Neoplasm, skin, trunk	C44.5Ø9	C79.2	DØ4.5	D23.5	D48.5	D49.2	
back NEC	C76.8	C79.89	DØ4.5	D36.7	D48.7	D49.89	
Bartholin's gland basal ganglia	C51.Ø C71.Ø	C79.82 C79.31	DØ7.1	D28.Ø D33.Ø	D39.8 D43.0	D49.59 D49.6	
basis pedunculi	C71.7	C79.31	_	D33.1	D43.0 D43.1	D49.6	
bile or biliary (tract)	C24.9	C78.89	DØ1.5	D13.5	D37.6	D49.Ø	
(cract)	CZ 1.7	270.09	201.3	ر.ر. ر	237.0	1 2 1 2.50	

		C7A.1		nt poorly differentiated neuroendocrine		√4 <sup>th</sup>	<b>C77</b>	Secon	dary a	and unspecified malignant neoplasm of lymph noc	
			tumors	ant nearly differentiated neuroendersine t	CC HCC			EXCLU	IDES 1	malignant neoplasm of lymph nodes, specified as primar	ry
			_	ant poorly differentiated neuroendocrine to ant poorly differentiated neuroendocrine c						(C81-C86, C88, C96)	
			9	ny site	aiciiioiiia,					mesentary metastasis of carcinoid tumor (C7B.Ø4)	(1)
				rade neuroendocrine carcinoma, any site				c== «		secondary carcinoid tumors of distant lymph nodes (C7B.	
		C7A.8		alignant neuroendocrine tumors	CC HCC			C//.0		ndary and unspecified malignant neoplasm of lymp s of head, face and neck	
			AHA: 2	019,3Q,7						condary and unspecified malignant neoplasm of	
			Cocoods	ery nouve and crine tumors (C7P)						supraclavicular lymph nodes	
			secona	ary neuroendocrine tumors (C7B)				C77.1		ndary and unspecified malignant neoplasm of	
$\sqrt{4}^{th}$	C7B	Secon	dary neu	roendocrine tumors						thoracic lymph nodes	нсс
		Use a	additional	code to identify any functional activity				C/7.2		ndary and unspecified malignant neoplasm of -abdominal lymph nodes	нес
	$\sqrt{5}^{\text{th}}$	C7B.Ø	Seconda	ary carcinoid tumors				C77.3		ndary and unspecified malignant neoplasm of axilla	
				019,3Q,7				.,,,,		upper limb lymph nodes	
				pecific type of slow-growing neuroendocrine					Sec	condary and unspecified malignant neoplasm of pectora	al
				oid tumors occur most commonly in the horn ting cells of the gastrointestinal tracts and car					_	lymph nodes	
				pancreas, testes, ovaries, or lungs.				C77.4		ndary and unspecified malignant neoplasm of ingui lower limb lymph nodes	
			C7B.ØØ	Secondary carcinoid tumors, unspecifie				C77.5		ndary and unspecified malignant neoplasm of	
			C7D 61	site	HCC			.,,,,		pelvic lymph nodes	нсс
			C7B.Ø1	Secondary carcinoid tumors of distant l	cc HCC			C77.8		ndary and unspecified malignant neoplasm of lymp	
			C7B.Ø2	Secondary carcinoid tumors of liver	CC HCC					es of multiple regions	
				Secondary carcinoid tumors of bone	CC HCC			C77.9		ndary and unspecified malignant neoplasm of lympe, unspecified	
			C7B.Ø4	Secondary carcinoid tumors of		200		C		,	
				peritoneum	CC HCC	√4 <sup>m</sup>	./8	organ		nalignant neoplasm of respiratory and digestive	
			C7D 60	Mesentary metastasis of carcinoid tumo					IDES 1	secondary carcinoid tumors of liver (C7B.02)	
		C7D 1		Secondary carcinoid tumors of other sit	HCC HCC					secondary carcinoia tumors of peritoneum (C7B.Ø4)	
		C/B.1		ary Merkel cell carcinoma   cell carcinoma nodal presentation	100				IDES 2	lymph node metastases (C77.0)	
				cell carcinoma visceral metastatic presenta	ntion		√5 <sup>th</sup>	C78.Ø	Secoi	ndary malignant neoplasm of lung	
		C7B.8	Other se	econdary neuroendocrine tumors	CC HCC					A: 2019,10,16	
			AHA: 2	019,3Q,7					C78.0	Secondary malignant neoplasm of unspecified	
	RA-	liana	nt noon	lasms of ill-defined, other second	any and		4		C78.0		100
	IVIC	iliyila		nspecified sites (C76-C8Ø)	ai y ailu				C7 01.2	lung	нсс
_		<b></b>							C78.0	32 Secondary malignant neoplasm of left	_
√4 <sup>th</sup>	C76	-		plasm of other and ill-defined sites				C70 1		lung ndary malignant neoplasm of mediastinum	
		EXCLU	IDES 1 m	alignant neoplasm of female genitourinary tr (C57.9)	activos					ndary malignant neoplasm of mediastinum  onumber of pleura	
			m	alignant neoplasm of male genitourinary tract	NOS (C63.9)		√5th			ndary malignant neoplasm of other and unspecified	
				alignant neoplasm of lymphoid, hematopoieti					respi	ratory organs	
				tissue (C81-C96)					C78.3	Secondary malignant neoplasm of unspecified	
				alignant neoplasm of skin (C44)	00.41				C70 3	respiratory organ  39 Secondary malignant neoplasm of other respirat	_
		C76 8		alignant neoplasm of unspecified site NOS (Co	80.1)				C/0.3	organs	
		۵.07		nt neoplasm of head, face and neck ant neoplasm of cheek NOS	1.00			C78.4	Seco	ndary malignant neoplasm of small intestine	нсс
				ant neoplasm of nose NOS				C78.5		ndary malignant neoplasm of large intestine and	
		C76.1		nt neoplasm of thorax	HCC			C70 -		ım cc	
				oracic malignant neoplasm NOS				C/8.6		ndary malignant neoplasm of retroperitoneum and oneum	
				ant neoplasm of axilla NOS					•	<b>A:</b> 2017,2Q,12	
		C76.2		cic malignant neoplasm NOS Int neoplasm of abdomen	нсс			C78.7	Seco	ndary malignant neoplasm of liver and intrahepatic k	bile
			_	nt neoplasm of pelvis	нсс			<b></b>	duct		
				iant neoplasm of groin NOS			√5 <sup>th</sup>	C78.8		ndary malignant neoplasm of other and unspecified stive organs	d
			Malign	ant neoplasm of sites overlapping systems	within the					BØ Secondary malignant neoplasm of unspecified	
				elvis						digestive organ 🙃	
				raginal (septum) malignant neoplasm resical (septum) malignant neoplasm					C78.8	89 Secondary malignant neoplasm of other digest	
	√5th	C76.4		ant neoplasm of upper limb						organs  Code also exocrine pancreatic insufficiency (K86.	
		C/ 01 1	-	Malignant neoplasm of unspecified up	ner	Z (05	70	C	d =		
			C/ 01 12	limb	HCC	V 4	./9			nalignant neoplasm of other and unspecified sites secondary carcinoid tumors (C7B)	>
			C76.41	Malignant neoplasm of right upper lim	b HCC			ENGLO	IDES T	secondary neuroendocrine tumors (C7B)	
	_			Malignant neoplasm of left upper limb	HCC		√5 <u>th</u>	C79.Ø	Seco	ndary malignant neoplasm of kidney and renal pelv	vis
	$\sqrt{5}^{th}$	C76.5	-	nt neoplasm of lower limb		'				Secondary malignant neoplasm of unspecified	
			C76.5Ø	Malignant neoplasm of unspecified low limb	ver HCC					kidney and renal pelvis	HCC
			C76.51	Malignant neoplasm of right lower limi					C79.0	, , , , , , , , , , , , , , , , , , ,	
				Malignant neoplasm of left lower limb	нсс				C79.0	renal pelvis  22 Secondary malignant neoplasm of left kidney a	
		C76.8		nt neoplasm of other specified ill-define	ed				C/ 9.10	renal pelvis	
			sites		HCC		√5 <sup>th</sup>	C79.1		ndary malignant neoplasm of bladder and other an	d
			Malign	ant neoplasm of overlapping ill-defined site	es				•	ecified urinary organs	
									C/9.1	10 Secondary malignant neoplasm of unspecified urinary organs	
						1				— · · · · · · · · · · · · · · · · · · ·	

Z79.84

#### Chapter 4. Endocrine, Nutritional and Metabolic Diseases (EØØ–E89)

#### **Chapter-specific Guidelines with Coding Examples**

The chapter-specific guidelines from the ICD-10-CM Official Guidelines for Coding and Reporting have been provided below. Along with these guidelines are coding examples, contained in the shaded boxes, that have been developed to help illustrate the coding and/or sequencing guidance found in these guidelines.

#### a. Diabetes mellitus

The diabetes mellitus codes are combination codes that include the type of diabetes mellitus, the body system affected, and the complications affecting that body system. As many codes within a particular category as are necessary to describe all of the complications of the disease may be used. They should be sequenced based on the reason for a particular encounter. Assign as many codes from categories EØ8–E13 as needed to identify all of the associated conditions that the patient has.

Patient is seen for poorly controlled diabetes, type 2, with diabetic polyneuropathy and diabetic retinopathy with macular edema

E11.65 Type 2 diabetes mellitus with hyperglycemia

E11.311 Type 2 diabetes mellitus with unspecified diabetic retinopathy with macular edema

E11.42 Type 2 diabetes mellitus with diabetic polyneuropathy

Explanation: Use as many codes to describe the diabetic complications as needed. Many are combination codes that describe more than one condition. Code first the reason for the encounter. "Poorly controlled" is described as "with hyperglycemia." Diabetes documented as "uncontrolled" is not assumed to be hyperglycemic but can be classified to either hyperglycemia or hypoglycemia. If documentation is not clear the provider must be queried so that the appropriate code can be reported.

#### 1) Type of diabetes

The age of a patient is not the sole determining factor, though most type 1 diabetics develop the condition before reaching puberty. For this reason, type 1 diabetes mellitus is also referred to as juvenile diabetes.

A 45-year-old patient is diagnosed with type 1 diabetes

#### E10.9 Type 1 diabetes mellitus without complications

Explanation: Although most type 1 diabetics are diagnosed in childhood or adolescence, it can also begin in adults.

#### 2) Type of diabetes mellitus not documented

If the type of diabetes mellitus is not documented in the medical record the default is E11.-, Type 2 diabetes mellitus.

H & P lists diabetes and hypertension on patient problem list

E11.9 Type 2 diabetes mellitus without complications

I10 Essential (primary) hypertension

*Explanation*: Since the type of diabetes was not documented and no complications were noted, the default code is E11.9.

### 3) Diabetes mellitus and the use of insulin, oral hypoglycemics, and injectable non-insulin drugs

If the documentation in a medical record does not indicate the type of diabetes but does indicate that the patient uses insulin, code E11-, Type 2 diabetes mellitus, should be assigned. Additional code(s) should be assigned from category Z79 to identify the long-term (current) use of insulin, oral hypoglycemic drugs, or injectable non-insulin antidiabetic, as follows:

If the patient is treated with both oral **hypoglycemic drugs** and insulin, both code Z79.4, Long term (current) use of insulin, and code Z79.84, Long term (current) use of oral hypoglycemic drugs, should be assigned.

If the patient is treated with both insulin and an injectable non-insulin antidiabetic drug, assign codes Z79.4, Long term (current) use of insulin, and Z79.85, Long-term (current) use of injectable non-insulin antidiabetic drugs.

If the patient is treated with both oral hypoglycemic drugs and an injectable non-insulin antidiabetic drug, assign codes Z79.84, Long term (current) use of oral hypoglycemic drugs, and **Z79.85, Long-term (current) use of injectable non-insulin antidiabetic drugs.** 

Code Z79.4 should not be assigned if insulin is given temporarily to bring a type 2 patient's blood sugar under control during an encounter.

Type 2 diabetic patient on daily metformin and Victoza is admitted in ketoacidosis, insulin given to stabilize blood sugars and discontinued at discharge

E11.10 Type 2 diabetes mellitus with ketoacidosis without

Long term (current) use of oral hypoglycemic drugs

Z79.85 Long term (current) use of injectable non-insulin anti-diabetic drugs

Explanation: Documentation indicates the patient is on an oral antidiabetic medication (metformin) and an injectable noninsulin antidiabetic medication (Victoza). Although insulin was given to the patient during the encounter, it was discontinued at discharge, indicating that the patient does not regularly use insulin. A Z code representing long-term use of the oral drug and long-term use of the injectable medication can be applied. Applying code Z79.4 to represent long-term use of insulin would be inappropriate.

#### 4) Diabetes mellitus in pregnancy and gestational diabetes

See Section I.C.15. Diabetes mellitus in pregnancy.

See Section I.C.15. Gestational (pregnancy induced) diabetes

## 5) Complications due to insulin pump malfunction (a) Underdose of insulin due to insulin pump failure

An underdose of insulin due to an insulin pump failure should be assigned to a code from subcategory T85.6, Mechanical complication of other specified internal and external prosthetic devices, implants and grafts, that specifies the type of pump malfunction, as the principal or first-listed code, followed by code T38.3X6-, Underdosing of insulin and oral hypoglycemic [antidiabetic] drugs. Additional codes for the type of diabetes mellitus and any associated complications due to the underdosing should also be assigned.

A 24-year-old type 1 diabetic male treated in ED for hyperglycemia; insulin pump found to be malfunctioning and underdosing

T85.614A Breakdown (mechanical) of insulin pump, initial

T38.3X6A Underdosing of insulin and oral hypoglycemic [antidiabetic] drugs, initial encounter

E10.65 Type 1 diabetes mellitus with hyperglycemia

Explanation: The complication code for the mechanical breakdown of the pump is sequenced first, followed by the underdosing code and type of diabetes with complication. Code all other diabetic complication codes necessary to describe the patient's condition.

#### (b) Overdose of insulin due to insulin pump failure

The principal or first-listed code for an encounter due to an insulin pump malfunction resulting in an overdose of insulin, should also be T85.6-, Mechanical complication of other specified internal and external prosthetic devices, implants and grafts, followed by code T38.3X1-, Poisoning by insulin and oral hypoglycemic [antidiabetic] drugs, accidental (unintentional).

A 24-year-old type 1 diabetic male found down with diabetic coma, brought into ED and treated for hypoglycemia; insulin pump found to be malfunctioning and overdosing

T85.614A Breakdown (mechanical) of insulin pump, initial encounter

T38.3X1A Poisoning by insulin and oral hypoglycemic [antidiabetic] drugs, accidental (unintentional),

E10.641 Type 1 diabetes mellitus with hypoglycemia with coma

Explanation: The complication code for the mechanical breakdown of the pump is sequenced first, followed by the poisoning code and type of diabetes with complication. All the characters in the combination code must be used to form a valid code and to fully describe the type of diabetes, the hypoglycemia, and the coma.

ICD-10-CM 2024 527

CC

CC

CC HCC

#### Chapter 9. Diseases of the Circulatory System (IØØ-I99)

EXCLUDES 2 certain conditions originating in the perinatal period (PØ4-P96) certain infectious and parasitic diseases (AØØ-B99)

complications of pregnancy, childbirth and the puerperium (OØØ-O9A) congenital malformations, deformations, and chromosomal abnormalities (QØØ-Q99)

endocrine, nutritional and metabolic diseases (EØØ-E88)

injury, poisoning and certain other consequences of external causes (SØØ-T88)

neoplasms (CØØ-D49)

symptoms, signs and abnormal clinical and laboratory findings, not elsewhere classified (RØØ-R94)

systemic connective tissue disorders (M3Ø-M36)

transient cerebral ischemic attacks and related syndromes (G45.-)

This chapter contains the following blocks:

Acute rheumatic fever IØ5-IØ9 Chronic rheumatic heart diseases I1Ø-I16 Hypertensive diseases 120-125 Ischemic heart diseases

126-128 Pulmonary heart disease and diseases of pulmonary circulation

13Ø-15A Other forms of heart disease 160-169 Cerebrovascular diseases

Diseases of arteries, arterioles and capillaries 170-179

180-189 Diseases of veins, lymphatic vessels and lymph nodes, not elsewhere classified

Other and unspecified disorders of the circulatory system 195-199

#### Acute rheumatic fever (IØØ-IØ2)

**DEF:** Rheumatic fever: Inflammatory disease that can follow a throat infection by group A streptococci. Complications can involve the joints (arthritis), subcutaneous tissue (nodules), skin (erythema marginatum), heart (carditis), or brain (chorea).

#### IØØ Rheumatic fever without heart involvement

**INCLUDES** arthritis, rheumatic, acute or subacute

**EXCLUDES 1** rheumatic fever with heart involvement (IØ1.Ø-IØ1.9)

#### 101 Rheumatic fever with heart involvement

**EXCLUDES 1** chronic diseases of rheumatic origin (105-109) unless rheumatic fever is also present or there is evidence of reactivation or activity of the rheumatic process

#### 101.0 Acute rheumatic pericarditis

Any condition in IØØ with pericarditis

Rheumatic pericarditis (acute)

**EXCLUDES 1** acute pericarditis not specified as rheumatic (130.-)

#### **IØ1.1** Acute rheumatic endocarditis

Any condition in IØØ with endocarditis or valvulitis Acute rheumatic valvulitis

#### **IØ1.2** Acute rheumatic myocarditis

Any condition in 100 with myocarditis

#### 101.8 Other acute rheumatic heart disease

Any condition in 100 with other or multiple types of heart involvement

Acute rheumatic pancarditis

#### 101.9 Acute rheumatic heart disease, unspecified

Any condition in IØØ with unspecified type of heart involvement Rheumatic carditis, acute

Rheumatic heart disease, active or acute

#### **IØ2 Rheumatic chorea**

**INCLUDES** Sydenham's chorea **EXCLUDES 1** chorea NOS (G25.5)

Huntington's chorea (G10)

#### IØ2.Ø Rheumatic chorea with heart involvement

Chorea NOS with heart involvement

Rheumatic chorea with heart involvement of any type classifiable under IØ1.-

#### **IØ2.9** Rheumatic chorea without heart involvement

Rheumatic chorea NOS

#### Chronic rheumatic heart diseases (105-109)

#### IØ5 Rheumatic mitral valve diseases

INCLUDES conditions classifiable to both IØ5.0 and IØ5.2-IØ5.9,

whether specified as rheumatic or not

EXCLUDES 1 mitral valve disease specified as nonrheumatic (134.-) mitral valve disease with aortic and/or tricuspid valve involvement (IØ8.-)

#### 105.0 Rheumatic mitral stenosis

Mitral (valve) obstruction (rheumatic)

#### 105.1 Rheumatic mitral insufficiency

Rheumatic mitral incompetence

Rheumatic mitral regurgitation

**EXGLUDES 1** mitral insufficiency not specified as rheumatic (134.0)

#### **IØ5.2** Rheumatic mitral stenosis with insufficiency

Rheumatic mitral stenosis with incompetence or regurgitation

#### Other rheumatic mitral valve diseases

Rheumatic mitral (valve) failure

#### Rheumatic mitral valve disease, unspecified

Rheumatic mitral (valve) disorder (chronic) NOS

#### IØ6 Rheumatic aortic valve diseases

**EXCLUDES 1** aortic valve disease not specified as rheumatic (135.-) aortic valve disease with mitral and/or tricuspid valve involvement (IØ8.-)

#### 106.0 Rheumatic aortic stenosis

Rheumatic aortic (valve) obstruction

#### Rheumatic aortic insufficiency

Rheumatic aortic incompetence Rheumatic aortic regurgitation

#### 106.2 Rheumatic aortic stenosis with insufficiency

Rheumatic aortic stenosis with incompetence or regurgitation

106.8 Other rheumatic aortic valve diseases

Rheumatic aortic valve disease, unspecified

Rheumatic aortic (valve) disease NOS

#### ✓4º IØ7 Rheumatic tricuspid valve diseases

INCLUDES rheumatic tricuspid valve diseases specified as rheumatic or unspecified

tricuspid valve disease specified as nonrheumatic (136.-) **EXCLUDES 1** tricuspid valve disease with aortic and/or mitral valve involvement (108.-)

#### 107.0 Rheumatic tricuspid stenosis

Tricuspid (valve) stenosis (rheumatic)

#### 107.1 Rheumatic tricuspid insufficiency

Tricuspid (valve) insufficiency (rheumatic)

#### 107.2 Rheumatic tricuspid stenosis and insufficiency

Other rheumatic tricuspid valve diseases

Rheumatic tricuspid valve disease, unspecified

Rheumatic tricuspid valve disorder NOS

#### **IØ8 Multiple valve diseases**

**INCLUDES** multiple valve diseases specified as rheumatic or unspecified

**EXCLUDES 1** endocarditis, valve unspecified (138)

> multiple valve disease specified a nonrheumatic (134.-, 135.-, 136.-, 137.-, 138.-, Q22.-, Q23.-, Q24.8-)

rheumatic valve disease NOS (IØ9.1)

#### 108.0 Rheumatic disorders of both mitral and aortic valves

Involvement of both mitral and aortic valves specified as rheumatic or unspecified

AHA: 2019,2Q,5

#### 108.1 Rheumatic disorders of both mitral and tricuspid valves

- IØ8.2 Rheumatic disorders of both aortic and tricuspid valves
- **IØ8.3** Combined rheumatic disorders of mitral, aortic and tricuspid valves
- IØ8.8 Other rheumatic multiple valve diseases
  - 108.9 Rheumatic multiple valve disease, unspecified

#### IØ9 Other rheumatic heart diseases

109.0 Rheumatic myocarditis

**EXCLUDES 1** myocarditis not specified as rheumatic (151.4)

#### 109.1 Rheumatic diseases of endocardium, valve unspecified Rheumatic endocarditis (chronic)

Rheumatic valvulitis (chronic)

**EXCLUDES 1** endocarditis, valve unspecified (138)

#### 109.2 Chronic rheumatic pericarditis

Adherent pericardium, rheumatic Chronic rheumatic mediastinopericarditis

Chronic rheumatic myopericarditis **EXCLUDES 1** chronic pericarditis not specified as rheumatic (131.-)

#### IØ9.8 Other specified rheumatic heart diseases

109.81 Rheumatic heart failure

Use additional code to identify type of heart failure

#### Other specified rheumatic heart diseases

Rheumatic disease of pulmonary valve

Additional Character Required ICD-10-CM 2024

**▼**x7<sup>th</sup> Placeholder

Questionable PDx

Manifestation

CC

cc

CC

Unspecified

UPD Unacceptable PDx H1 - H14 HAC HCC CMS-HCC Dx

HIV HIV DX

J10 Influenza due to other identified influenza virus

**INCLUDES** influenza A (non-novel)

influenza B

influenza C

Influenza due to unidentified influenza virus with

Use additional code for any associated perforated

J11.83

otitis media

Influenzal otitis media NOS

tympanic membrane (H72.-)

```
EXCLUDES 1
                      influenza due to avian influenza virus (JØ9.X-)
                                                                                                    J11.89 Influenza due to unidentified influenza virus with
                       influenza due to swine flu (JØ9.X-)
                                                                                                             other manifestations
                       influenza due to unidentifed influenza virus (J11.-)
                                                                                                               Use additional codes to identify the manifestations
     J10.0 Influenza due to other identified influenza virus with
                                                                                  J12 Viral pneumonia, not elsewhere classified
                  pneumonia
                                                                                              [INCLUDES] bronchopneumonia due to viruses other than influenza
                   Code also associated lung abscess, if applicable (J85.1)
                                                                                                              viruses
                 J10.00 Influenza due to other identified influenza virus
                                                                                              Code first associated influenza, if applicable (JØ9.X1, J1Ø.Ø-, J11.Ø-)
                           with unspecified type of pneumonia
                                                                                              Code also associated abscess, if applicable (J85.1)
                          Influenza due to other identified influenza virus
                                                                                              EXCLUDES 1
                                                                                                         aspiration pneumonia due to anesthesia during labor and
                           with the same other identified influenza virus
                                                                                                              delivery (074.Ø)
                 J1Ø.Ø8
                          Influenza due to other identified influenza virus
                                                                                                          aspiration pneumonia due to anesthesia during pregnancy
                           with other specified pneumonia
                                                                       HIV MCC
                                                                                                              (029)
                             Code also other specified type of pneumonia
                                                                                                          aspiration pneumonia due to anesthesia during puerperium
          J10.1 Influenza due to other identified influenza virus with other
                                                                                                              (089.0
                  respiratory manifestations
                                                                                                          aspiration pneumonia due to solids and liquids (J69.-)
                   Influenza due to other identified influenza virus NOS
                                                                                                          aspiration pneumonia NOS (J69.Ø)
                   Influenza due to other identified influenza virus with larvngitis
                                                                                                          congenital pneumonia (P23.Ø)
                   Influenza due to other identified influenza virus with pharyngitis
                                                                                                          congenital rubella pneumonitis (P35.Ø)
                   Influenza due to other identified influenza virus with upper
                                                                                                          interstitial pneumonia NOS (J84.9)
                        respiratory symptoms
                                                                                                          lipid pneumonia (J69.1)
                   Use additional code for associated pleural effusion, if applicable
                                                                                                          neonatal aspiration pneumonia (P24.-)
                                                                                              AHA: 2020,2Q,28; 2019,1Q,35; 2018,3Q,24; 2016,3Q,15; 2013,4Q,118
                   Use additional code for associated sinusitis, if applicable (JØ1.-)
                                                                                             J12.Ø Adenoviral pneumonia
                   AHA: 2016,3Q,10-11
          J10.2 Influenza due to other identified influenza virus with
                                                                                            J12.1 Respiratory syncytial virus pneumonia
                                                                                                                                                             MCC
                                                                                                      RSV pneumonia
                 gastrointestinal manifestations
                   Influenza due to other identified influenza virus gastroenteritis
                                                                                             J12.2 Parainfluenza virus pneumonia
                   EXCLUDES 1 "intestinal flu" [viral gastroenteritis] (AØ8.-)
                                                                                             J12.3 Human metapneumovirus pneumonia
     J10.8 Influenza due to other identified influenza virus with other
                                                                                            J12.8 Other viral pneumonia
                 manifestations
                                                                                                    J12.81 Pneumonia due to SARS-associated
                          Influenza due to other identified influenza virus
                 J10.81
                                                                                                             coronavirus
                           with encephalopathy
                                                                                                               Severe acute respiratory syndrome NOS
                          Influenza due to other identified influenza virus
                                                                                                               DEF: Inflammation of the lungs with consolidation,
                                                                                                               caused by the severe adult respiratory syndrome
                 J10.83 Influenza due to other identified influenza virus
                                                                                                               (SARS)-associated coronavirus or SARS-CoV. This
                           with otitis media
                                                                                                               pneumonia should not be confused with that caused
                             Use additional code for any associated perforated
                                                                                                               by SARS-CoV-2 (COVID-19).
                                 tympanic membrane (H72.-
                                                                                                    J12.82
                                                                                                             Pneumonia due to coronavirus disease
                 J10.89 Influenza due to other identified influenza virus
                                                                                                                                                     HIV MCC UPD
                                                                                                             2019
                           with other manifestations
                                                                                                               Pneumonia due to 2019 novel coronavirus
                             Use additional codes to identify the manifestation
                                                                                                                   (SARS-CoV-2)
J11 Influenza due to unidentified influenza virus
                                                                                                               Pneumonia due to COVID-19
                                                                                                               Code first COVID-19 (UØ7.1)
     J11.0 Influenza due to unidentified influenza virus with pneumonia
                                                                                                               AHA: 2021,1Q,25-30,31-49
                   Code also associated lung abscess, if applicable (J85.1)
                                                                                                    J12.89 Other viral pneumonia
                                                                                                                                                         HIV MCC
                   AHA: 2016,3Q,11
                                                                                                               AHA: 2021,1Q,33-34; 2020,2Q,8,11; 2020,1Q,34-36
                 J11.00 Influenza due to unidentified influenza virus with
                                                                                            J12.9 Viral pneumonia, unspecified
                                                                                                                                                         HIV MCC
                           unspecified type of pneumonia
                             Influenza with pneumonia NOS
                                                                                                                                                     HIV MCC HCC
                                                                                       J13 Pneumonia due to Streptococcus pneumoniae
                  J11.08 Influenza due to unidentified influenza virus with
                                                                                              Bronchopneumonia due to S. pneumoniae
                           specified pneumonia
                                                                                              Code first associated influenza, if applicable (JØ9.X1, J1Ø.Ø-, J11.Ø-)
                             Code also other specified type of pneumonia
                                                                                              Code also associated abscess, if applicable (J85.1)
          J11.1 Influenza due to unidentified influenza virus with other
                                                                                              EXCLUDES 1 congenital pneumonia due to S. pneumoniae (P23.6)
                  respiratory manifestations
                                                                                                          lobar pneumonia, unspecified organism (J18.1)
                   Influenza NOS
                                                                                                          pneumonia due to other streptococci (J15.3-J15.4)
                   Influenzal laryngitis NOS
                                                                                              AHA: 2020,2Q,28; 2019,1Q,35; 2018,3Q,24; 2016,3Q,15; 2013,4Q,118
                   Influenzal pharyngitis NOS
                                                                                       J14 Pneumonia due to Hemophilus influenzae
                   Influenza with upper respiratory symptoms NOS
                                                                                              Bronchopneumonia due to H. influenzae
                   Use additional code for associated pleural effusion, if applicable
                                                                                              Code first associated influenza, if applicable (JØ9.X1, J10.0-, J11.0-)
                                                                                              Code also associated abscess, if applicable (J85.1)
                   Use additional code for associated sinusitis, if applicable (JØ1.-)
                                                                                              EXCLUDES 1 congenital pneumonia due to H. influenzae (P23.6)
          J11.2 Influenza due to unidentified influenza virus with
                                                                                              AHA: 2020,2Q,28; 2019,1Q,35; 2018,3Q,24; 2016,3Q,15; 2013,4Q,118
                 gastrointestinal manifestations
                   Influenza gastroenteritis NOS
                   EXCLUDES 1 "intestinal flu" [viral gastroenteritis] (AØ8.-)
     J11.8 Influenza due to unidentified influenza virus with other
                 manifestations
                 J11.81 Influenza due to unidentified influenza virus with
                           encephalopathy
                             Influenzal encephalopathy NOS
```

Influenzal myocarditis NOS

mvocarditis

J11.82 Influenza due to unidentified influenza virus with

Unspecified

				-			
		026.21	Pregnancy care for patient with recurrent		√6 <sup>th</sup>	026.82	Pregnancy related peripheral neuritis
			pregnancy loss, first trimester	<b>™</b> ♀			O26.821 Pregnancy related peripheral neuritis,
		026.22	Pregnancy care for patient with recurrent				first trimester
				<u>M</u> ♀			O26.822 Pregnancy related peripheral neuritis,
		026.23	Pregnancy care for patient with recurrent				second trimester
		0_00		MΩ			O26.823 Pregnancy related peripheral neuritis,
. (5th	026.3	Retaine	d intrauterine contraceptive device in pregnan				third trimester
• •	020.5		•	-			
		026.30	Retained intrauterine contraceptive device in				O26.829 Pregnancy related peripheral neuritis, unspecified trimester
			p 9,	M♀			
		026.31	Retained intrauterine contraceptive device in		√6 <sup>th</sup>	026.83	Pregnancy related renal disease
			pregnancy, first trimester	<b>™</b> ♀			Use additional code to identify the specific disorder
		026.32	Retained intrauterine contraceptive device in	1			O26.831 Pregnancy related renal disease, first
			pregnancy, second trimester	M♀			trimester CC M Q
		026.33	Retained intrauterine contraceptive device in	1			O26.832 Pregnancy related renal disease, second
			pregnancy, third trimester	<b>™</b> ♀			trimester CC M Q
√5 <sup>th</sup>	026.4	Herpes	gestationis				O26.833 Pregnancy related renal disease, third
_			are skin disorder of unknown origin that appears on	the			trimester CC MQ
			en in the second and third trimester as intensely itch				O26.839 Pregnancy related renal disease,
			that spread to other sites.	,			unspecified trimester
			•	m 0	./Sth	026.84	Uterine size-date discrepancy complicating
				MQ	<b>V-0</b>	J_U.U7	pregnancy
			. 3	<b>™</b> ♀			encounter for suspected problem with fetal
		026.42		MQ			growth ruled out (ZØ3.74)
		026.43	Herpes gestationis, third trimester	M♀			O26.841 Uterine size-date discrepancy, first
$\sqrt{5}^{\text{th}}$	026.5	Materna	Il hypotension syndrome				1 7
_			hypotensive syndrome				
			Maternal hypotension syndrome, unspecified	,			O26.842 Uterine size-date discrepancy, second
		J20.50		<b>™</b> ♀			trimester
		026 51		₩¥			O26.843 Uterine size-date discrepancy, third
		026.57	Maternal hypotension syndrome, first				trimester
				M♀			O26.849 Uterine size-date discrepancy,
		026.52	Maternal hypotension syndrome, second				unspecified trimester <b>□</b> ♀
				M♀	√6th	026.85	Spotting complicating pregnancy
		026.53	Maternal hypotension syndrome, third				026.851 Spotting complicating pregnancy, first
			trimester	<b>™</b> ♀◀			trimester MQ
√5 <sup>th</sup>	026.6	Liveran	d biliary tract disorders in pregnancy, childbirth	nand			O26.852 Spotting complicating pregnancy, second
		the pue	rperium				trimester MQ
		Use ad	ditional code to identify the specific disorder				O26.853 Spotting complicating pregnancy, third
		EXCLUDE	begin to the second sec	livery			trimester MQ
			(090.4)				O26.859 Spotting complicating pregnancy,
	√6th	026.61	Liver and biliary tract disorders in pregnancy				unspecified trimester
	_		026.611 Liver and biliary tract disorders in			026.86	Pruritic urticarial papules and plaques of pregnancy
				MQ		020.00	(PUPPP)
			O26.612 Liver and biliary tract disorders in	₹			Polymorphic eruption of pregnancy
				M₽		026.87	, ,
					/Cth	020.07	
				¥	√6 <sup>th</sup>		Cervical shortening
			O26.613 Liver and biliary tract disorders in		<b>√61b</b>		<b>EXCLUDES 1</b> encounter for suspected cervical
			O26.613 Liver and biliary tract disorders in pregnancy, third trimester	IMQ	<b>√</b> 6 <sup>th</sup>		EXCLUDES 1 encounter for suspected cervical shortening ruled out (ZØ3.75)
			O26.613 Liver and biliary tract disorders in pregnancy, third trimester O26.619 Liver and biliary tract disorders in	IMΩ	<b>√</b> 6 <sup>th</sup>		EXCLUDES 1 encounter for suspected cervical shortening ruled out (ZØ3.75)  DEF: Cervix that has shortened to less than 25 mm
		026.62	O26.613 Liver and biliary tract disorders in pregnancy, third trimester O26.619 Liver and biliary tract disorders in pregnancy, unspecified trimester		√ 6th		EXCLUDES 1 encounter for suspected cervical shortening ruled out (ZØ3.75)  DEF: Cervix that has shortened to less than 25 mm before the 24th week of pregnancy. A shortened cervix
		026.62	O26.613 Liver and biliary tract disorders in pregnancy, third trimester O26.619 Liver and biliary tract disorders in pregnancy, unspecified trimester Liver and biliary tract disorders in	M ♀ M ♀	<b>√</b> 6¹¹		shortening ruled out (ZØ3.75)  DEF: Cervix that has shortened to less than 25 mm before the 24th week of pregnancy. A shortened cervix is a warning sign for impending premature delivery
			O26.613 Liver and biliary tract disorders in pregnancy, third trimester O26.619 Liver and biliary tract disorders in pregnancy, unspecified trimester Liver and biliary tract disorders in childbirth	IMΩ	√6°		EXCLUDES 1 encounter for suspected cervical shortening ruled out (ZØ3.75)  DEF: Cervix that has shortened to less than 25 mm before the 24th week of pregnancy. A shortened cervix is a warning sign for impending premature delivery and is treated by cervical cerclage placement or
			O26.613 Liver and biliary tract disorders in pregnancy, third trimester O26.619 Liver and biliary tract disorders in pregnancy, unspecified trimester Liver and biliary tract disorders in childbirth Liver and biliary tract disorders in the	<b>™</b> ♀	<b>√</b> 6°		EXCLUDES 1 encounter for suspected cervical shortening ruled out (ZØ3.75)  DEF: Cervix that has shortened to less than 25 mm before the 24th week of pregnancy. A shortened cervix is a warning sign for impending premature delivery and is treated by cervical cerclage placement or progesterone.
_	004-	026.63	O26.613 Liver and biliary tract disorders in pregnancy, third trimester O26.619 Liver and biliary tract disorders in pregnancy, unspecified trimester Liver and biliary tract disorders in childbirth Liver and biliary tract disorders in the puerperium	M ♀ M ♀ M ♀	<b>√</b> 6°		EXCLUDES 1 encounter for suspected cervical shortening ruled out (ZØ3.75)  DEF: Cervix that has shortened to less than 25 mm before the 24th week of pregnancy. A shortened cervix is a warning sign for impending premature delivery and is treated by cervical cerclage placement or progesterone.  O26.872 Cervical shortening, second
√5 <sup>th</sup>	026.7	O26.63 Subluxa	O26.613 Liver and biliary tract disorders in pregnancy, third trimester O26.619 Liver and biliary tract disorders in pregnancy, unspecified trimester Liver and biliary tract disorders in childbirth Liver and biliary tract disorders in the puerperium tion of symphysis (pubis) in pregnancy, childbir	M ♀ M ♀ M ♀	<b>√</b> 6°		EXCLUDES 1 encounter for suspected cervical shortening ruled out (ZØ3.75)  DEF: Cervix that has shortened to less than 25 mm before the 24th week of pregnancy. A shortened cervix is a warning sign for impending premature delivery and is treated by cervical cerclage placement or progesterone.  O26.872 Cervical shortening, second trimester
√5 <sup>n</sup>	026.7	O26.63 Subluxa and the	O26.613 Liver and biliary tract disorders in pregnancy, third trimester O26.619 Liver and biliary tract disorders in pregnancy, unspecified trimester Liver and biliary tract disorders in childbirth Liver and biliary tract disorders in the puerperium tion of symphysis (pubis) in pregnancy, childbipuerperium	M ♀ M ♀ M ♀ irth	<b>√</b> 6°		EXCLUDES 1 encounter for suspected cervical shortening ruled out (ZØ3.75)  DEF: Cervix that has shortened to less than 25 mm before the 24th week of pregnancy. A shortened cervix is a warning sign for impending premature delivery and is treated by cervical cerclage placement or progesterone.  O26.872 Cervical shortening, second trimester  O26.873 Cervical shortening, third
<b>√</b> 5"	026.7	O26.63 Subluxa and the	O26.613 Liver and biliary tract disorders in pregnancy, third trimester O26.619 Liver and biliary tract disorders in pregnancy, unspecified trimester Liver and biliary tract disorders in childbirth Liver and biliary tract disorders in the puerperium tion of symphysis (pubis) in pregnancy, childbi puerperium traumatic separation of symphysis (pubis) duri	M ♀ M ♀ M ♀ irth	<b>√</b> 6°		EXCLUDES 1 encounter for suspected cervical shortening ruled out (Z03.75)  DEF: Cervix that has shortened to less than 25 mm before the 24th week of pregnancy. A shortened cervix is a warning sign for impending premature delivery and is treated by cervical cerclage placement or progesterone.  O26.872 Cervical shortening, second trimester  O26.873 Cervical shortening, third trimester
<b>√</b> 51\		O26.63 Subluxa and the	O26.613 Liver and biliary tract disorders in pregnancy, third trimester O26.619 Liver and biliary tract disorders in pregnancy, unspecified trimester Liver and biliary tract disorders in childbirth Liver and biliary tract disorders in the puerperium tion of symphysis (pubis) in pregnancy, childbin puerperium traumatic separation of symphysis (pubis) during the childbirth (O71.6)	M ♀ M ♀ M ♀ irth	69		EXCLUDES 1 encounter for suspected cervical shortening ruled out (Z03.75)  DEF: Cervix that has shortened to less than 25 mm before the 24th week of pregnancy. A shortened cervix is a warning sign for impending premature delivery and is treated by cervical cerclage placement or progesterone.  O26.872 Cervical shortening, second trimester  O26.873 Cervical shortening, third trimester  O26.879 Cervical shortening, unspecified
<b>√</b> 5º ∣		O26.63 Subluxa and the	O26.613 Liver and biliary tract disorders in pregnancy, third trimester O26.619 Liver and biliary tract disorders in pregnancy, unspecified trimester Liver and biliary tract disorders in childbirth Liver and biliary tract disorders in the puerperium tion of symphysis (pubis) in pregnancy, childbi puerperium traumatic separation of symphysis (pubis) duri	M ♀ M ♀ M ♀ irth	69		EXCLUDES 1 encounter for suspected cervical shortening ruled out (ZØ3.75)  DEF: Cervix that has shortened to less than 25 mm before the 24th week of pregnancy. A shortened cervix is a warning sign for impending premature delivery and is treated by cervical cerclage placement or progesterone.  O26.872 Cervical shortening, second trimester  O26.873 Cervical shortening, third trimester  O26.879 Cervical shortening, unspecified trimester
<b>√</b> 5º (		O26.63 Subluxa and the	O26.613 Liver and biliary tract disorders in pregnancy, third trimester O26.619 Liver and biliary tract disorders in pregnancy, unspecified trimester Liver and biliary tract disorders in childbirth Liver and biliary tract disorders in the puerperium tion of symphysis (pubis) in pregnancy, childbin puerperium traumatic separation of symphysis (pubis) during the childbirth (O71.6)	M ♀ M ♀ inth cing	√6°s	026.89	EXCLUDES 1 encounter for suspected cervical shortening ruled out (Z03.75)  DEF: Cervix that has shortened to less than 25 mm before the 24th week of pregnancy. A shortened cervix is a warning sign for impending premature delivery and is treated by cervical cerclage placement or progesterone.  O26.872 Cervical shortening, second trimester  O26.873 Cervical shortening, third trimester  O26.879 Cervical shortening, unspecified
<b>√5</b> º		O26.63 Subluxa and the	O26.613 Liver and biliary tract disorders in pregnancy, third trimester O26.619 Liver and biliary tract disorders in pregnancy, unspecified trimester Liver and biliary tract disorders in childbirth Liver and biliary tract disorders in the puerperium tion of symphysis (pubis) in pregnancy, childbir puerperium traumatic separation of symphysis (pubis) durichildbirth (O71.6) Subluxation of symphysis (pubis) in pregnance O26.711 Subluxation of symphysis (pubis) in	M ♀ M ♀ inth cing	√6ª √6ª	026.89	EXCLUDES 1 encounter for suspected cervical shortening ruled out (ZØ3.75)  DEF: Cervix that has shortened to less than 25 mm before the 24th week of pregnancy. A shortened cervix is a warning sign for impending premature delivery and is treated by cervical cerclage placement or progesterone.  O26.872 Cervical shortening, second trimester  O26.873 Cervical shortening, third trimester  O26.879 Cervical shortening, unspecified trimester
<b>√5</b> 0 1		O26.63 Subluxa and the	O26.613 Liver and biliary tract disorders in pregnancy, third trimester O26.619 Liver and biliary tract disorders in pregnancy, unspecified trimester Liver and biliary tract disorders in childbirth Liver and biliary tract disorders in the puerperium tion of symphysis (pubis) in pregnancy, childbir puerperium traumatic separation of symphysis (pubis) durichildbirth (O71.6) Subluxation of symphysis (pubis) in pregnance O26.711 Subluxation of symphysis (pubis) in	M Q M Q irth ring	√6°	O26.89	shortening ruled out (ZØ3.75)  DEF: Cervix that has shortened to less than 25 mm before the 24th week of pregnancy. A shortened cervix is a warning sign for impending premature delivery and is treated by cervical cerclage placement or progesterone.  O26.872 Cervical shortening, second trimester  O26.873 Cervical shortening, third trimester  O26.879 Cervical shortening, unspecified trimester  O26.879 Cervical shortening, unspecified trimester  O26.879 Cervical shortening, unspecified trimester
<b>√</b> 5°		O26.63 Subluxa and the	O26.613 Liver and biliary tract disorders in pregnancy, third trimester O26.619 Liver and biliary tract disorders in pregnancy, unspecified trimester Liver and biliary tract disorders in childbirth Liver and biliary tract disorders in the puerperium tion of symphysis (pubis) in pregnancy, childbir puerperium  Traumatic separation of symphysis (pubis) durichildbirth (O71.6)  Subluxation of symphysis (pubis) in pregnancy O26.711 Subluxation of symphysis (pubis) in pregnancy, first trimester O26.712 Subluxation of symphysis (pubis) in	M Q M Q irth ring	√6ª √6ª	026.89	shortening ruled out (ZØ3.75)  DEF: Cervix that has shortened to less than 25 mm before the 24th week of pregnancy. A shortened cervix is a warning sign for impending premature delivery and is treated by cervical cerclage placement or progesterone.  O26.872 Cervical shortening, second trimester  O26.873 Cervical shortening, third trimester  O26.879 Cervical shortening, unspecified trimester  O26.879 Cervical shortening, unspecified trimester  O26.879 Cervical shortening, unspecified trimester  O36879 Cervical shortening, unspecified trimester  O470 O26.891 Other specified pregnancy related conditions  O4891 Other specified pregnancy related
√5°		O26.63 Subluxa and the	O26.613 Liver and biliary tract disorders in pregnancy, third trimester O26.619 Liver and biliary tract disorders in pregnancy, unspecified trimester Liver and biliary tract disorders in childbirth Liver and biliary tract disorders in the puerperium tion of symphysis (pubis) in pregnancy, childbir puerperium  Traumatic separation of symphysis (pubis) durit childbirth (071.6)  Subluxation of symphysis (pubis) in pregnancy, first trimester O26.711 Subluxation of symphysis (pubis) in pregnancy, first trimester O26.712 Subluxation of symphysis (pubis) in pregnancy, second trimester	M ♀ M ♀ inth cing	√6°	026.89	shortening ruled out (ZØ3.75)  DEF: Cervix that has shortened to less than 25 mm before the 24th week of pregnancy. A shortened cervix is a warning sign for impending premature delivery and is treated by cervical cerclage placement or progesterone.  O26.872 Cervical shortening, second trimester  O26.873 Cervical shortening, third trimester  O26.879 Cervical shortening, unspecified trimester  O26.879 Cervical shortening, unspecified trimester  Other specified pregnancy related conditions  AHA: 2015,3Q,40  O26.891 Other specified pregnancy related conditions, first trimester
√5°\		O26.63 Subluxa and the	O26.613 Liver and biliary tract disorders in pregnancy, third trimester O26.619 Liver and biliary tract disorders in pregnancy, unspecified trimester Liver and biliary tract disorders in childbirth Liver and biliary tract disorders in the puerperium tion of symphysis (pubis) in pregnancy, childbipuerperium traumatic separation of symphysis (pubis) duric childbirth (O71.6) Subluxation of symphysis (pubis) in pregnancy, first trimester O26.711 Subluxation of symphysis (pubis) in pregnancy, second trimester O26.713 Subluxation of symphysis (pubis) in pregnancy, second trimester	M ♀ M ♀ inth cing	√6°a	026.89	shortening ruled out (ZØ3.75)  DEF: Cervix that has shortened to less than 25 mm before the 24th week of pregnancy. A shortened cervix is a warning sign for impending premature delivery and is treated by cervical cerclage placement or progesterone.  O26.872 Cervical shortening, second trimester  O26.873 Cervical shortening, third trimester  O26.879 Cervical shortening, unspecified trimester  O26.879 Cervical shortening, unspecified trimester  O26.879 Cervical shortening, unspecified trimester  O26.879 Characterial pregnancy related conditions  AHA: 2015,3Q,40  O26.891 Other specified pregnancy related conditions, first trimester  O26.892 Other specified pregnancy related
√5 <sup>3</sup> 1		O26.63 Subluxa and the	O26.613 Liver and biliary tract disorders in pregnancy, third trimester O26.619 Liver and biliary tract disorders in pregnancy, unspecified trimester Liver and biliary tract disorders in childbirth Liver and biliary tract disorders in the puerperium tion of symphysis (pubis) in pregnancy, childbipuerperium  traumatic separation of symphysis (pubis) durichildbirth (O71.6) Subluxation of symphysis (pubis) in pregnancy, first trimester O26.712 Subluxation of symphysis (pubis) in pregnancy, second trimester O26.713 Subluxation of symphysis (pubis) in pregnancy, second trimester O26.713 Subluxation of symphysis (pubis) in pregnancy, third trimester	M ♀ M ♀ M ♀ inth ring cy M ♀	√6°	026.89	shortening ruled out (ZØ3.75)  DEF: Cervix that has shortened to less than 25 mm before the 24th week of pregnancy. A shortened cervix is a warning sign for impending premature delivery and is treated by cervical cerclage placement or progesterone.  O26.872 Cervical shortening, second trimester  O26.873 Cervical shortening, third trimester  O26.879 Cervical shortening, unspecified crimester  O26.879 Cervical shortening, unspecified trimester  O26.879 Cervical shortening, unspecified crimester  O26.879 Cervical shortening, unspecified trimester  O26.879 Cervical shortening, unspecified crimester  O26.879 Cervical shortening, unspecified trimester
<b>√5</b> º (		O26.63 Subluxa and the	O26.613 Liver and biliary tract disorders in pregnancy, third trimester O26.619 Liver and biliary tract disorders in pregnancy, unspecified trimester Liver and biliary tract disorders in childbirth Liver and biliary tract disorders in the puerperium tion of symphysis (pubis) in pregnancy, childbir puerperium  Traumatic separation of symphysis (pubis) durichildbirth (O71.6) Subluxation of symphysis (pubis) in pregnancy, first trimester O26.712 Subluxation of symphysis (pubis) in pregnancy, second trimester O26.713 Subluxation of symphysis (pubis) in pregnancy, third trimester O26.719 Subluxation of symphysis (pubis) in pregnancy, third trimester	M ♀ M ♀ M ♀ inth ring cy M ♀	√6°a	O26.89	shortening ruled out (ZØ3.75)  DEF: Cervix that has shortened to less than 25 mm before the 24th week of pregnancy. A shortened cervix is a warning sign for impending premature delivery and is treated by cervical cerclage placement or progesterone.  O26.872 Cervical shortening, second trimester  O26.873 Cervical shortening, third trimester  O26.879 Cervical shortening, unspecified trimester  O26.879 Cervical shortening, unspecified trimester  O26.879 Cervical shortening, unspecified drimester  O26.879 Cervical shortening, unspecified drimester  O26.891 Other specified pregnancy related conditions, first trimester  O26.892 Other specified pregnancy related conditions, second trimester  O26.893 Other specified pregnancy related
<b>√5</b> º 1		O26.63 Subluxa and the Excurt O26.71	O26.613 Liver and biliary tract disorders in pregnancy, third trimester O26.619 Liver and biliary tract disorders in pregnancy, unspecified trimester Liver and biliary tract disorders in childbirth Liver and biliary tract disorders in the puerperium tion of symphysis (pubis) in pregnancy, childbir puerperium  Traumatic separation of symphysis (pubis) durichildbirth (O71.6)  Subluxation of symphysis (pubis) in pregnancy, first trimester O26.712 Subluxation of symphysis (pubis) in pregnancy, second trimester O26.713 Subluxation of symphysis (pubis) in pregnancy, third trimester O26.719 Subluxation of symphysis (pubis) in pregnancy, third trimester O26.719 Subluxation of symphysis (pubis) in pregnancy, third trimester	M Q M Q irth ring Cy M Q	√6ª	O26.89	shortening ruled out (ZØ3.75)  DEF: Cervix that has shortened to less than 25 mm before the 24th week of pregnancy. A shortened cervix is a warning sign for impending premature delivery and is treated by cervical cerclage placement or progesterone.  O26.872 Cervical shortening, second trimester  O26.873 Cervical shortening, third trimester  O26.879 Cervical shortening, unspecified trimester  O26.879 Cervical shortening, unspecified trimester  O26.879 Cervical shortening, unspecified conditions  AHA: 2015,3Q,40  O26.891 Other specified pregnancy related conditions, first trimester  O26.892 Other specified pregnancy related conditions, second trimester  O26.893 Other specified pregnancy related conditions, second trimester  O26.893 Other specified pregnancy related conditions, third trimester
<b>√</b> 5₽ 1		O26.63 Subluxa and the Excurt O26.71	O26.613 Liver and biliary tract disorders in pregnancy, third trimester O26.619 Liver and biliary tract disorders in pregnancy, unspecified trimester Liver and biliary tract disorders in childbirth Liver and biliary tract disorders in the puerperium tion of symphysis (pubis) in pregnancy, childbir traumatic separation of symphysis (pubis) durichildbirth (O71.6) Subluxation of symphysis (pubis) in pregnancy, first trimester O26.711 Subluxation of symphysis (pubis) in pregnancy, second trimester O26.712 Subluxation of symphysis (pubis) in pregnancy, third trimester O26.719 Subluxation of symphysis (pubis) in pregnancy, unspecified trimester O26.719 Subluxation of symphysis (pubis) in pregnancy, unspecified trimester Subluxation of symphysis (pubis) in	M ♀ M ♀ irth ring M ♀ M ♀ M ♀ M ♀	√6ª	O26.89	shortening ruled out (ZØ3.75)  DEF: Cervix that has shortened to less than 25 mm before the 24th week of pregnancy. A shortened cervix is a warning sign for impending premature delivery and is treated by cervical cerclage placement or progesterone.  O26.872 Cervical shortening, second trimester  O26.873 Cervical shortening, third trimester  O26.879 Cervical shortening, unspecified trimester  O26.879 Cervical shortening, unspecified trimester  O26.870 Cervical shortening, unspecified trimester  O26.871 Cervical shortening, unspecified trimester  O26.872 Cervical shortening, unspecified trimester  O26.873 Cervical shortening, unspecified trimester  O26.879 Cervical shortening, unspecified trimester  O26.870 Cervical shortening, unspecified trimester  O26.871 Cervical shortening, unspecified trimester  O26.872 Cervical shortening, unspecified trimester  O26.873 Cervical shortening, unspecified trimester  O26.879 Cervical shortening, unspecified trimester  O26.870 Cervical shortening, unspecified trimester  O26.871 Cervical shortening, unspecified trimester  O26.872 Cervical shortening, unspecified trimester  O26.873 Cervical shortening, unspecified trimester  O26.879 Cervical shortening, unspecified trimester  O26.870 Cervical shortening, unspecified trimester  O26.871 Cervical shortening, unspecified trimester  O26.872 Cervical shortening, unspecified trimester  O26.873 Cervical shortening, unspecified trimester  O26.879 Cervical shortening, unspecified trimester  O26.870 Cervical shortening, unspecified trimester  O26.870 Cervical shortening, unspecified trimester  O26.871 Cervical shortening, unspecified trimester  O26.872 Cervical shortening, unspecified trimester  O26.873 Cervical shortening, unspecified trimester  O26.870 Cervical shortening, unspecified trimester  O26.870 Cervical shortening, unspecified trimester  O26.871 Cervical shortening, unspecified trimester  O26.872 Cervical shortening, unspecified trimester
<b>√</b> 5º		026.63 Subluxa and the Example 026.71	O26.613 Liver and biliary tract disorders in pregnancy, third trimester O26.619 Liver and biliary tract disorders in pregnancy, unspecified trimester Liver and biliary tract disorders in childbirth Liver and biliary tract disorders in the puerperium tion of symphysis (pubis) in pregnancy, childbir puerperium  Traumatic separation of symphysis (pubis) duric childbirth (O71.6)  Subluxation of symphysis (pubis) in pregnancy, first trimester O26.711 Subluxation of symphysis (pubis) in pregnancy, second trimester O26.713 Subluxation of symphysis (pubis) in pregnancy, third trimester O26.719 Subluxation of symphysis (pubis) in pregnancy, unspecified trimester Subluxation of symphysis (pubis) in pregnancy, unspecified trimester Subluxation of symphysis (pubis) in childbirth	M Q M Q irth ring Cy M Q			shortening ruled out (ZØ3.75)  DEF: Cervix that has shortened to less than 25 mm before the 24th week of pregnancy. A shortened cervix is a warning sign for impending premature delivery and is treated by cervical cerclage placement or progesterone.  O26.872 Cervical shortening, second trimester □□□□□□□□□□□□□□□□□□□□□□□□□□□□□□□□□□□□
√5 <sup>n</sup>		026.63 Subluxa and the Example 026.71	O26.613 Liver and biliary tract disorders in pregnancy, third trimester O26.619 Liver and biliary tract disorders in pregnancy, unspecified trimester Liver and biliary tract disorders in childbirth Liver and biliary tract disorders in the puerperium tion of symphysis (pubis) in pregnancy, childbir puerperium  Traumatic separation of symphysis (pubis) duric childbirth (071.6)  Subluxation of symphysis (pubis) in pregnancy, first trimester O26.711 Subluxation of symphysis (pubis) in pregnancy, second trimester O26.712 Subluxation of symphysis (pubis) in pregnancy, third trimester O26.713 Subluxation of symphysis (pubis) in pregnancy, unspecified trimester O26.719 Subluxation of symphysis (pubis) in pregnancy, unspecified trimester Subluxation of symphysis (pubis) in childbirth Subluxation of symphysis (pubis) in the	M ♀ M ♀ irth ring M ♀ M ♀ M ♀ M ♀ M ♀		Pregnan	shortening ruled out (ZØ3.75)  DEF: Cervix that has shortened to less than 25 mm before the 24th week of pregnancy. A shortened cervix is a warning sign for impending premature delivery and is treated by cervical cerclage placement or progesterone.  O26.872 Cervical shortening, second trimester  O26.873 Cervical shortening, third trimester  O26.879 Cervical shortening, unspecified trimester  O26.879 Cervical shortening, unspecified trimester  O26.870 Cervical shortening, unspecified trimester  O26.871 Cervical shortening, unspecified trimester  O26.872 Cervical shortening, unspecified trimester  O26.873 Cervical shortening, unspecified trimester  O26.879 Cervical shortening, unspecified trimester  O26.870 Cervical shortening, unspecified trimester  O26.871 Cervical shortening, unspecified trimester  O26.872 Cervical shortening, unspecified trimester  O26.873 Cervical shortening, unspecified trimester  O26.874 Cervical shortening, unspecified trimester  O26.875 Cervical shortening, third trimester  O26.876 Cervical shortening, third trimester  O26.877 Cervical shortening, unspecified trimester  O26.879 Other specified pregnancy related conditions, third trimester  O26.890 Other specified pregnancy related conditions, unspecified trimester  O26.890 Other specified pregnancy related conditions, unspecified trimester
	√6th	026.63 Subluxa and the Exocol 026.71	O26.613 Liver and biliary tract disorders in pregnancy, third trimester O26.619 Liver and biliary tract disorders in pregnancy, unspecified trimester Liver and biliary tract disorders in childbirth Liver and biliary tract disorders in the puerperium tion of symphysis (pubis) in pregnancy, childbir puerperium traumatic separation of symphysis (pubis) duric childbirth (O71.6) Subluxation of symphysis (pubis) in pregnancy, first trimester O26.711 Subluxation of symphysis (pubis) in pregnancy, second trimester O26.712 Subluxation of symphysis (pubis) in pregnancy, third trimester O26.713 Subluxation of symphysis (pubis) in pregnancy, unspecified trimester O26.719 Subluxation of symphysis (pubis) in pregnancy, unspecified trimester Subluxation of symphysis (pubis) in childbirth Subluxation of symphysis (pubis) in the puerperium	M ♀ M ♀ irth ring M ♀ M ♀ M ♀ M ♀		Pregnan	shortening ruled out (ZØ3.75)  DEF: Cervix that has shortened to less than 25 mm before the 24th week of pregnancy. A shortened cervix is a warning sign for impending premature delivery and is treated by cervical cerclage placement or progesterone.  O26.872 Cervical shortening, second trimester  O26.873 Cervical shortening, third trimester  O26.879 Cervical shortening, unspecified trimester  O26.879 Cervical shortening, unspecified trimester  O26.891 Other specified pregnancy related conditions, first trimester  O26.892 Other specified pregnancy related conditions, second trimester  O26.893 Other specified pregnancy related conditions, second trimester  O26.894 Other specified pregnancy related conditions, third trimester  O26.895 Other specified pregnancy related conditions, third trimester  O26.896 Other specified pregnancy related conditions, unspecified trimester  O26.897 Other specified pregnancy related conditions, unspecified trimester  O26.899 Other specified pregnancy related conditions, unspecified trimester
	<b>√</b> 6 <sup>th</sup>	026.63 Subluxa and the Example O26.71  026.71  026.72  026.73 Other sp	O26.613 Liver and biliary tract disorders in pregnancy, third trimester O26.619 Liver and biliary tract disorders in pregnancy, unspecified trimester Liver and biliary tract disorders in childbirth Liver and biliary tract disorders in the puerperium tion of symphysis (pubis) in pregnancy, childbir puerperium  Traumatic separation of symphysis (pubis) duric childbirth (O71.6)  Subluxation of symphysis (pubis) in pregnancy, first trimester O26.711 Subluxation of symphysis (pubis) in pregnancy, second trimester O26.712 Subluxation of symphysis (pubis) in pregnancy, third trimester O26.713 Subluxation of symphysis (pubis) in pregnancy, unspecified trimester O26.719 Subluxation of symphysis (pubis) in pregnancy, unspecified trimester Subluxation of symphysis (pubis) in childbirth Subluxation of symphysis (pubis) in the puerperium Decified pregnancy related conditions	M ♀ M ♀ irth ring M ♀ M ♀ M ♀ M ♀ M ♀	<b>√5</b> ¹ 026.9	Pregnan O26.90	shortening ruled out (ZØ3.75)  DEF: Cervix that has shortened to less than 25 mm before the 24th week of pregnancy. A shortened cervix is a warning sign for impending premature delivery and is treated by cervical cerclage placement or progesterone.  O26.872 Cervical shortening, second trimester  O26.873 Cervical shortening, third trimester  O26.879 Cervical shortening, unspecified trimester  O26.891 Other specified pregnancy related conditions, first trimester  O26.891 Other specified pregnancy related conditions, first trimester  O26.892 Other specified pregnancy related conditions, second trimester  O26.893 Other specified pregnancy related conditions, third trimester  O26.899 Other specified pregnancy related conditions, third trimester  O26.899 Other specified pregnancy related conditions, unspecified trimester  O26.899 Other specified pregnancy related conditions, unspecified trimester  O26.899 Other specified pregnancy related conditions, unspecified trimester
	<b>√</b> 6 <sup>th</sup>	026.63 Subluxa and the Example O26.71  026.71  026.72  026.73 Other sp	O26.613 Liver and biliary tract disorders in pregnancy, third trimester O26.619 Liver and biliary tract disorders in pregnancy, unspecified trimester Liver and biliary tract disorders in childbirth Liver and biliary tract disorders in the puerperium tion of symphysis (pubis) in pregnancy, childbir puerperium traumatic separation of symphysis (pubis) duric childbirth (O71.6) Subluxation of symphysis (pubis) in pregnancy, first trimester O26.711 Subluxation of symphysis (pubis) in pregnancy, second trimester O26.712 Subluxation of symphysis (pubis) in pregnancy, third trimester O26.713 Subluxation of symphysis (pubis) in pregnancy, unspecified trimester O26.719 Subluxation of symphysis (pubis) in pregnancy, unspecified trimester Subluxation of symphysis (pubis) in childbirth Subluxation of symphysis (pubis) in the puerperium	M ♀ M ♀ irth ring M ♀ M ♀ M ♀ M ♀ M ♀	<b>√5</b> ¹ 026.9	Pregnan O26.90	shortening ruled out (ZØ3.75)  DEF: Cervix that has shortened to less than 25 mm before the 24th week of pregnancy. A shortened cervix is a warning sign for impending premature delivery and is treated by cervical cerclage placement or progesterone.  O26.872 Cervical shortening, second trimester  O26.873 Cervical shortening, third trimester  O26.879 Cervical shortening, unspecified trimester  O26.879 Cervical shortening, unspecified trimester  O26.891 Other specified pregnancy related conditions, first trimester  O26.892 Other specified pregnancy related conditions, second trimester  O26.893 Other specified pregnancy related conditions, third trimester  O26.894 Other specified pregnancy related conditions, third trimester  O26.895 Other specified pregnancy related conditions, third trimester  O26.896 Other specified pregnancy related conditions, unspecified trimester  O26.897 Other specified pregnancy related conditions, unspecified trimester  O26.899 Other specified pregnancy related conditions, unspecified trimester  O26.899 Other specified pregnancy related conditions, unspecified trimester
	<b>√</b> 6 <sup>th</sup>	026.63 Subluxa and the Example O26.71  026.71  026.72  026.73 Other sp	O26.613 Liver and biliary tract disorders in pregnancy, third trimester O26.619 Liver and biliary tract disorders in pregnancy, unspecified trimester Liver and biliary tract disorders in childbirth Liver and biliary tract disorders in the puerperium tion of symphysis (pubis) in pregnancy, childbir puerperium  Traumatic separation of symphysis (pubis) duric childbirth (O71.6)  Subluxation of symphysis (pubis) in pregnancy, first trimester O26.711 Subluxation of symphysis (pubis) in pregnancy, second trimester O26.712 Subluxation of symphysis (pubis) in pregnancy, third trimester O26.713 Subluxation of symphysis (pubis) in pregnancy, unspecified trimester O26.719 Subluxation of symphysis (pubis) in pregnancy, unspecified trimester Subluxation of symphysis (pubis) in childbirth Subluxation of symphysis (pubis) in the puerperium Decified pregnancy related conditions	M ♀ M ♀ irth ring M ♀ M ♀ M ♀ M ♀ M ♀	<b>▼51</b> O26.9	Pregnan 026.9ø 026.91	shortening ruled out (ZØ3.75)  DEF: Cervix that has shortened to less than 25 mm before the 24th week of pregnancy. A shortened cervix is a warning sign for impending premature delivery and is treated by cervical cerclage placement or progesterone.  O26.872 Cervical shortening, second trimester  O26.873 Cervical shortening, third trimester  O26.879 Cervical shortening, unspecified trimester  O26.879 Cervical shortening, unspecified trimester  O26.891 Other specified pregnancy related conditions, first trimester  O26.892 Other specified pregnancy related conditions, second trimester  O26.893 Other specified pregnancy related conditions, third trimester  O26.899 Other specified pregnancy related conditions, third trimester  O26.899 Other specified pregnancy related conditions, unspecified trimester
	<b>√</b> 6 <sup>th</sup>	026.63 Subluxa and the Example O26.71  026.71  026.72  026.73 Other sp	O26.613 Liver and biliary tract disorders in pregnancy, third trimester O26.619 Liver and biliary tract disorders in pregnancy, unspecified trimester Liver and biliary tract disorders in childbirth Liver and biliary tract disorders in the puerperium tion of symphysis (pubis) in pregnancy, childbir puerperium traumatic separation of symphysis (pubis) duric childbirth (O71.6) Subluxation of symphysis (pubis) in pregnancy, first trimester O26.711 Subluxation of symphysis (pubis) in pregnancy, second trimester O26.712 Subluxation of symphysis (pubis) in pregnancy, third trimester O26.713 Subluxation of symphysis (pubis) in pregnancy, unspecified trimester O26.719 Subluxation of symphysis (pubis) in childbirth Subluxation of symphysis (pubis) in childbirth Subluxation of symphysis (pubis) in the puerperium oecified pregnancy related conditions Pregnancy related exhaustion and fatigue O26.811 Pregnancy related exhaustion and	M ♀ M ♀ irth ring M ♀ M ♀ M ♀ M ♀ M ♀	<b>▼51</b> O26.9	Pregnan 026.9ø 026.91	shortening ruled out (ZØ3.75)  DEF: Cervix that has shortened to less than 25 mm before the 24th week of pregnancy. A shortened cervix is a warning sign for impending premature delivery and is treated by cervical cerclage placement or progesterone.  O26.872 Cervical shortening, second trimester  O26.873 Cervical shortening, third trimester  O26.879 Cervical shortening, unspecified trimester  O26.879 Cervical shortening, unspecified trimester  O26.891 Other specified pregnancy related conditions, first trimester  O26.892 Other specified pregnancy related conditions, second trimester  O26.893 Other specified pregnancy related conditions, third trimester  O26.894 Other specified pregnancy related conditions, third trimester  O26.895 Other specified pregnancy related conditions, unspecified trimester  O26.896 Other specified pregnancy related conditions, unspecified trimester  O26.897 Other specified pregnancy related conditions, unspecified trimester  O26.899 Other specified pregnancy related conditions, unspecified trimester  O26.899 Other specified pregnancy related conditions, unspecified, unspecified trimester  O26.899 Other specified pregnancy related conditions, unspecified, unspecified trimester  O26.899 Other specified pregnancy related conditions, unspecified, unspecified trimester
	<b>√</b> 6 <sup>th</sup>	026.63 Subluxa and the Example O26.71  026.71  026.72  026.73 Other sp	O26.613 Liver and biliary tract disorders in pregnancy, third trimester O26.619 Liver and biliary tract disorders in pregnancy, unspecified trimester Liver and biliary tract disorders in childbirth Liver and biliary tract disorders in the puerperium tion of symphysis (pubis) in pregnancy, childbir puerperium traumatic separation of symphysis (pubis) duric childbirth (O71.6) Subluxation of symphysis (pubis) in pregnancy, first trimester O26.711 Subluxation of symphysis (pubis) in pregnancy, second trimester O26.712 Subluxation of symphysis (pubis) in pregnancy, third trimester O26.713 Subluxation of symphysis (pubis) in pregnancy, unspecified trimester O26.719 Subluxation of symphysis (pubis) in childbirth Subluxation of symphysis (pubis) in childbirth Subluxation of symphysis (pubis) in the puerperium Decified pregnancy related conditions Pregnancy related exhaustion and fatigue O26.811 Pregnancy related exhaustion and	MQ irth cing MQ MQ MQ MQ	<b>▼51</b> O26.9	Pregnan 026.9ø 026.91	shortening ruled out (ZØ3.75)  DEF: Cervix that has shortened to less than 25 mm before the 24th week of pregnancy. A shortened cervix is a warning sign for impending premature delivery and is treated by cervical cerclage placement or progesterone.  O26.872 Cervical shortening, second trimester  O26.873 Cervical shortening, third trimester  O26.879 Cervical shortening, unspecified trimester  O26.879 Cervical shortening, unspecified trimester  O26.891 Other specified pregnancy related conditions, first trimester  O26.892 Other specified pregnancy related conditions, second trimester  O26.893 Other specified pregnancy related conditions, third trimester  O26.899 Other specified pregnancy related conditions, third trimester  O26.899 Other specified pregnancy related conditions, unspecified trimester
	<b>√</b> 6 <sup>th</sup>	026.63 Subluxa and the Example O26.71  026.71  026.72  026.73 Other sp	O26.613 Liver and biliary tract disorders in pregnancy, third trimester O26.619 Liver and biliary tract disorders in pregnancy, unspecified trimester Liver and biliary tract disorders in childbirth Liver and biliary tract disorders in the puerperium tion of symphysis (pubis) in pregnancy, childbipuerperium traumatic separation of symphysis (pubis) durichildbirth (O71.6) Subluxation of symphysis (pubis) in pregnancy, first trimester O26.711 Subluxation of symphysis (pubis) in pregnancy, second trimester O26.712 Subluxation of symphysis (pubis) in pregnancy, third trimester O26.713 Subluxation of symphysis (pubis) in pregnancy, unspecified trimester Subluxation of symphysis (pubis) in childbirth Subluxation of symphysis (pubis) in the puerperium Decified pregnancy related conditions Pregnancy related exhaustion and fatigue O26.811 Pregnancy related exhaustion and fatigue, first trimester O26.812 Pregnancy related exhaustion and	MQ irth cing MQ MQ MQ MQ	<b>√5</b> <sup>™</sup> 026.9	Pregnan 026.90 026.91 026.92	shortening ruled out (ZØ3.75)  DEF: Cervix that has shortened to less than 25 mm before the 24th week of pregnancy. A shortened cervix is a warning sign for impending premature delivery and is treated by cervical cerclage placement or progesterone.  O26.872 Cervical shortening, second trimester  O26.873 Cervical shortening, third trimester  O26.879 Cervical shortening, unspecified trimester  O26.879 Cervical shortening, unspecified trimester  O26.891 Other specified pregnancy related conditions, first trimester  O26.892 Other specified pregnancy related conditions, second trimester  O26.893 Other specified pregnancy related conditions, third trimester  O26.894 Other specified pregnancy related conditions, third trimester  O26.895 Other specified pregnancy related conditions, unspecified trimester  O26.896 Other specified pregnancy related conditions, unspecified trimester  O26.897 Other specified pregnancy related conditions, unspecified trimester  O26.899 Other specified pregnancy related conditions, unspecified trimester  O26.899 Other specified pregnancy related conditions, unspecified, unspecified trimester  O26.899 Other specified pregnancy related conditions, unspecified, unspecified trimester  O26.899 Other specified pregnancy related conditions, unspecified, unspecified trimester
	<b>√</b> 6 <sup>th</sup>	026.63 Subluxa and the Example O26.71  026.71  026.72  026.73 Other sp	O26.613 Liver and biliary tract disorders in pregnancy, third trimester O26.619 Liver and biliary tract disorders in pregnancy, unspecified trimester Liver and biliary tract disorders in childbirth Liver and biliary tract disorders in the puerperium tion of symphysis (pubis) in pregnancy, childbin puerperium  Traumatic separation of symphysis (pubis) durichildbirth (071.6)  Subluxation of symphysis (pubis) in pregnancy, first trimester O26.711 Subluxation of symphysis (pubis) in pregnancy, first trimester O26.712 Subluxation of symphysis (pubis) in pregnancy, second trimester O26.713 Subluxation of symphysis (pubis) in pregnancy, third trimester O26.719 Subluxation of symphysis (pubis) in pregnancy, unspecified trimester Subluxation of symphysis (pubis) in childbirth Subluxation of symphysis (pubis) in the puerperium ovecified pregnancy related conditions Pregnancy related exhaustion and fatigue O26.811 Pregnancy related exhaustion and fatigue, first trimester O26.812 Pregnancy related exhaustion and	M Q irth ing  M Q M Q M Q M Q M Q M Q M Q M Q	<b>√5</b> <sup>™</sup> 026.9	Pregnan 026.90 026.91 026.92	shortening ruled out (ZØ3.75)  DEF: Cervix that has shortened to less than 25 mm before the 24th week of pregnancy. A shortened cervix is a warning sign for impending premature delivery and is treated by cervical cerclage placement or progesterone.  O26.872 Cervical shortening, second trimester  O26.873 Cervical shortening, third trimester  O26.879 Cervical shortening, unspecified trimester  O26.879 Cervical shortening, unspecified trimester  O26.891 Other specified pregnancy related conditions, first trimester  O26.892 Other specified pregnancy related conditions, second trimester  O26.893 Other specified pregnancy related conditions, third trimester  O26.899 Other specified pregnancy related conditions, third trimester  O26.899 Other specified pregnancy related conditions, unspecified trimester  O26.899 Other specified pregnancy related conditions, unspecified, unspecified trimester  O26.899 Other specified pregnancy related conditions, unspecified, unspecified trimester  O26.899 Other specified pregnancy related conditions, unspecified, unspecified trimester
	<b>√</b> 6 <sup>th</sup>	026.63 Subluxa and the Example O26.71  026.71	O26.613 Liver and biliary tract disorders in pregnancy, third trimester O26.619 Liver and biliary tract disorders in pregnancy, unspecified trimester Liver and biliary tract disorders in childbirth Liver and biliary tract disorders in the puerperium tion of symphysis (pubis) in pregnancy, childbir puerperium ton of symphysis (pubis) in pregnancy, childbirth (O71.6) Subluxation of symphysis (pubis) in pregnancy, first trimester O26.711 Subluxation of symphysis (pubis) in pregnancy, second trimester O26.712 Subluxation of symphysis (pubis) in pregnancy, third trimester O26.719 Subluxation of symphysis (pubis) in pregnancy, unspecified trimester O26.719 Subluxation of symphysis (pubis) in pregnancy, unspecified trimester Subluxation of symphysis (pubis) in childbirth Subluxation of symphysis (pubis) in the puerperium vecified pregnancy related conditions Pregnancy related exhaustion and fatigue, first trimester O26.811 Pregnancy related exhaustion and fatigue, second trimester O26.812 Pregnancy related exhaustion and fatigue, second trimester O26.813 Pregnancy related exhaustion and	M Q irth ing  M Q M Q M Q M Q M Q M Q M Q M Q	<b>√5</b> <sup>™</sup> 026.9	Pregnan 026.90 026.91 026.92	shortening ruled out (ZØ3.75)  DEF: Cervix that has shortened to less than 25 mm before the 24th week of pregnancy. A shortened cervix is a warning sign for impending premature delivery and is treated by cervical cerclage placement or progesterone.  O26.872 Cervical shortening, second trimester  O26.873 Cervical shortening, third trimester  O26.879 Cervical shortening, unspecified trimester  O26.879 Cervical shortening, unspecified trimester  O26.891 Other specified pregnancy related conditions, first trimester  O26.892 Other specified pregnancy related conditions, first trimester  O26.893 Other specified pregnancy related conditions, second trimester  O26.899 Other specified pregnancy related conditions, third trimester  O26.899 Other specified pregnancy related conditions, unspecified trimester  O26.899 Other specified pregnancy related conditions, unspecified trimester  O26.899 Other specified pregnancy related conditions, unspecified trimester  O26.899 Pregnancy related conditions, unspecified, unspecified trimester  O26.899 Pregnancy related conditions, unspecified, unspecified trimester  O26.890 Pregnancy related conditions, unspecified, first trimester  O26.890 Pregnancy related conditions, unspecified, second trimester  O26.891 Pregnancy related conditions, unspecified, second trimester
	<b>√</b> 6 <sup>th</sup>	026.63 Subluxa and the Example O26.71  026.71	O26.613 Liver and biliary tract disorders in pregnancy, third trimester O26.619 Liver and biliary tract disorders in pregnancy, unspecified trimester Liver and biliary tract disorders in childbirth Liver and biliary tract disorders in the puerperium tion of symphysis (pubis) in pregnancy, childbir traumatic separation of symphysis (pubis) durichildbirth (O71.6) Subluxation of symphysis (pubis) in pregnancy, first trimester O26.711 Subluxation of symphysis (pubis) in pregnancy, second trimester O26.712 Subluxation of symphysis (pubis) in pregnancy, third trimester O26.719 Subluxation of symphysis (pubis) in pregnancy, unspecified trimester Subluxation of symphysis (pubis) in childbirth Subluxation of symphysis (pubis) in the puerperium Decified pregnancy related conditions Pregnancy related exhaustion and fatigue, first trimester O26.811 Pregnancy related exhaustion and fatigue, second trimester O26.812 Pregnancy related exhaustion and fatigue, second trimester O26.813 Pregnancy related exhaustion and	M Q irth ring cy M Q M Q M Q M Q M Q M Q	<b>√5</b> <sup>™</sup> 026.9	Pregnan 026.90 026.91 026.92	shortening ruled out (ZØ3.75)  DEF: Cervix that has shortened to less than 25 mm before the 24th week of pregnancy. A shortened cervix is a warning sign for impending premature delivery and is treated by cervical cerclage placement or progesterone.  O26.872 Cervical shortening, second trimester  O26.873 Cervical shortening, third trimester  O26.879 Cervical shortening, unspecified trimester  O26.879 Cervical shortening, unspecified trimester  O26.891 Other specified pregnancy related conditions, first trimester  O26.892 Other specified pregnancy related conditions, first trimester  O26.893 Other specified pregnancy related conditions, second trimester  O26.899 Other specified pregnancy related conditions, third trimester  O26.899 Other specified pregnancy related conditions, unspecified trimester  O26.899 Other specified pregnancy related conditions, unspecified trimester  O26.899 Other specified pregnancy related conditions, unspecified trimester  O26.899 Pregnancy related conditions, unspecified, unspecified trimester  O26.899 Pregnancy related conditions, unspecified, unspecified trimester  O26.890 Pregnancy related conditions, unspecified, first trimester  O26.890 Pregnancy related conditions, unspecified, second trimester  O26.891 Pregnancy related conditions, unspecified, second trimester
	<b>√</b> 6 <sup>th</sup>	026.63 Subluxa and the Example O26.71  026.71	O26.613 Liver and biliary tract disorders in pregnancy, third trimester O26.619 Liver and biliary tract disorders in pregnancy, unspecified trimester Liver and biliary tract disorders in childbirth Liver and biliary tract disorders in the puerperium tion of symphysis (pubis) in pregnancy, childbir puerperium traumatic separation of symphysis (pubis) duric childbirth (071.6) Subluxation of symphysis (pubis) in pregnancy, first trimester O26.711 Subluxation of symphysis (pubis) in pregnancy, second trimester O26.712 Subluxation of symphysis (pubis) in pregnancy, third trimester O26.713 Subluxation of symphysis (pubis) in pregnancy, unspecified trimester O26.719 Subluxation of symphysis (pubis) in pregnancy, unspecified trimester Subluxation of symphysis (pubis) in childbirth Subluxation of symphysis (pubis) in the puerperium oecified pregnancy related conditions Pregnancy related exhaustion and fatigue, first trimester O26.811 Pregnancy related exhaustion and fatigue, third trimester O26.813 Pregnancy related exhaustion and fatigue, third trimester O26.819 Pregnancy related exhaustion and	M Q irth ring cy M Q M Q M Q M Q M Q M Q	<b>√5</b> <sup>™</sup> 026.9	Pregnan 026.90 026.91 026.92	shortening ruled out (ZØ3.75)  DEF: Cervix that has shortened to less than 25 mm before the 24th week of pregnancy. A shortened cervix is a warning sign for impending premature delivery and is treated by cervical cerclage placement or progesterone.  O26.872 Cervical shortening, second trimester  O26.873 Cervical shortening, third trimester  O26.879 Cervical shortening, unspecified trimester  O26.879 Cervical shortening, unspecified trimester  O26.891 Other specified pregnancy related conditions, first trimester  O26.892 Other specified pregnancy related conditions, first trimester  O26.893 Other specified pregnancy related conditions, second trimester  O26.899 Other specified pregnancy related conditions, third trimester  O26.899 Other specified pregnancy related conditions, unspecified trimester  O26.899 Other specified pregnancy related conditions, unspecified trimester  O26.899 Other specified pregnancy related conditions, unspecified trimester  O26.899 Pregnancy related conditions, unspecified, unspecified trimester  O26.899 Pregnancy related conditions, unspecified, unspecified trimester  O26.890 Pregnancy related conditions, unspecified, first trimester  O26.890 Pregnancy related conditions, unspecified, second trimester  O26.891 Pregnancy related conditions, unspecified, second trimester
	<b>√</b> 6 <sup>th</sup>	026.63 Subluxa and the Example O26.71  026.71	O26.613 Liver and biliary tract disorders in pregnancy, third trimester O26.619 Liver and biliary tract disorders in pregnancy, unspecified trimester Liver and biliary tract disorders in childbirth Liver and biliary tract disorders in the puerperium tion of symphysis (pubis) in pregnancy, childbir puerperium traumatic separation of symphysis (pubis) duric childbirth (071.6) Subluxation of symphysis (pubis) in pregnancy, first trimester O26.711 Subluxation of symphysis (pubis) in pregnancy, second trimester O26.712 Subluxation of symphysis (pubis) in pregnancy, third trimester O26.713 Subluxation of symphysis (pubis) in pregnancy, unspecified trimester O26.719 Subluxation of symphysis (pubis) in childbirth Subluxation of symphysis (pubis) in childbirth Subluxation of symphysis (pubis) in the puerperium Decified pregnancy related conditions Pregnancy related exhaustion and fatigue, first trimester O26.811 Pregnancy related exhaustion and fatigue, third trimester O26.813 Pregnancy related exhaustion and fatigue, third trimester O26.819 Pregnancy related exhaustion and	MQ irth ring  MQ	<b>√5</b> <sup>™</sup> 026.9	Pregnan 026.90 026.91 026.92	shortening ruled out (ZØ3.75)  DEF: Cervix that has shortened to less than 25 mm before the 24th week of pregnancy. A shortened cervix is a warning sign for impending premature delivery and is treated by cervical cerclage placement or progesterone.  O26.872 Cervical shortening, second trimester  O26.873 Cervical shortening, third trimester  O26.879 Cervical shortening, unspecified trimester  O26.879 Cervical shortening, unspecified trimester  O26.891 Other specified pregnancy related conditions, first trimester  O26.892 Other specified pregnancy related conditions, first trimester  O26.893 Other specified pregnancy related conditions, second trimester  O26.899 Other specified pregnancy related conditions, third trimester  O26.899 Other specified pregnancy related conditions, unspecified trimester  O26.899 Other specified pregnancy related conditions, unspecified trimester  O26.899 Other specified pregnancy related conditions, unspecified trimester  O26.899 Pregnancy related conditions, unspecified, unspecified trimester  O26.899 Pregnancy related conditions, unspecified, unspecified trimester  O26.890 Pregnancy related conditions, unspecified, first trimester  O26.890 Pregnancy related conditions, unspecified, second trimester  O26.891 Pregnancy related conditions, unspecified, second trimester
	√6 <sup>th</sup>	026.63 Subluxa and the Equal O26.71 026.71 026.72 026.73 Other sp 026.81	O26.613 Liver and biliary tract disorders in pregnancy, third trimester O26.619 Liver and biliary tract disorders in pregnancy, unspecified trimester Liver and biliary tract disorders in childbirth Liver and biliary tract disorders in the puerperium tion of symphysis (pubis) in pregnancy, childbir puerperium tion of symphysis (pubis) in pregnancy, childbirth (071.6) Subluxation of symphysis (pubis) in pregnancy, first trimester O26.711 Subluxation of symphysis (pubis) in pregnancy, second trimester O26.712 Subluxation of symphysis (pubis) in pregnancy, third trimester O26.713 Subluxation of symphysis (pubis) in pregnancy, unspecified trimester O26.719 Subluxation of symphysis (pubis) in pregnancy, unspecified trimester Subluxation of symphysis (pubis) in childbirth Subluxation of symphysis (pubis) in the puerperium Decified pregnancy related conditions Pregnancy related exhaustion and fatigue, first trimester O26.811 Pregnancy related exhaustion and fatigue, second trimester O26.812 Pregnancy related exhaustion and fatigue, third trimester O26.813 Pregnancy related exhaustion and fatigue, third trimester O26.819 Pregnancy related exhaustion and fatigue, unspecified trimester	MQ irth ring  MQ	<b>√5¹</b> 026.9	Pregnan 026.99 026.91 026.92 026.93	shortening ruled out (ZØ3.75)  DEF: Cervix that has shortened to less than 25 mm before the 24th week of pregnancy. A shortened cervix is a warning sign for impending premature delivery and is treated by cervical cerclage placement or progesterone.  O26.872 Cervical shortening, second trimester  O26.873 Cervical shortening, third trimester  O26.879 Cervical shortening, unspecified trimester  O26.879 Cervical shortening, unspecified trimester  O26.891 Other specified pregnancy related conditions, first trimester  O26.892 Other specified pregnancy related conditions, first trimester  O26.893 Other specified pregnancy related conditions, second trimester  O26.899 Other specified pregnancy related conditions, third trimester  O26.899 Other specified pregnancy related conditions, unspecified trimester  O26.899 Other specified pregnancy related conditions, unspecified trimester  O26.899 Other specified pregnancy related conditions, unspecified trimester  O26.899 Pregnancy related conditions, unspecified, unspecified trimester  O26.899 Pregnancy related conditions, unspecified, unspecified trimester  O26.890 Pregnancy related conditions, unspecified, first trimester  O26.890 Pregnancy related conditions, unspecified, second trimester  O26.891 Pregnancy related conditions, unspecified, second trimester

279-S	52.515			Chapter 19. Injury, Poisoning and Certai	n Other Consequer	nces of Ex	ternal Ca	uses ICD-10-CM 2024
		2,4 √7th	S52.279	Monteggia's fracture of unspecified		2,3 √7th	S52.345	Nondisplaced spiral fracture of shaft of
	-		B 41	ulna MCC CC H5 UNS		2.2	CE2 246	radius, left arm MCC CC H5
	√6 <sup>th</sup>		Bent bon			2,3 🗸 7th	552.346	Nondisplaced spiral fracture of shaft of radius, unspecified arm MCC CC H5 UNS
				Bent bone of right ulna	√6th	S52.35	Commin	uted fracture of shaft of radius
				Bent bone of left ulna				Displaced comminuted fracture of shaft
		2,3 <mark>√7th</mark>	<b>S52.283</b>	Bent bone of unspecified ulna MCC CC H5 UNS				of radius, right arm MCC CC H5  Displaced comminuted fracture of shaft
	√6 <sup>th</sup>	S52.29	Other fra	cture of shaft of ulna			332.332	of radius, left arm
		2,3 √7 <sup>th</sup>	S52.291	Other fracture of shaft of right ulna MCC CC H5		2,3 √7 <sup>th</sup>	\$52.353	Displaced comminuted fracture of shaft
		2,3 √7th	S52.292	Other fracture of shaft of left				of radius, unspecified arm MCC CC H5 UNS
				ulna MCC CC H5		2,3 √7th	S52.354	Nondisplaced comminuted fracture of
		2,3 <b>√</b> 7th	<b>S52.299</b>	Other fracture of shaft of unspecified ulna MCC CC H5 UNS		22		shaft of radius, right arm
√5 <sup>th</sup>	S52.3	Fracture	of shaft o	uma		2,3 √711	552.355	Nondisplaced comminuted fracture of shaft of radius, left arm
				ed fracture of shaft of radius		2,3 √7th	S52.356	Nondisplaced comminuted fracture of
			•	Unspecified fracture of shaft of right				shaft of radius, unspecified
				radius MCC CC H5	√6 <sup>th</sup>	552.26	Coamon	arm MCC CC H5 UNS tal fracture of shaft of radius
		2,3 √7th	\$52.302	Unspecified fracture of shaft of left radius MCC CC H5	V 0**		_	Displaced segmental fracture of shaft of
		2,3 √7th	S52.3Ø9	Unspecified fracture of shaft of				radius, right arm MCC CC H5
	√6th	S52 31	Graansti	unspecified radius MCC CC H5 UNS		2,3 √7th	S52.362	Displaced segmental fracture of shaft of radius, left arm
	V	332.31		propriate 7th character is to be added to all		2,3 <b>√</b> 7th	<b>S52.363</b>	Displaced segmental fracture of shaft of
				in subcategory S52.31.				radius, unspecified arm MCC CC H5 UNS
				tial encounter for closed fracture		2,3 √711	552.364	Nondisplaced segmental fracture of shaft of radius, right arm
				bsequent encounter for fracture with routine aling		2,3 <mark>√7th</mark>	S52.365	Nondisplaced segmental fracture of shaft
				bsequent encounter for fracture with delayed		2,3 711	\$52,366	of radius, left arm MCC CC H5  Nondisplaced segmental fracture of shaft
				aling			332.300	of radius, unspecified
				bsequent encounter for fracture with onunion				arm MCC CC H5 UNS
				bsequent encounter for fracture with	<b>√</b> 6 <sup>th</sup>	552.37		's fracture e of lower shaft of radius with radioulnar joint
				alunion				slocation
			S se	quela		2,3 √7th		Galeazzi's fracture of right
		3 √7 <sup>th</sup>	S52.311	Greenstick fracture of shaft of radius		—		radius MCC CC H5
		3 √7th	\$52,312	right arm Greenstick fracture of shaft of radius, left		2,3 √711	\$52.372	Galeazzi's fracture of left radius
			332.312	arm CC H5		2,3 √7th	S52.379	Galeazzi's fracture of unspecified
		3 √7th	S52.319	Greenstick fracture of shaft of radius,				radius MCC CC H5 UNS
	√6th	552.22	Transver	unspecified arm se fracture of shaft of radius	√6ta			ne of radius
	٧٥			Displaced transverse fracture of shaft of				Bent bone of right radius
			332.321	right radius				Bent bone of left radius MCC CC H5
		2,3 √7th	S52.322	Displaced transverse fracture of shaft of		2,3 √/111	552.389	Bent bone of unspecified radius MCC CC H5 UNS
		2.3 ./7th	\$52 323	left radius  Displaced transverse fracture of shaft of	√6 <sup>th</sup>	\$52.39	Other fra	acture of shaft of radius
		-,-	332.323	unspecified radius		2,3 <b>√7</b> th	S52.391	Other fracture of shaft of radius, right
		2,3 <del>7th</del>	\$52.324	Nondisplaced transverse fracture of shaft		2.2	652.202	arm McC CC H5
		2.3	\$52.225	of right radius  Nondisplaced transverse fracture of shaft		2,3 🇸 ု 🛮	352.392	Other fracture of shaft of radius, left
		2,3	332.323	of left radius		2,3 √7th	S52.399	Other fracture of shaft of radius,
		2,3 7	<b>S52.326</b>	Nondisplaced transverse fracture of shaft		_		unspecified arm MCC CC H5 UNS
	(Oth	CC2 22	Ohlima	of unspecified radius MCC CC H5 UNS	√5 <sup>th</sup> S52.5			end of radius
	<b>√</b> 0			racture of shaft of radius  Displaced oblique fracture of shaft of				end of radius eal fractures of lower end of radius (S59.2-)
		2/3 7/11	332.331	right radius MCC CC H5				ne distal end of the radius above the wrist, most
		2,3 √7th	S52.332	Displaced oblique fracture of shaft of left				by a fall onto an outstretched hand.
		3.2	CF2 222	radius MCC CC H5	<b>√</b> 6 <sup>th</sup>		•	ied fracture of the lower end of radius
		2,3 √/11	552.333	Displaced oblique fracture of shaft of unspecified radius MCC CC H5 UNS		2,3 √711	552.501	Unspecified fracture of the lower end of right radius
		2,3 √7th	S52.334	Nondisplaced oblique fracture of shaft of		2,3 √7th	S52.5Ø2	Unspecified fracture of the lower end of
		2 2 /75	CE2 22E	right radius MCC CC H5		22	CE2 E60	left radius MCC CC H5
		2,3 71	352.335	Nondisplaced oblique fracture of shaft of left radius		2,3 √711	552.509	Unspecified fracture of the lower end of unspecified radius MCC CC H5 UNS
		2,3 √7th	S52.336	Nondisplaced oblique fracture of shaft of	√6 <sup>th</sup>	S52.51	Fracture	of radial styloid process
	_			unspecified radius MCC CC H5 UNS		2,3 √7th	S52.511	Displaced fracture of right radial styloid
	√6th		•	cture of shaft of radius				process McC CC H5
		∠,5 √7th	352.341	Displaced spiral fracture of shaft of radius, right arm		2,3 <mark>√7</mark> th	S52.512	Displaced fracture of left radial styloid process MCC CC H5
		2,3 <b>7</b> th	S52.342	Displaced spiral fracture of shaft of		2,3 <b>√7</b> th	S52.513	Displaced fracture of unspecified radial
		23 20	CE2 242	radius, left arm MCC CC H5		23	CE3 544	styloid process MCC CC H5 UNS
		2,3 <b>√</b> /th	352.543	Displaced spiral fracture of shaft of radius, unspecified arm MCC CC H5 UNS		2,3 √7th	352.514	Nondisplaced fracture of right radial styloid process MCC CC H5
		2,3 √7th	S52.344	Nondisplaced spiral fracture of shaft of		2,3 √7th	S52.515	Nondisplaced fracture of left radial
				radius, right arm				styloid process MCC CC H5
					1			

### **Appendix G: Hospital Acquired Conditions**

Hospital-acquired conditions (HACs) are conditions considered reasonably preventable through the application of evidence-based guidelines. These conditions, in and of themselves, are either a complication or comorbidity (CC) or major complication or comorbidity (MCC) that as a secondary diagnosis will move the MS-DRG assignment from a lower-paying MS-DRG to a higher-paying MS-DRG. However, if these conditions are not present on admission (meaning they developed during the hospital stay), the CC or MCC designation is nullified and the case will not group to the higher-paying MS-DRG based solely upon the reporting of the HAC code.

HACs are grouped into 14 categories. ICD-10-CM codes in the tabular section of this book that are grouped to one of these HAC categories are identified by an icon specific to that category. As many of these HACs are conditional, this resource provides any additional stipulations that may be required before the code can be considered an HAC. For example, code I26.02 has an an indicating it falls in the HAC 10 category for Deep Vein Thrombosis (DVT) or Pulmonary Embolism (PE) with Total Knee or Hip Replacement. However, I26.02 is not, by itself, an HAC. There must also be a specific ICD-10-PCS code, such as 0SR9019 Replacement of Right Hip Joint with Metal Synthetic Substitute, Cemented, Open Approach, applied in order for I26.02 to act as an HAC.


**Note:** The resource used to compile this list is based on the proposed, version 40, MS-DRG Grouper software and Definitions Manual files published with the fiscal 2023 IPPS proposed rule. The final, version 40, MS-DRG Grouper files and MS-DRG Definitions Manual files can be found at the following: https://www.cms.gov/Medicare/Medicare-Fee-for-Service-Payment/AcuteInpatientPPS/IPPS-Regulations-and-Notices.html.

HAC 01: Foreign	HAC 02: Air	L89.603	SØ2.129A	SØ2.631B	SØ6.1X9A	SØ6.345A
Object Retained	Embolism	L89.6Ø4	SØ2.129R	SØ2.632A	SØ6.1XAA	SØ6.346A
•			SØ2.123B	SØ2.632B	SØ6.2X1A	SØ6.347A
After Surgery	Secondary diagnosis	L89.613			506.2X2A	SØ6.348A
Secondary diagnosis	not POA:	L89.614	SØ2.19XB	SØ2.64ØA		
not POA:	T8Ø.ØXXA	L89.623	SØ2.2XXB	SØ2.64ØB	SØ6.2X3A	SØ6.349A
T81.500A		L89.624	SØ2.3ØXA	SØ2.641A	SØ6.2X4A	SØ6.34AA
T81.501A	HAC 03: Blood	L89.813	SØ2.3ØXB	SØ2.641B	SØ6.2X5A	SØ6.35ØA
T81.502A	Incompatibility	L89.814	SØ2.31XA	SØ2.642A	SØ6.2X6A	SØ6.351A
T81.503A	Secondary diagnosis	L89.893	SØ2.31XB	SØ2.642B	SØ6.2X7A	SØ6.352A
T81.504A	not POA:	L89.894	SØ2.32XA	SØ2.65ØA	SØ6.2X8A	506.353A
T81.505A	T00 20VA	L89.93	SØ2.32XB	SØ2.65ØB	SØ6.2X9A	SØ6.354A
T81.505A	T8Ø.3ØXA	L89.94	SØ2.4ØØA	SØ2.651A	SØ6.2XAA	SØ6.355A
T81.507A	T8Ø.31ØA	HAC 05: Falls and	SØ2.4ØØB	SØ2.651B	SØ6.3Ø1A	SØ6.356A
T81.508A	T8Ø.311A	Trauma	SØ2.4Ø1A	SØ2.652A	SØ6.3Ø2A	SØ6.357A
T81.509A	T8Ø.319A	Secondary diagnosis	SØ2.4Ø1B	SØ2.652B	SØ6.3Ø3A	SØ6.358A
T81.51ØA	T8Ø.39XA	not POA:	SØ2.4Ø2A	SØ2.66XA	SØ6.3Ø4A	SØ6.359A
	HAC 04: Stage III	11001 071.	SØ2.4Ø2B	SØ2.66XB	SØ6.3Ø5A	SØ6.35AA
T81.511A	and IV Pressure	M99.1Ø	SØ2.4ØAA	SØ2.67ØA	SØ6.3Ø6A	SØ6.36ØA
T81.512A	Ulcers	M99.11	SØ2.4ØAB	SØ2.67ØB	SØ6.3Ø7A	SØ6.361A
T81.513A	Secondary diagnosis	M99.18	S02.40BA	SØ2.671A	SØ6.3Ø8A	SØ6.362A
T81.514A	not POA:	SØ2.ØXXA	SØ2.4ØBB	SØ2.671B	SØ6.3Ø9A	SØ6.363A
T81.515A		SØ2.ØXXB	SØ2.4ØCA	SØ2.672A	SØ6.3ØAA	SØ6.364A
T81.516A	L89.003	SØ2.1Ø1A	SØ2.4ØCB	SØ2.672B	SØ6.31ØA	SØ6.365A
T81.517A	L89.004	SØ2.1Ø1B	SØ2.4ØDA	SØ2.69XA	SØ6.311A	SØ6.366A
T81.518A	L89.013	SØ2.1Ø2A	SØ2.4ØDB	SØ2.69XB	SØ6.312A	SØ6.367A
T81.519A	L89.014	SØ2.1Ø2B	SØ2.4ØEA	SØ2.8ØXA	SØ6.313A	SØ6.368A
T81.52ØA	L89.023	SØ2.1Ø9A	SØ2.4ØEB	SØ2.8ØXB	SØ6.314A	SØ6.369A
T81.521A	L89.024	SØ2.1Ø9B	SØ2.4ØFA	SØ2.81XA	SØ6.315A	SØ6.36AA
T81.522A	L89.1Ø3	SØ2.11ØA	SØ2.4ØFB	SØ2.81XB	SØ6.316A	SØ6.37ØA
T81.523A	L89.104	SØ2.11ØB	SØ2.411A	SØ2.82XA	SØ6.317A	SØ6.371A
T81.524A	L89.113	SØ2.111A	SØ2.411B	SØ2.82XB	SØ6.318A	SØ6.372A
T81.525A	L89.114	SØ2,111B	SØ2.412A	SØ2.831A	SØ6.319A	SØ6.373A
T81.526A	L89.123	SØ2.112A	SØ2.412B	SØ2.831B	SØ6.31AA	SØ6.374A
T81.527A	L89.124	SØ2.112B	SØ2.413A	SØ2.832A	SØ6.32ØA	SØ6.375A
T81.528A	L89.133	SØ2.113A	SØ2.413B	SØ2.832B	SØ6.321A	SØ6.376A
T81.529A	L89.134	SØ2.113B	SØ2.42XA	SØ2.839A	SØ6.322A	SØ6.377A
T81.53ØA	L89.143	SØ2.118A	SØ2.42XB	SØ2.839B	SØ6.323A	SØ6.378A
T81.531A	L89.144	SØ2.118B	SØ2.6ØØA	SØ2.841A	SØ6.324A	SØ6.379A
T81.532A	L89.153	SØ2.119A	SØ2.6ØØB	SØ2.841B	SØ6.325A	SØ6.37AA
T81.533A	L89.154	SØ2.119B	SØ2.6Ø1A	SØ2.842A	SØ6.326A	SØ6.38ØA
T81.534A	L89.2Ø3	SØ2.11AA	SØ2.6Ø1B	SØ2.842B	SØ6.327A	SØ6.381A
T81.535A	L89.204	SØ2.11AB	SØ2.6Ø2A	SØ2.849A	SØ6.328A	SØ6.382A
T81.536A	L89.213	SØ2.11BA	SØ2.6Ø2B	SØ2.849B	SØ6.329A	SØ6.383A
T81.537A	L89.214	SØ2.11BB	SØ2.6Ø9A	SØ2.85XA	SØ6.32AA	SØ6.384A
T81.538A	L89.223	SØ2.11CA	SØ2.6Ø9B	SØ2.85XB	SØ6.33ØA	SØ6.385A
T81.539A	L89.224	SØ2.11CB	SØ2.61ØA	SØ2.91XA	SØ6.331A	SØ6.386A
T81.59ØA	L89.3Ø3	SØ2.11DA	SØ2.61ØB	SØ2.91XB	SØ6.332A	SØ6.387A
T81.591A	L89.304	SØ2.11DB	SØ2.611A	SØ2.92XA	SØ6.333A	SØ6.388A
T81.592A	L89.313	SØ2.11EA	SØ2.611B	SØ2.92XB	SØ6.334A	SØ6.389A
T81.593A	L89.314	SØ2.11EB	SØ2.612A	SØ6.ØX1A	SØ6.335A	SØ6.38AA
T81.594A	L89.323	SØ2.11FA	SØ2.612B	SØ6.ØX9A	SØ6.336A	SØ6.4XØA
T81.595A	L89.324	SØ2.11FB	SØ2.62ØA	SØ6.ØXAA	SØ6.337A	SØ6.4X1A
T81.596A	L89.43	SØ2.11GA	SØ2.62ØB	SØ6.1X1A	SØ6.338A	SØ6.4X2A
T81.597A	L89.44	SØ2.11GB	SØ2.621A	SØ6.1X2A	SØ6.339A	SØ6.4X3A
T81.598A	L89.5Ø3	SØ2.11HA	SØ2.621B	SØ6.1X3A	SØ6.33AA	SØ6.4X4A
T81.599A	L89.5Ø4	SØ2.11HB	SØ2.622A	SØ6.1X4A	SØ6.34ØA	SØ6.4X5A
T81.60XA	L89.513	SØ2.121A	SØ2.622B	SØ6.1X5A	SØ6.341A	SØ6.4X6A
T81.61XA	L89.514	SØ2.121B	SØ2.63ØA	SØ6.1X6A	SØ6.342A	SØ6.4X7A
T81.69XA	L89.523	SØ2.122A	SØ2.63ØB	SØ6.1X7A	SØ6.343A	SØ6.4X8A
	L89.524	SØ2.122B	SØ2.631A	SØ6.1X8A	SØ6.344A	SØ6.4X9A


**48 – Appendixes** ICD-10-CM 2024

ICD-10-CM 2024 Illustrations


#### **Upper Respiratory System**



#### **Lower Respiratory System**



#### **Paranasal Sinuses**



ICD-10-CM 2024 Illustrations-27