Optum

ICD-10-CM Professional for Physicians

The complete official code set

Codes valid from October 1, 2022 through September 30, 2023



Contents

Preface	iii
	Official Preface iii
Characteristi	cs of ICD-10-CMiii
	D-10-CM Expert for Physicians 2023 v
	V
What's New	for 2023 v
	Table v
	Correct Coding v
	0-CM Guidelines for Coding and Reporting v
	V
	Diseases and Injuries v
	m Tablev
	Drugs and Chemicalsv
	Causes Indexvi
	otations vi
	of Diseases vii
	d Code Descriptions vii
Tabular	Notations vii
	lotationsvii
Optum3	60 Notations viii
lcons	viii
Color Ba	rsix
Footnot	esix
Chapter-Lev	el Notations x
Appendixes.	x
Illustrations.	X
Official Upda Proprietary U	or 2023
	rrect Coding xvii
	ficial Guidelines for Coding
and Reporting	JCoding Guidelines–1
ICD-10-CM Inc	ex to Diseases and Injuries1
ICD-10-CM Ne	oplasm Table336
ICD-10-CM Tal	ble of Drugs and Chemicals355
ICD-10-CM Inc	lex to External Causes404
ICD-10-CM Tal Chapter 1.	bular List of Diseases and Injuries
Chamter 3	(AØØ-B99)
Chapter 2.	Neoplasms (CØØ-D49)465
Chapter 3.	Diseases of the Blood and Blood-forming Organs and Certain Disorders Involving the Immune Mechanism (D5Ø-D89)505
Chapter 4.	Endocrine, Nutritional and Metabolic Diseases (EØØ-E89)519
Chapter 5.	Mental, Behavioral, and Neurodevelopmental Disorders (FØ1-F99)543

Chapter 6.	Diseases of the Nervous System (GØØ-G99)571
Chapter 7.	Diseases of the Eye and Adnexa (HØØ-H59)595
Chapter 8.	Diseases of the Ear and Mastoid Process (H6Ø-H95)631
Chapter 9.	Diseases of the Circulatory System (IØØ-I99)643
Chapter 10.	Diseases of the Respiratory System (JØØ-J99)689
Chapter 11.	Diseases of the Digestive System (KØØ-K95)707
Chapter 12.	Diseases of the Skin and Subcutaneous Tissue (LØØ-L99)
Chapter 13.	Diseases of the Musculoskeletal System and Connective Tissue (MØØ-M99)755
Chapter 14.	Diseases of the Genitourinary System (NØØ-N99)843
Chapter 15.	Pregnancy, Childbirth, and the Puerperium (000-09A)863
Chapter 16.	Certain Conditions Originating in the Perinatal Period (P00-P96)903
Chapter 17.	Congenital Malformations, Deformations and Chromosomal Abnormalities (QØØ-Q99)917
Chapter 18.	Symptoms, Signs and Abnormal Clinical and Laboratory Findings (RØØ-R99)937
Chapter 19.	Injury, Poisoning and Certain Other Consequences of External Causes (S00-T88)959
Chapter 20.	External Causes of Morbidity (VØØ-Y99) 1161
Chapter 21.	Factors Influencing Health Status and Contact With Health Services (ZØØ-Z99) 1225
Chapter 22.	Codes for Special Purposes (U00-U85) 1261
luctuations	Illustrations–1
Chapter 3.	Diseases of the Blood and Blood-forming Organs and Certain Disorders Involving the Immune
	Mechanism (D50–D89)Illustrations–1
	Red Blood Cells Illustrations–1
	White Blood Cell Illustrations–1
	Platelet Illustrations-2
	Coagulation Illustrations–2 Spleen Anatomical Location and
	External Structures Illustrations–3
	Spleen Interior Structures Illustrations–3
Chapter 4.	Endocrine, Nutritional and Metabolic
	Diseases (EØØ–E89) Illustrations–4
	Endocrine System Illustrations 4
	Thyroid and Parathyroid Clands Illustrations 5
	Thyroid and Parathyroid Glands Illustrations–5 Pancreas Illustrations–6
	Anatomy of the Adrenal Gland Illustrations–6
	Structure of an Ovary Illustrations–7
	Testis and Associated Structures Illustrations–7
	Thymus Illustrations–8
Chapter 6.	Diseases of the Nervous System
	(GØØ–G99)Illustrations–9
	Brain Illustrations-9
	Cranial Nerves Illustrations-9
	Peripheral Nervous System Illustrations–10 Spinal Cord and Spinal Nerves Illustrations–11
	SOULALL ORD AND SOURAL MARVAGE HILLSTRATIONS_11
	Nerve CellIllustrations–12

ICD-10-CM 2023

Chapter 7.	Diseases of the Eye and Adnexa	
	(HØØ–H59)	Illustrations–13
	Eye	
	Posterior Pole of Globe/Flow of	
	Aqueous Humor	Illustrations–13
	Lacrimal System	Illustrations-14
	Eye Musculature	Illustrations-14
	Eyelid Structures	Illustrations-14
Chapter 8.	Diseases of the Ear and Mastoid	
·	Process (H6Ø-H95)	Illustrations-15
	Ear Anatomy	Illustrations-15
Chapter 9.	Diseases of the Circulatory	
·	System (IØØ–I99)	Illustrations–16
	Anatomy of the Heart	Illustrations-16
	Heart Cross Section	Illustrations-16
	Heart Valves	Illustrations–17
	Heart Conduction System	Illustrations–17
	Coronary Arteries	
	Arteries	Illustrations-19
	Veins	
	Internal Carotid and Vertebral	
	Arteries and Branches	Illustrations-21
	External Carotid Artery and	
	Branches	Illustrations-21
	Branches of Abdominal Aorta	Illustrations-22
	Portal Venous Circulation	Illustrations-22
	Lymphatic System	Illustrations-23
	Axillary Lymph Nodes	
	Lymphatic System of Head	
	and Neck	Illustrations-24
	Lymphatic Capillaries	
	Lymphatic Drainage	
Chapter 10.	Diseases of the Respiratory	
•	System (JØØ–J99)	Illustrations-26
	Respiratory System	
	Upper Respiratory System	
	Lower Respiratory System	
	Paranasal Sinuses	
	Lung Segments	Wustrations – 28
	Alveoli	
Chapter 11.	Diseases of the Digestive System	
	(KØØ–K95)	Illustrations-29
	Digestive System	
	Omentum and Mesentery	Illustrations-30
	Peritoneum and Retroperitoneum.	Illustrations – 30

_			
	Chapter 12.	Diseases of the Skin and Subcutaneous	5
	•	Tissue (LØØ-L99)	Illustrations-31
		Nail Anatomy	Illustrations-31
		Skin and Subcutaneous Tissue	
	Chapter 13.	Diseases of the Musculoskeletal System	n
	•	and Connective Tissue (MØØ-M99)	Illustrations-32
		Bones and Joints	
		Shoulder Anterior View	Illustrations-33
		Shoulder Posterior View	Illustrations-33
		Elbow Anterior View	Illustrations-33
		Elbow Posterior View	Illustrations-33
		Hand	Illustrations-33
		Hip Anterior View	Illustrations-34
		Hip Posterior View	Illustrations-34
		Knee Anterior View	Illustrations-34
		Knee Posterior View	Illustrations-34
		Foot	Illustrations-34
		Muscles	Illustrations-35
	Chapter 14.	Diseases of the Genitourinary	
		System (NØØ–N99)	
		Urinary System	Illustrations-36
		Male Genitourinary System	
		Female Internal Genitalia	Illustrations-37
		Female Genitourinary Tract Lateral	
4		View	Illustrations-37
Į	Chapter 15.	Pregnancy, Childbirth and the	
		Puerperium (OØØ-O9A)	.lllustrations–38
		Term Pregnancy – Single	
		Gestation	Illustrations-38
		Twin Gestation–Dichorionic–	
		Diamniotic (DI-DI)	Illustrations-38
		Twin Gestation–Monochorionic–	
		Diamniotic (MO-DI)	Illustrations-39
		Twin Gestation–Monochorionic–	
L		Monoamniotic (MO-MO)	Illustrations-39
	Chapter 19.	Injury, Poisoning and Certain Other	
		Consequences of External Causes	
		(SØØ-T88)	
		Types of Fractures	
		Salter-Harris Fracture Types	Illustrations-40

ii ICD-10-CM 2023

Deleted Text

Strikethrough on official notations indicate a deletion from the classification for the current year.

Optum360 Notations

AHA Coding Clinic Citations

Coding Clinics are official American Hospital Association (AHA) publications that provide coding advice specific to ICD-10-CM and ICD-10-PCS.

Coding Clinic citations included in this manual are current up to the second quarter of 2021.

These citations identify the year, quarter, and page number of one or more Codina Clinic publications that may have coding advice relevant to a particular code or group of codes. With the most current citation listed first, these notations are preceded by the symbol AHA: and appear in purple type.

115.1 Hypertension secondary to other renal disorders AHA: 2016, 3Q, 22

Definitions

Definitions explain a specific term, condition, or disease process in layman's terms. These notations are preceded by the symbol **DEF**: and appear in purple type.

M51.4 Schmorl's nodes

DEF: Irregular bone defect in the margin of the vertebral body that causes herniation into the end plate of the vertebral body.

Coding Tips

The tips in the tabular list offer coding advice that is not readily available within the ICD-10-CM classification. It may relate official coding guidelines, indexing nuances, or advice from AHA's Coding Clinic for ICD-10-CM/PCS. These notations are preceded by the symbol TIP: and appear in brown type.

B97.2 Coronavirus as the cause of diseases classified elsewhere TIP: Do not report a code from this subcategory f COVID-19, refer to UØ7.

Icons

Note: The following icons are placed to the left of the code.

New Code

Codes that have been added to the classification effective October 1, 2022

New Code - Mid-year

New for 2023

Codes that have been added to the classification effective April 1, 2022.

Revised Code

Codes that have had a change to their description or validity effective October 1, 2022. For additional information on codes with validity changes, see the "What's New" section.

Revised Code - Mid-year Codes that have had a change to their description or validity effective April 1, 2022.

New for 2023

Additional Characters Required

- This symbol indicates that the code requires a 4th character.
- This symbol indicates that the code requires a 5th character.
- This symbol indicates that the code requires a 6th character.
- This symbol indicates that the code requires a 7th character.

√5º H6Ø.3 Other infective otitis externa **™** H6Ø.31 Diffuse otitis externa H6Ø.311 Diffuse otitis externa, right ear Q H6Ø.312 Diffuse otitis externa, left ear Q Q H6Ø.313 Diffuse otitis externa, bilateral

H6Ø.319 Diffuse otitis externa, unspecified ear [1]

Placeholder Alert

This symbol indicates that the code requires a 7th character following the placeholder "X". Codes with fewer than six characters that require a 7th character must contain placeholder "X" to fill in the empty character(s).

T16.1 Foreign body in right ear

This manual provides the most current information that was available at the time of publication. Except where otherwise noted, the icons and/or color bars reflect edits provided in the Integrated Outpatient Code Editor (IOCE) quarterly files utilized under the outpatient prospective payment system (OPPS). Because the October 2021 quarterly files were not available at the time this book was printed, the edits in this manual are based on the July 2021 quarterly files. The following is a list of IOCE edits specifically identified in this manual:

- Age
- Sex
- Manifestation
- Unacceptable principal diagnosis

Note: The following icons are placed at the end of the code description.

Age Edits

Newborn Age: 0

These diagnoses are intended for newborns and neonates and the patient's age must be 0 years.

₽ď N47.Ø Adherent prepuce, newborn

Pediatric Age: 0-17

These diagnoses are intended for children and the patient's age must be between 0 and 17 years.

L21.1 Seborrheic infantile dermatitis


М Maternity Age: 9-64

These diagnoses are intended for childbearing patients between the age of 9 and 64 years.

OØ2.9 Abnormal product of conception, unspecified ΜQ

Adult Age: 15-124

These diagnoses are intended for patients between the age of 15 and 124 years.



viii

specific guidelines. Optum360 does not include any SDx edit since there is no official source for it and the Z code use is determined by

Note: Please note that the symbols indicating the Z code "principal or first-listed only" designation and the Z codes that may be

guidelines for health care encounters excluding acute care inpatient admissions. These Z code edits are often in conflict with the inpatient

prospective payment system (IPPS) edits. For example, code Z34.90

unspecified trimester, may be an appropriate primary reason for an

outpatient encounter. However, supervision for a normal pregnancy is

not an acceptable principal diagnosis or reason for an inpatient

under the inpatient prospective payment system (IPPS).

Z51.12 Encounter for antineoplastic immunotherapy

admission and will have an unacceptable principal diagnosis edit

principal or first-listed diagnoses included in the official coding

quidelines [section I.C.21.c.16] are consistent with reporting

Encounter for supervision of normal pregnancy, unspecified,

circumstances of the encounter.

PDx

Sex Edits

Male diagnosis only

Q98.Ø Klinefelter syndrome karyotype 47, XXY đ

Female diagnosis only

N35.12 Postinfective urethral stricture, not elsewhere classified, female

Unacceptable Principal Diagnosis

This symbol identifies codes that should not be assigned as the first-listed code for *outpatient* admissions. Codes with an unacceptable principal diagnosis edit are considered supplementary (describing circumstances that influence an individual's health status or an additional code), identifying conditions that are not specific manifestations but may be due to an underlying cause.

T48.5X5 Adverse effect of other anti-common-cold drugs

Q

202

New for 2023

Codes defined as manifestation codes appear in italic type, with a

Other specified degenerative disorders of nervous system in diseases classified elsewhere

Degenerative encephalopathy in diseases classified elsewhere

CMS-HCC Condition

This icon identifies conditions that are considered a CMS-HCC (hierarchical condition category) diagnosis.

The HCC codes represented in this manual have been updated to reflect the 2022 Initial ICD-10-CM Mappings for CMS-HCC Model v24. Midyear final mappings were not available at the time this publication went to print; refer to the following CMS website for final mappings: https://www.cms.gov/Medicare/Health-Plans/ MedicareAdvtgSpecRateStats/Risk-Adjustors.html.

Y62.2 Failure of sterile precautions during kidney dialysis and other perfusion

Rx-HCC Condition

This icon identifies conditions that are included in the Rx-HCC risk adjustment model, which covers the Part D (prescription drug) benefit.

ESRD HCC Condition

This icon identifies conditions that are included in the End Stage Renal Disease (ESRD) HCC risk adjustment model.

Commercial HCC Condition

This icon identifies conditions that are included in the commercial HHS-HCC risk adjustment model.

QPP Condition

This icon identifies conditions recognized as a quality measure for claims-based reporting under CMS's Merit-based Incentive Payment System (MIPS) Claims Single Source v5.0.

Q G44.52 New daily persistent headache (NDPH)

Z-code as First-Listed Diagnosis

Identify Z codes that generally are for use as a first-listed diagnosis only but may be used as an additional diagnosis if the patient has more than one encounter on the same day or there is more than one reason for the encounter.

The instructions for Z code use contained in the ICD-10-CM official coding guidelines identify those Z codes that can be used only as a PDx. All other Z codes may either be SDx or PDx, depending upon circumstances of the encounter, by meeting the definition of first-listed or principal diagnosis, and by following any specific Z code guidelines in section I.C.21 a-c. The responsibility of those assigning the Z codes as PDx is to make sure the circumstances of the encounter meet the definition of first-listed or principal diagnosis, follow all coding instructions, and follow the Z code

Color Bars

Manifestation Code

blue color bar over the code description. A manifestation cannot be reported as a first-listed code; it is sequenced as a secondary diagnosis with the underlying disease code listed first.

Unspecified Diagnosis

<u>Codes</u> that appear with a gray color bar over the alphanumeric code identify unspecified diagnoses. These codes should be used in limited circumstances, when neither the diagnostic statement nor the documentation provides enough information to assign a more specific diagnosis code. The abbreviation NOS, "not otherwise specified," in the tabular list may be interpreted as "unspecified."

Meningitis, unspecified Arachnoiditis (spinal) NOS

Footnotes

Certain codes in the tabular section have a numerical superscript located to the upper left of the code. This numerical superscript corresponds to a specific footnote description.

For example:

M48.51 Collapsed vertebra, not elsewhere classified, occipito-atlanto-axial region

For convenience, the footnote descriptions are

The following list also provides the footnote descriptions of all numerical superscripts found in the Tabular List of Diseases:

- These codes are considered an HCC when reported as an initial encounter (7th character A, B, or C).
- These codes are considered an HCC when reported as an initial 2 encounter (7th character A or B) OR sequela (7th character S).
- These codes are considered an HCC when reported as a sequela (7th character S).

ICD-10-CM 2023 ix

10 Steps to Correct Coding

Follow the 10 steps below to correctly code encounters for health care services.

Step 1: Identify the reason for the visit or encounter (i.e., a sign, symptom, diagnosis and/or condition).

The medical record documentation should accurately reflect the patient's condition, using terminology that includes specific diagnoses and symptoms or clearly states the reasons for the encounter.

Choosing the main term that best describes the reason chiefly responsible for the service provided is the most important step in coding. If symptoms are present and documented but a definitive diagnosis has not yet been determined, code the symptoms. For outpatient cases, do not code conditions that are referred to as "rule out," "suspected," "probable," or "questionable." Diagnoses often are not established at the time of the initial encounter/visit and may require two or more visits to be established. Code only what is documented in the available outpatient records and only to the highest degree of certainty known at the time of the patient's visit. For inpatient medical records, uncertain diagnoses may be reported if documented at the time of discharge.

Step 2: After selecting the reason for the encounter, consult the alphabetic index.

The most critical rule is to begin code selection in the alphabetic index. Never turn first to the tabular list. The index provides cross-references, essential and nonessential modifiers, and other instructional notations that may not be found in the tabular list.

Step 3: Locate the main term entry.

The alphabetic index lists conditions, which may be expressed as nouns or eponyms, with critical use of adjectives. Some conditions known by several names have multiple main entries. Reasons for encounters may be located under general terms such as admission, encounter, and examination. Other general terms such as history, status (post), or presence (of) can be used to locate other factors influencing health.

Step 4: Scan subterm entries.

Scan the subterm entries, as appropriate, being sure to review continued lines and additional subterms that may appear in the next column or on the next page. Shaded vertical guidelines in the index indicate the indentation level for each subterm in relation to the main terms.

Step 5: Pay close attention to index instructions.

- Parentheses () enclose nonessential modifiers, terms that are supplementary words or explanatory information that may or may not appear in the diagnostic statement and do not affect code selection.
- Brackets [] enclose manifestation codes that can be used only as secondary codes to the underlying condition code immediately preceding it. If used, manifestation codes must be reported with the appropriate etiology codes.
- Default codes are listed next to the main term and represent the condition most commonly associated with the main term or the unspecified code for the main term.
- "See" cross-references, identified by italicized type and "code by" cross-references indicate that another term must be referenced to locate the correct code.
- "See also" cross-references, identified by italicized type, provide alternative terms that may be useful to look up but are not mandatory.
- "Omit code" cross-references identify instances when a code is not applicable depending on the condition being coded.
- "With" subterms are listed out of alphabetic order and identify a presumed causal relationship between the two conditions they link.
- "Due to" subterms identify a relationship between the two conditions they link.

- "NEC," abbreviation for "not elsewhere classified," follows some main terms or subterms and indicates that there is no specific code for the condition even though the medical documentation may be very specific.
- "NOS," abbreviation for "not otherwise specified," follows some main terms or subterms and is the equivalent of unspecified; NOS signifies that the information in the medical record is insufficient for assigning a more specific code.
- Following references help coders locate alphanumeric codes that are out of sequence in the tabular section.
- Check-additional-character symbols flag codes that require additional characters to make the code valid; the characters available to complete the code should be verified in the tabular section.

Step 6: Choose a potential code and locate it in the tabular list.

To prevent coding errors, always use both the alphabetic index (to identify a code) and the tabular list (to verify a code), as the index does not include the important instructional notes found in the tabular list. An added benefit of using the tabular list, which groups like things together, is that while looking at one code in the list, a coder might see a more specific one that would have been missed had the coder relied solely on the alphabetic index. Additionally, many of the codes require a fourth, fifth, sixth, or seventh character to be valid, and many of these characters can be found only in the tabular list.

Step 7: Read all instructional material in the tabular section.

The coder must follow any Includes, Excludes 1 and Excludes 2 notes, and other instructional notes, such as "Code first" and "Use additional code," listed in the tabular list for the chapter, category, subcategory, and subclassification levels of code selection that direct the coder to use a different or additional code. Any codes in the tabular range AØØ.Ø-through T88.9- may be used to identify the diagnostic reason for the encounter. The tabular list encompasses many codes describing disease and injury classifications (e.g., infectious and parasitic diseases, neoplasms, symptoms, nervous and circulatory system etc.).

Codes that describe symptoms and signs, as opposed to definitive diagnoses, should be reported when an established diagnosis has not been made (confirmed) by the physician. Chapter 18 of the ICD-10-CM code book, "Symptoms, Signs, and Abnormal Clinical and Laboratory Findings, Not Elsewhere Classified" (codes RØØ.—R99), contains many, but not all, codes for symptoms.

ICD-10-CM classifies encounters with health care providers for circumstances other than a disease or injury in chapter 21, "Factors Influencing Health Status and Contact with Health Services" (codes ZØØ–Z99). Circumstances other than a disease or injury often are recorded as chiefly responsible for the encounter.

A code is invalid if it does not include the full number of characters (greatest level of specificity) required. Codes in ICD-10-CM can contain from three to seven alphanumeric characters. A three-character code is to be used only if the category is not further subdivided into four-, five-, six-, or seven-character codes. Placeholder character X is used as part of an alphanumeric code to allow for future expansion and as a placeholder for empty characters in a code that requires a seventh character but has no fourth, fifth, or sixth character. Note that certain categories require seventh characters that apply to all codes in that category. Always check the category level for applicable seventh characters for that category.

Step 8: Consult the official ICD-10-CM conventions and quidelines.

The ICD-10-CM Official Guidelines for Coding and Reporting govern the use of certain codes. These guidelines provide both general and chapter-specific coding guidance.


ICD-10-CM 2023 xvii

Adhesions, adhesive — continued	Adiposis — see also Obesity	Admission — continued
mesenteric — see Adhesions, peritoneum	cerebralis E23.6	adjustment — continued
nasal (septum) (to turbinates) J34.89 ocular muscle — <i>see</i> Strabismus, mechanical	dolorosa E88.2 Adiposity — see also Obesity	neuropacemaker (brain) (peripheral nerve) (spinal cord) Z46.2
omentum — see Adhesions, peritoneum	heart — see Degeneration, myocardial	implanted Z45.42
ovary N73.6	localized E65	orthodontic device Z46.4
congenital (to cecum, kidney or omentum) Q50.39 paraovarian N73.6	Adiposogenital dystrophy E23.6 Adjustment	orthopedic (brace) (cast) (device) (shoes) Z46.89 pacemaker (cardiac resynchronization therapy (CRT-
pelvic (peritoneal)	disorder — see Disorder, adjustment	P))
female N73.6	implanted device — see Encounter (for), adjustment	cardiac Z45.018
postprocedural N99.4 male — <i>see</i> Adhesions, peritoneum	(of)	pulse generator Z45.010 nervous system Z46.2
postpartal (old) N73.6	prosthesis, external — see Fitting reaction — see Disorder, adjustment	implanted Z45.42
tuberculous A18.17	Administration of tPA (rtPA) in a different facility within	portacath (port-a-cath) Z45.2
penis to scrotum (congenital) Q55.8 periappendiceal — <i>see also</i> Adhesions, peritoneum	the last 24 hours prior to admission to current facil-	prosthesis Z44.9 arm — see Admission, adjustment, artificial, arm
pericardium (nonrheumatic) 131.0	ity Z92.82 Admission (for) — see also Encounter (for)	breast Z44.3 ☑
focal I31.8	adjustment (of)	dental Z46.3
rheumatic 109.2 tuberculous A18.84	artificial	eye Z44.2 🗹 leg — see Admission, adjustment, artificial, leg
pericholecystic K82.8	arm Z44.00- ☑ complete Z44.01- ☑	specified NEC Z44.8
perigastric — <i>see</i> Adhesions, peritoneum	partial Z44.02- ✓	spectacles Z46.0
periovarian N73.6 periprostatic N42.89	eye Z44.2 🔽	aftercare — see also Aftercare Z51.89 postpartum
periprostatic 1442.09 perirectal — see Adhesions, peritoneum	leg Z44.10- ☑	immediately after delivery Z39.0
perirenal N28.89	complete Z44.11- ☑ partial Z44.12- ☑	routine follow-up Z39.2
peritoneum, peritoneal (postinfective) K66.0	brain neuropacemaker Z46.2	radiation therapy (antineoplastic) Z51.Ø
with obstruction (intestinal) K56.5Ø complete K56.52	implanted Z45.42	attention to artificial opening (of) Z43.9 artificial vagina Z43.7
incomplete K56.51	breast implant Z45.81 ☑	colostomy Z43.3
partial K56.51	prosthesis (external) Z44.3	cystostomy Z43.5
congenital Q43.3 pelvic, female N73.6	colostomy belt Z46.89	enterostomy Z43.4 gastrostomy Z43.1
postprocedural N99.4	contact lenses Z46.0 cystostomy device Z46.6	ileostomy Z43.2
postpartal, pelvic N73.6	dental prosthesis Z46.3	jejunostomy Z43.4
postprocedural K66.0 to uterus N73.6	device NEC	nephrostomy Z43.6 specified site NEC Z43.8
peritubal N73.6	abdominal Z46.89	intestinal tract Z43.4
periureteral N28.89	implanted Z45.89 cardiac Z45.09	urinary tract Z43.6
periuterine N73.6 perivesical N32.89	defibrillator (with synchronous cardiac	tracheostomy Z43.0 ureterostomy Z43.6
perivesical N32.89 perivesicular (seminal vesicle) N5Ø.89	pacemaker) Z45.02	urethrostomy Z43.6
pleura, pleuritic J94.8	pacemaker (cardiac resynchronization therapy (CRT-P)) Z45.018	breast augmentation or reduction Z41.1
tuberculous NEC A15.6 pleuropericardial J94.8	pulse generator Z45.010	breast reconstruction following mastectomy Z42.1 change of
postoperative (gastrointestinal tract) K66.Ø	resynchronization therapy defibrillator	dressing (nonsurgical) Z48.00
with obstruction — see also Obstruction, intestine,	(CRT-D) Z45.02 hearing device Z45.328	neuropacemaker device (brain) (peripheral nerve)
postoperative K91.30 due to foreign body accidentally left in wound —	bone conduction Z45.320	(spinal cord) Z46.2 implanted Z45.42
see Foreign body, accidentally left during a	cochlear Z45.321	surgical dressing Z48.01
procedure	infusion pump Z45.1 nervous system Z45.49	circumcision, ritual or routine (in absence of diagnosis)
pelvic peritoneal N99.4 urethra — see Stricture, urethra, postprocedural	CSF drainage Z45.41	Z41.2 clinical research investigation (control) (normal com-
vagina N99.2	hearing device — see Admission, adjust- ment, device, implanted, hearing	parison) (participant) ZØØ.6
postpartal, old (vulva or perineum) N9Ø.89	device, implanted, hearing	contraceptive management Z3Ø.9
preputial, prepuce N47.5 pulmonary J98.4	neuropacemaker Z45.42	cosmetic surgery NEC Z41.1 counseling — see also Counseling
pylorus — see Adhesions, peritoneum	visual substitution Z45.31	dietary Z71.3
sciatic nerve — see Lesion, nerve, sciatic	specified NEC Z45.89 vascular access Z45.2	gestational carrier Z31.7
seminal vesicle N50.89 shoulder (joint) — see Capsulitis, adhesive	visual substitution Z45.31	HIV Z71.7 human immunodeficiency virus Z71.7
sigmoid flexure — see Adhesions, peritoneum	nervous system Z46.2 implanted — <i>see</i> Admission, adjustment,	nonattending third party Z71.0
spermatic cord (acquired) N5Ø.89	device, implanted, nervous system	procreative management NEC Z31.69
congenital Q55.4 spinal canal G96.12	orthodontic Z46.4	delivery, full-term, uncomplicated O80 cesarean, without indication O82
stomach — see Adhesions, peritoneum	prosthetic Z44.9	desensitization to allergens Z51.6
subscapular — <i>see</i> Capsulitis, adhesive	arm — <i>see</i> Admission, adjustment, artificial, arm	dietary surveillance and counseling Z71.3
temporomandibular M26.61-	breast Z44.3 ▼	ear piercing Z41.3 examination at health care facility (adult) — see also
tendinitis (see also Tenosynovitis, specified type NEC) shoulder — see Capsulitis, adhesive	dental Z46.3	Examination ZØØ.ØØ
testis N44.8	eye Z44.2 ☑ leg — <i>see</i> Admission, adjustment, artificial,	with abnormal findings ZØØ.Ø1
tongue, congenital (to gum or roof of mouth) Q38.3	leg	clinical research investigation (control) (normal comparison) (participant) ZØØ.6
acquired K14.8 trachea J39.8	specified type NEC Z44.8	dental Z01.20
tubo-ovarian N73.6	substitution auditory Z46.2	with abnormal findings ZØ1.21
tunica vaginalis N44.8	implanted — see Admission, adjustment,	donor (potential) ZØØ.5 ear ZØ1.1Ø
uterus N73.6 internal N85.6	device, implanted, hearing device	with abnormal findings NEC ZØ1.118
to abdominal wall N73.6	nervous system Z46.2 implanted — <i>see</i> Admission, adjustment,	eye Z01.00
vagina (chronic) N89.5	device, implanted, nervous system	with abnormal findings ZØ1.Ø1 following failed vision screening ZØ1.Ø2Ø
postoperative N99.2 vitreomacular H43.82- ▼	visual Z46.2	with abnormal findings ZØ1.Ø21
vitreous H43.89	implanted Z45.31 urinary Z46.6	general, specified reason NEC ZØØ.8
vulva N9Ø.89	hearing aid Z46.1	hearing ZØ1.10 with abnormal findings NEC ZØ1.118
Adiaspiromycosis B48.8 Adie (-Holmes) pupil or syndrome — see Anomaly,	implanted — see Admission, adjustment, device,	infant or child (over 28 days old) ZØØ.129
pupil, function, tonic pupil	implanted, hearing device ileostomy device Z46.89	with abnormal findings ZØØ.121
Adiponecrosis neonatorum P83.88	intestinal appliance or device NEC Z46.89	postpartum checkup Z39.2

	C11.2	Malignant neoplasm of lateral wall of nasopharynx Malignant neoplasm of fossa of Rosenmüller Malignant neoplasm of opening of auditory tube	łCC	C15.5	Malignant neoplasm of lower third of esophagus **EXCLUDES*1** malignant neoplasm of cardio-esophageal (C16.0)	<mark>нсс</mark> junction
	C11.3	Malignant neoplasm of pharyngeal recess Malignant neoplasm of anterior wall of nasopharynx	HCC		Malignant neoplasm of overlapping sites of esopha Malignant neoplasm of esophagus, unspecified	gus HCC
		Malignant neoplasm of floor of nasopharynx Malignant neoplasm of nasopharyngeal (anterior) (posterior) surface of soft palate	√4 th C1	6 Malig	gnant neoplasm of stomach	_
		Malignant neoplasm of posterior margin of nasal choana Malignant neoplasm of posterior margin of nasal septum		a	e additional code to identify: cohol abuse and dependence (F10) malignant carcinoid tumor of the stomach (C7A.09.	2)
C12	C11.9	Malignant neoplasm of nasopharyngeal wall NOS	100 100		Malignant neoplasm of cardia Malignant neoplasm of cardiac orifice Malignant neoplasm of cardio-esophageal junction Malignant neoplasm of esophagus and stomach	Rx ESR COM
	Mali	gnant neoplasm of pyriform fossa additional code to identify:				Rx ESR COM
	ex	posure to environmental tobacco smoke (Z77.22) posure to tobacco smoke in the perinatal period (P96.81)			Malignant neoplasm of pyloric antrum	Rx ESR COM
	00	story of tobacco dependence (Z87.891) cupational exposure to environmental tobacco smoke (Z57.31)		C16.4		Rx ESR COM
_	to	bacco dependence (F17) bacco use (Z72.0)			Malignant neoplasm of prepylorus Malignant neoplasm of pyloric canal	
√ 4 th C13	Use	nant neoplasm of hypopharynx additional code to identify:		C16.5		Rx ESR COM
	ex	posure to environmental tobacco smoke (Z77.22) posure to tobacco smoke in the perinatal period (P96.81)			Malignant neoplasm of lesser curvature of stomach, i classifiable to C16.1-C16.4	
	to to	story of tobacco dependence (Z87.891) ccupational exposure to environmental tobacco smoke (Z57.31) bacco dependence (F17) bacco use (Z72.0)		C16.6	Malignant neoplasm of greater curvature of stomacunspecified Malignant neoplasm of greater curvature of stomach classifiable to C16.0-C16.4	Rx ESR COM
	DEF	DESE malignant neoplasm of pyriform sinus (C12): Hypopharynx: Lower portion of pharynx (throat); communicates w	rith	C16.8	Malignant neoplasm of overlapping sites of stomach	Rx ESR COM
	C13.Ø	g	HCC	C16.9	Malignant neoplasm of stomach, unspecified Gastric cancer NOS	Rx ESR COM
	C13.1	hypopharyngeal aspect	√40 C1		mant neoplasm of small intestine MEST malignant carcinoid tumors of the small intestine (C	7A.Ø1)
		Malignant neoplasm of aryepiglottic fold, marginal zone Malignant neoplasm of aryepiglottic fold NOS		AH	A: 2016, 1Q, 19	Rx ESR COM
		Malignant neoplasm of interarytenoid fold, marginal zone Malignant neoplasm of interarytenoid fold NOS				Rx ESR COM
		EXCLUDES 2 malignant neoplasm of aryepiglottic fold or interarytenoid fold, laryngeal aspect (C32.1)		C17.2	Malignant neoplasm of ileum ACCUDES 1 malignant neoplasm of ileocecal valve (C18)	RX ESR COM
			1CC	C17.3	Meckel's diverticulum, malignant EXGLUDEST Meckel's diverticulum, congenital (Q43.0)	Rx ESR COM
ZII) C. 1. 1		Malignant neoplasm of hypopharynx, unspecified Malignant neoplasm of hypopharyngeal wall NOS	(GC		DEF: Congenital, abnormal remnant of embryonic digasystem development that leaves a sacculation or outporfrom the wall of the small intestine near the terminal pileum made of acid-secreting tissue as in the stomach.	ouching
Mam C14	cavity	nant neoplasm of other and ill-defined sites in the lip, or and pharynx	rai	C17.8	Malignant neoplasm of overlapping sites of small intestine	Rx ESR COM
	al	additional code to identify: cohol abuse and dependence (F10) posure to environmental tobacco smoke (Z77, 22)		C17.9	Malignant neoplasm of small intestine, unspecified	Rx ESR COM
	ex	posure to tobacco smoke in the perina al period (P96.81) story of tobacco dependence (Z87.891)	√4 th C1		gnant neoplasm of colon WDBS1 malignant carcinoid tumors of the colon (C7A.02-)	
	to	ccupational exposure to environmental to bacco smoke (Z57.31) bacco dependence (F17)			Malignant neoplasm of cecum Malignant neoplasm of ileocecal valve	нсс
		bacco use (Z72.0) DES1 malignant neoplasm of oral cavity NQS (C06.9)		C18.1	Malignant neoplasm of appendix	нсс
			ICC		Malignant neoplasm of ascending colon Malignant neoplasm of hepatic flexure	нсс
	C14.2	Malignant neoplasm of Waldeyer's ring DEF: Waldeyer's ring: Ring of lymphoid tissue that is made up of	of		Malignant neoplasm of transverse colon	нсс
		the two palatine tonsils, the pharyngeal tonsil (adenoid), and the	ne		Malignant neoplasm of splenic flexure	нсс
		lingual tonsil. It functions as the defense against infection and assists with the development of the immune system.			Malignant neoplasm of descending colon	нсс
	C14.8	oral cavity and pharynx	icc	C18.7	 Malignant neoplasm of sigmoid colon Malignant neoplasm of sigmoid (flexure) EXCLUDES 1 malignant neoplasm of rectosigmoid junct. 	HCC
		Primary malignant neoplasm of two or more contiguous sites lip, oral cavity and pharynx		C18.8	Malignant neoplasm of overlapping sites of colon	HCC
		EXCLUDES 1 "book leaf" neoplasm [ventral surface of tongue and floor of mouth] (CØ6.89)	1	C18.9	Malignant neoplasm of colon, unspecified Malignant neoplasm of large intestine NOS	нсс
EXCL	UDES 1	cant neoplasms of digestive organs (C15-C26) Caposi's sarcoma of gastrointestinal sites (C46.4)	C1	Mal Mal	gnant neoplasm of rectosigmoid junction lignant neoplasm of colon with rectum lignant neoplasm of rectosigmoid (colon)	нсс
	_	pastrointestinal stromal tumors (C49.A-) nant neoplasm of esophagus	63		malignant carcinoid tumors of the colon (C7A.Ø2-)	нсс
C13	Use	additional code to identify: cohol abuse and dependence (F10)	(2	Mal	gnant neoplasm of rectum lignant neoplasm of rectal ampulla LUDES I malignant carcinoid tumor of the rectum (C7A.026)	Hoo
	C15.3	Malignant neoplasm of upper third of esophagus	1CC	EXC	mangnant caremora tamor or the rectain (C/A.b20)	
	C 1 J.4	manginant neophasin of made time of esophagus				
HCC CMS-I	ıcc	BX Ry HCC ESR ESRD HCC COM Commercial HCC N N	ewhorn Age: 0	D [Pediatric Age: 0-17 M Maternity Age: 9-64 Adult	Δαρ: 15-124

		F51.Ø9	Other insomnia not due to a substance or known physiological condition		F52.8	Other sexual dysfunction not due to a substance or known physiological condition	1
$\sqrt{5}^{\text{th}}$	F51.1 Hypersomnia not due to a substance or known physiological condition [XGLUDES] alcohol related hypersomnia (F10.182, F10.282,				Excessive sexual drive Nymphomania		
					Sátyriasis		
			F1Ø.982) drug-related hypersomnia (F11.182, F11.282, F11.982	,	F52.9	Unspecified sexual dysfunction not due to a substance or known physiological condition	
	F13.182, F13.282, F13.982, F14.182, F14.282, F14.982, F15.182, F15.282, F15.982, F19.182, F19.282, F19.982)		′		Sexual dysfunction NOS		
			√4 th F53		tal and behavioral disorders associated with the perium, not elsewhere classified		
			hypersomnia NOS (G47.10) hypersomnia due to known physiological condition			LUDES 1 mood disorders with psychotic features (F30.2, F31.2, F31.5,	,
			(G47.10)			F31.64, F32.3, F33.3) postpartum dysphoria (O90.6)	
			idiopathic hypersomnia (G47.11, G47.12) narcolepsy (G47.4-)			psychosis in schizophrenia, schizotypal, delusional, and oth	ier
		F51.11	Primary hypersomnia		AHA	psychotic disorders (F2Ø-F29) A: 2018, 4Q, 8	
		F51.12	Insufficient sleep syndrome		F53.Ø		₩Q
		F51.13	EXCLUDES 1 sleep deprivation (Z72.820) Hypersomnia due to other mental disorder			Postnatal depression, NOS Postpartum depression, NOS	
			Code also associated mental disorder		F53.1	Puerperal psychosis HCC 1	₩Q
		F51.19	Other hypersomnia not due to a substance or know physiological condition	ו		Postpartum psychosis Puerperal psychosis, NOS	
	F51.3		alking [somnambulism]		Psych	nological and behavioral factors associated with disorders	or
			rapid eye movement sleep arousal disorders, sleepwalkin ype	9		ses classified elsewhere rehological factors affecting physical conditions	
	F51.4	Sleep to	errors [night terrors]		Cod	de first the associated physical disorder, such as:	
			rapid eye movement sleep arousal disorders, sleep terror ype			isthma (J45) dermatitis (L23-L25)	
	F51.5	Nightm	are disorder		g	astric ulcer (K25)	
	EE1 0		n anxiety disorder leep disorders not due to a substance or known			nucous colitis (K58) alcerative colitis (K51)	
	F31.0		ogical condition			urticaria (L <mark>50)</mark> WD532 tension-type headache (G44.2)	
	F51.9		isorder not due to a substance or known physiologica on, unspecified			e of non-psychoactive substances	
			ional sleep disorder NOS	133		udes 2 abuse of psychoactive substances (F10-F19)	
√4th F52			ction not due to a substance or known			Abuse of antacids	
physiological condition EXCLUDES 2 Dhat syndrome (F48.8) F52.Ø Hypoactive sexual desire disorder Lack or loss of sexual desire Male hypoactive sexual desire disorder				Abuse of herbal or folk remedies Abuse of laxatives			
				Abuse of steroids or hormones			
				Abuse of vitamins			
		Sexua	al anhedonia	-		Abuse of other non-psychoactive substances	
	F52.1	Sexual a	decreased libido (R68.82) aversion disorder al aversion and lack of sexual enjoyment	F59	distu	ecified behavioral syndromes associated with physiologi Irbances and physical factors Ichogenic physiological dysfunction NOS	ıcaı
√5 th	▼5□ F52.2 Sexual arousal disorders			,	<i>y</i> . , <i>y</i> ,		
Failure of genital response		_]		ers of adult personality and behavior (F6Ø-F69)			
		F52.21	Male erectile disorder Erectile disorder	√4 th F60	-	ific personality disorders	нсс
			Psychogenic impotence		F0Ø.Ø	Paranoid personality disorder Expansive paranoid personality (disorder)	1100
			impotence of organic origin (N52) impotence NOS (N52)			Fanatic personality (disorder) Paranoid personality (disorder)	
		F52.22	Female sexual arousal disorder Female sexual interest/arousal disorder	⊋		Querulant personality (disorder)	
√5 th	F52.3	Orgasm	nic disorder			Sensitive paranoid personality (disorder) EXCLUDES 2 paranoia (F22)	
		Inhibi	ited orgasm			paranoia querulans (F22)	
			ogenic anorgasmy Female orgasmic disorder	Ç		paranoid psychosis (F22) paranoid schizophrenia (F2Ø.Ø)	
			Male orgasmic disorder	3	E60 1	paranoid state (F22) Schizoid personality disorder	нсс
	E52 4	Dromati	Delayed ejaculation ure ejaculation	J	ו.שסר	EXCLUDES 2 Asperger's syndrome (F84.5)	1100
				Ç		delusional disorder (F22) schizoid disorder of childhood (F84.5)	
			ogical condition logenic vaginismus			schizophrenia (F2Ø)	
			vaginismus (due to a known physiological condition)		F6Ø.2	schizotypal disorder (F21) Antisocial personality disorder	HCC
		DEE: F	(N94.2) Psychogenic response resulting in painful contractions of th	2	. 05.2	Amoral personality (disorder)	
		vagina	al canal muscles. This condition can be severe enough to	_		Asocial personality (disorder) Dissocial personality disorder	
	F52.6		nt sexual intercourse. eunia not due to a substance or known			Psychopathic personality (disorder) Sociopathic personality (disorder)	
		physiol	ogical condition o-pelvic pain or penetration disorder			EXCLUDES 1 conduct disorders (F91)	
		Psych	ogenic dyspareunia		F66 2	EXCLUDES 2 borderline personality disorder (F6Ø.3)	шоо
		EXCLUD	dyspareunia (due to a known physiological condition (N94.1-)	1	rov.3	Aggressive personality (disorder)	HCC
			(115 111)			Emotionally unstable personality disorder Explosive personality (disorder)	
						EXCLUDES 2 antisocial personality disorder (F60.2)	

Unspecified Dx



Chapter 9. Diseases of the Circulatory System Mental, Behavioral, and Neurodevelopmental Disorders

Chapter 18. Symptoms, Signs and Abnormal Clinical and Laboratory Findings

```
Chapter 18. Symptoms, Signs and Abnormal Clinical and Laboratory Findings
          R41.2 Retrograde amnesia
                                                                                           R44.0 Auditory hallucinations
          R41.3 Other amnesia
                                                                                           R44.1 Visual hallucinations
                   Amnesia NOS
                                                                                           R44.2 Other hallucinations
                   Memory loss NOS
                                                                                           R44.3 Hallucinations, unspecified
                   EXCLUDES 1 amnestic disorder due to known physiologic condition
                                                                                           R44.8 Other symptoms and signs involving general sensations and
                                   (FØ4)
                                                                                                  perceptions
                              amnestic syndrome due to psychoactive substance use
                                                                                           R44.9 Unspecified symptoms and signs involving general
                                   (F1Ø-F19 with 5th character .6)
                                                                                                  sensations and perceptions
                              mild memory disturbance due to known physiological
                                   condition (FØ6.8)
                                                                                 R45 Symptoms and signs involving emotional state
                              transient global amnesia (G45.4)
                                                                                           R45.Ø Nervousness
          R41.4 Neurologic neglect syndrome
                                                                                                    Nervous tension
                   Asomatognosia
                                                                                           R45.1 Restlessness and agitation
                   Hemi-akinesia
                   Hemi-inattention
                                                                                           R45.2 Unhappiness
                   Hemispatial neglect
                                                                                           R45.3 Demoralization and apathy
                   Left-sided neglect
                                                                                                     EXCLUDES 1 anhedonia (R45.84)
                   Sensory neglect
                                                                                           R45.4 Irritability and anger
                   Visuospatial neglect
                                                                                           R45.5 Hostility
                   EXCLUDES 1 visuospatial deficit (R41.842)
                                                                                           R45.6 Violent behavior
     R41.8 Other symptoms and signs involving cognitive functions and
                                                                                           R45.7 State of emotional shock and stress, unspecified
                 awareness
                                                                          QA
                                                                                      R45.8 Other symptoms and signs involving emotional state
                 R41.81 Age-related cognitive decline
                            Senility NOS
                                                                                                  R45.81 Low self-esteem
                 R41.82 Altered mental status, unspecified
                                                                                                  R45.82
                                                                                                           Worries
                            Change in mental status NOS
                                                                                                           Excessive crying of child, adolescent or adult
                                                                                                  R45.83
                             EXCLUDES 1 altered level of consciousness (R4Ø.-)
                                                                                                              EXCLUDES 1 excessive crying of infant (baby) R68.11
                                      altered mental status due to known
                                                                                                  R45.84 Anhedonia
                                           condition—code to condition
                                      delirium NOS (R41.Ø)
                                                                                                           Homicidal and suicidal ideations
                                                                                                  R45.85
                            AHA: 2012, 4Q, 97
                                                                                                              EXCLUDES 1 suicide attempt (T14.91)
                 R41.83 Borderline intellectual functioning
                                                                                                           R45.850 Homicidal ideations
                            IQ level 71 to 84
                                                                                                           R45.851 Suicidal ideations
                            EXCLUDES 1 intellectual disabilities (F7Ø-F79)
                                                                                                                         DEF: Thoughts of committing suicide but no
            R41.84 Other specified cognitive deficit
                                                                                                                         ctual attempt of suicide has been made.
                            EXCLUDES 1 cognitive deficits as sequelae of
                                                                                                  R45.86 Emotional lability
                                           cerebrovascular disease (169.01
                                                                                                  R45.87
                                                                                                           Impulsiveness
                                           169.11-, 169.21-, 169.31-, 169.81-,
                                                                                                  R45.88
                                                                                                           Nonsuicidal self-harm
                                           169.91-)
                                                                                                              Nonsuicidal self-injury
                          R41.840 Attention and concentration deficit
                                                                                                              Nonsuicidal self-mutilation
                                       EXCLUDES 1 attention-deficit hyperactivity
                                                                                                              Self-inflicted injury without suicidal intent
                                                     disorders (F90.-)
                                                                                                              Code also injury, if known
                          R41.841 Cognitive communication deficit
                                                                                                   R45.89 Other symptoms and signs involving emotional
                          R41.842 Visuospatial deficit
                          R41.843 Psychomotor deficit
                                                                                     R46 Symptoms and signs involving appearance and behavior
                          R41.844 Frontal lobe and executive function deficit
                                                                                             EXCLUDES 1 appearance and behavior in schizophrenia, schizotypal and
                 R41.89
                         Other symptoms and signs involving cognitive
                                                                                                            delusional disorders (F2Ø-F29)
                          functions and awarenes
                                                                                                        mental and behavioral disorders (FØ1-F99)
                            Anosognosia
                                                                                           R46.Ø Very low level of personal hygiene
          R41.9 Unspecified symptoms and signs involving cognitive
                                                                                           R46.1 Bizarre personal appearance
                 functions and awareness
                                                                                           R46.2 Strange and inexplicable behavior
                   Unspecified neurocognitive disorder
                                                                                           R46.3 Overactivity
    R42 Dizziness and giddiness
                                                                            Q
                                                                                           R46.4 Slowness and poor responsiveness
            Light-headed
                                                                                                     EXCLUDES 1 stupor (R4Ø.1)
            Vertigo NOS
            EXCLUDES 1
                      vertiginous syndromes (H81.-)
                                                                                           R46.5 Suspiciousness and marked evasiveness
                      vertigo from infrasound (T75.23)
                                                                                           R46.6 Undue concern and preoccupation with stressful events
R43 Disturbances of smell and taste
                                                                                           R46.7 Verbosity and circumstantial detail obscuring reason for
          R43.0 Anosmia
                                                                                      √5<sup>th</sup> R46.8
                   DEF: Permanent or transient absence of smell that may be
                                                                                                  Other symptoms and signs involving appearance and
                   congenital or acquired.
                                                                                                  behavior
          R43.1 Parosmia
                                                                                                  R46.81 Obsessive-compulsive behavior
                   DEF: Abnormal perception of smell usually triggered by
                                                                                                              EXCLUDES 1 obsessive-compulsive disorder (F42.-)
                   environmental odors.
                                                                                                  R46.89 Other symptoms and signs involving appearance
          R43.2 Parageusia
                                                                                                           and behavior
                   DEF: Abnormal perception of taste.
          R43.8 Other disturbances of smell and taste
                                                                                     Symptoms and signs involving speech and voice (R47-R49)
                   Mixed disturbance of smell and tastem
                                                                                 R47 Speech disturbances, not elsewhere classified
          R43.9 Unspecified disturbances of smell and taste
                                                                                             EXCLUDES 1 autism (F84.0)
R44 Other symptoms and signs involving general sensations and
                                                                                                        cluttering (F8Ø.81)
          perceptions
                                                                                                        specific developmental disorders of speech and language
            EXCLUDES 1 alcoholic hallucinations (F1Ø.151, F1Ø.251, F1Ø.951)
                                                                                                             (F8Ø.-)
                      hallucinations in drug psychosis (F11-F19 with fifth to sixth
                                                                                                        stuttering (F8Ø.81)
                            characters 51)
                                                                                      R47.Ø Dysphasia and aphasia
                      hallucinations in mood disorders with psychotic symptoms
                                                                                                  R47.01 Aphasia
                            (F3Ø.2, F31.5, F32.3, F33.3)
                                                                                                              EXCLUDES 1 aphasia following cerebrovascular disease
                      hallucinations in schizophrenia, schizotypal and delusional
                                                                                                                            (169. with final characters -20)
                             disorders (F2Ø-F29)
```


EXCLUDES 2 disturbances of skin sensation (R2Ø.-)

progressive isolated aphasia (G31.01)


Illustrations ICD-10-CM 2023

Chapter 9. Diseases of the Circulatory System (IØØ-I99)

Anatomy of the Heart



Heart Cross Section



16-Illustrations ICD-10-CM 2023