

ICD-10-CM Professional for Physicians

The complete official code set

Codes valid from October 1, 2023
through September 30, 2024

2024

optumcoding.com



Contents

How to Use ICD-10-CM Professional for Physicians 2024..	iii
Introduction	iii
What's New for 2023	iii
Conversion Table	iii
10 Steps to Correct Coding.....	iii
Official ICD-10-CM Guidelines for Coding and Reporting.....	iii
Indexes	iii
Index to Diseases and Injuries	iii
Neoplasm Table.....	iii
Table of Drugs and Chemicals	iii
External Causes Index	iii
Index Notations	iv
Tabular List of Diseases	iv
Code and Code Descriptions.....	iv
Tabular Notations	v
Official Notations	v
Optum Notations	vi
Icons	vi
Color Bars	vii
Footnotes.....	vii
Chapter-Level Notations	viii
Illustrations	viii
What's New for 2024	ix
Official Updates	ix
Proprietary Updates	xi
Conversion Table of ICD-10-CM Codes	xiii
10 Steps to Correct Coding.....	xvii
ICD-10-CM Official Guidelines for Coding and Reporting	Coding Guidelines–1
ICD-10-CM Index to Diseases and Injuries	1
ICD-10-CM Neoplasm Table	342
ICD-10-CM Table of Drugs and Chemicals	361
ICD-10-CM Index to External Causes.....	411
ICD-10-CM Tabular List of Diseases and Injuries	447
Chapter 1. Certain Infectious and Parasitic Diseases (A00–B99)	447
Chapter 2. Neoplasms (C00–D49)	473
Chapter 3. Diseases of the Blood and Blood-forming Organs and Certain Disorders Involving the Immune Mechanism (D50–D89)	515
Chapter 4. Endocrine, Nutritional and Metabolic Diseases (E00–E89)	529
Chapter 5. Mental, Behavioral, and Neurodevelopmental Disorders (F01–F99)	553
Chapter 6. Diseases of the Nervous System (G00–G99)	587
Chapter 7. Diseases of the Eye and Adnexa (H00–H59)	611

Chapter 8. Diseases of the Ear and Mastoid Process (H60–H95)	647
Chapter 9. Diseases of the Circulatory System (I00–I99)	659
Chapter 10. Diseases of the Respiratory System (J00–J99)	705
Chapter 11. Diseases of the Digestive System (K00–K95)	723
Chapter 12. Diseases of the Skin and Subcutaneous Tissue (L00–L99)	749
Chapter 13. Diseases of the Musculoskeletal System and Connective Tissue (M00–M99)	773
Chapter 14. Diseases of the Genitourinary System (N00–N99)	865
Chapter 15. Pregnancy, Childbirth, and the Puerperium (O00–O9A)	887
Chapter 16. Certain Conditions Originating in the Perinatal Period (P00–P96)	929
Chapter 17. Congenital Malformations, Deformations and Chromosomal Abnormalities (Q00–Q99)	943
Chapter 18. Symptoms, Signs and Abnormal Clinical and Laboratory Findings (R00–R99)	963
Chapter 19. Injury, Poisoning and Certain Other Consequences of External Causes (S00–T88)	985
Chapter 20. External Causes of Morbidity (V00–Y99).....	1191
Chapter 21. Factors Influencing Health Status and Contact With Health Services (Z00–Z99)	1259
Chapter 22. Codes for Special Purposes (U00–U85).....	1297

Illustrations

Chapter 3. Diseases of the Blood and Blood-forming Organs and Certain Disorders Involving the Immune Mechanism (D50–D89)	Illustrations–1
Red Blood Cells	Illustrations–1
White Blood Cell	Illustrations–1
Platelet	Illustrations–2
Coagulation	Illustrations–2
Spleen Anatomical Location and External Structures	Illustrations–3
Spleen Interior Structures	Illustrations–3
Chapter 4. Endocrine, Nutritional and Metabolic Diseases (E00–E89)	Illustrations–4
Endocrine System	Illustrations–4
Thyroid	Illustrations–5
Thyroid and Parathyroid Glands	Illustrations–5
Pancreas	Illustrations–6
Anatomy of the Adrenal Gland	Illustrations–6
Structure of an Ovary	Illustrations–7
Testis and Associated Structures	Illustrations–7
Thymus	Illustrations–8
Chapter 6. Diseases of the Nervous System (G00–G99)	Illustrations–9
Brain	Illustrations–9
Cranial Nerves	Illustrations–9
Peripheral Nervous System	Illustrations–10
Spinal Cord and Spinal Nerves	Illustrations–11
Nerve Cell	Illustrations–12
Trigeminal and Facial Nerve Branches.....	Illustrations–12

Chapter 7. Diseases of the Eye and Adnexa (H00–H59)	Illustrations–13	Chapter 12. Diseases of the Skin and Subcutaneous Tissue (L00–L99)	Illustrations–31
Eye	Illustrations–13	Nail Anatomy	Illustrations–31
Posterior Pole of Globe/Flow of Aqueous Humor	Illustrations–13	Skin and Subcutaneous Tissue	Illustrations–31
Lacrimal System	Illustrations–14	Chapter 13. Diseases of the Musculoskeletal System and Connective Tissue (M00–M99)	Illustrations–32
Eye Musculature	Illustrations–14	Bones and Joints	Illustrations–32
Eyelid Structures	Illustrations–14	Shoulder Anterior View	Illustrations–33
Chapter 8. Diseases of the Ear and Mastoid Process (H60–H95)	Illustrations–15	Shoulder Posterior View	Illustrations–33
Ear Anatomy	Illustrations–15	Elbow Anterior View	Illustrations–33
Chapter 9. Diseases of the Circulatory System (I00–I99)	Illustrations–16	Elbow Posterior View	Illustrations–33
Anatomy of the Heart	Illustrations–16	Hand	Illustrations–33
Heart Cross Section	Illustrations–16	Hip Anterior View	Illustrations–34
Heart Valves	Illustrations–17	Hip Posterior View	Illustrations–34
Heart Conduction System	Illustrations–17	Knee Anterior View	Illustrations–34
Coronary Arteries	Illustrations–18	Knee Posterior View	Illustrations–34
Arteries	Illustrations–19	Foot	Illustrations–34
Veins	Illustrations–20	Muscles	Illustrations–35
Internal Carotid and Vertebral Arteries and Branches	Illustrations–21	Chapter 14. Diseases of the Genitourinary System (N00–N99)	Illustrations–36
External Carotid Artery and Branches	Illustrations–21	Urinary System	Illustrations–36
Branches of Abdominal Aorta	Illustrations–22	Male Genitourinary System	Illustrations–37
Portal Venous Circulation	Illustrations–22	Female Internal Genitalia	Illustrations–37
Lymphatic System	Illustrations–23	Female Genitourinary Tract Lateral View	Illustrations–37
Axillary Lymph Nodes	Illustrations–24	Chapter 15. Pregnancy, Childbirth and the Puerperium (O00–O9A)	Illustrations–38
Lymphatic System of Head and Neck	Illustrations–24	Term Pregnancy – Single Gestation	Illustrations–38
Lymphatic Capillaries	Illustrations–25	Twin Gestation–Dichorionic–Diamniotic (DI-DI)	Illustrations–38
Lymphatic Drainage	Illustrations–25	Twin Gestation–Monochorionic–Diamniotic (MO-DI)	Illustrations–39
Chapter 10. Diseases of the Respiratory System (J00–J99)	Illustrations–26	Twin Gestation–Monochorionic–Monoamniotic (MO-MO)	Illustrations–39
Respiratory System	Illustrations–26	Chapter 19. Injury, Poisoning and Certain Other Consequences of External Causes (S00–T88)	Illustrations–40
Upper Respiratory System	Illustrations–27	Types of Fractures	Illustrations–40
Lower Respiratory System	Illustrations–27	Salter-Harris Fracture Types	Illustrations–40
Paranasal Sinuses	Illustrations–27		
Lung Segments	Illustrations–28		
Alveoli	Illustrations–28		
Chapter 11. Diseases of the Digestive System (K00–K95)	Illustrations–29		
Digestive System	Illustrations–29		
Omentum and Mesentery	Illustrations–30		
Peritoneum and Retroperitoneum	Illustrations–30		

Optum Notations

AHA Coding Clinic Citations

Coding Clinics are official American Hospital Association (AHA) publications that provide coding advice specific to ICD-10-CM and ICD-10-PCS.

Coding Clinic citations included in this manual are current up to the second quarter of 2022.

These citations identify the year, quarter, and page number of one or more *Coding Clinic* publications that may have coding advice relevant to a particular code or group of codes. With the most current citation listed first, these notations are preceded by the symbol **AHA:** and appear in purple type.

I15.1 Hypertension secondary to other renal disorders
AHA: 2016, 3Q, 22

Definitions

Definitions explain a specific term, condition, or disease process in layman's terms. These notations are preceded by the symbol **DEF:** and appear in purple type.

M51.4 Schmorl's nodes
DEF: Irregular bone defect in the margin of the vertebral body that causes herniation into the end plate of the vertebral body.

Coding Tips

The tips in the tabular list offer coding advice that is not readily available within the ICD-10-CM classification. It may relate official coding guidelines, indexing nuances, or advice from AHA's *Coding Clinic for ICD-10-CM/PCS*. These notations are preceded by the symbol **TIP:** and appear in brown type.

B97.2 Coronavirus as the cause of diseases classified elsewhere
TIP: Do not report a code from this subcategory for COVID-19, refer to U07.1.

Icons

Note: The following icons are placed to the left of the code.

Changes to ICD-10-CM codes, since the last published edition of this manual, are highlighted in two ways:

The following green icons identify new or revised codes effective April 1, 2022:

- **New Code – Midyear**
- ▲ **Revised Code – Midyear**

The following black icons identify new or revised codes effective October 1, 2022:

- **New Code**
- ▲ **Revised Code**
- ✓ **Additional Characters Required**

- ✓⁴ This symbol indicates that the code requires a 4th character.
- ✓⁵ This symbol indicates that the code requires a 5th character.
- ✓⁶ This symbol indicates that the code requires a 6th character.
- ✓⁷ This symbol indicates that the code requires a 7th character.

✓⁵ **H60.3 Other infective otitis externa**
 ✓⁶ **H60.31 Diffuse otitis externa**
H60.311 Diffuse otitis externa, right ear
H60.312 Diffuse otitis externa, left ear
H60.313 Diffuse otitis externa, bilateral
H60.319 Diffuse otitis externa, unspecified ear

Placeholder Alert

This symbol indicates that the code requires a 7th character following the placeholder "X". Codes with fewer than six characters that require a 7th character must contain placeholder "X" to fill in the empty character(s).

✓⁷ **T16.1 Foreign body in right ear**

This manual provides the most current information that was available at the time of publication. Except where otherwise noted, the icons and/or color bars reflect edits provided in the Integrated Outpatient Code Editor (IOCE) quarterly files utilized under the outpatient prospective payment system (OPPS). Because the October 2022 quarterly files were not available at the time this book was printed, the edits in this manual are based on the July 2022 quarterly files.

Note: In an effort to provide the most current edit information, Optum has provided a searchable data file that includes the final edit designations for all ICD-10-CM codes based on the IOCE October 2022 quarterly files. The edits included in the data file are as follows:

- Age
- Sex
- Manifestation
- Unacceptable principal diagnosis

This data file can be accessed at the following:

<https://www.optumcoding.com/ProductUpdates/>

Title: "2023 ICD-10-CM Outpatient Edits Data File"

Password: Provider23

Note: The following icons are placed at the end of the code description.

Age Edits

N Newborn Age: 0

These diagnoses are intended for newborns and neonates and the patient's age must be 0 years.

N47.0 Adherent prepuce, newborn

P Pediatric Age: 0-17

These diagnoses are intended for children and the patient's age must be between 0 and 17 years.

L21.1 Seborrheic infantile dermatitis

M Maternity Age: 9-64

These diagnoses are intended for childbearing patients between the age of 9 and 64 years.

O02.9 Abnormal product of conception, unspecified

A Adult Age: 15-124

These diagnoses are intended for patients between the age of 15 and 124 years.

R54 Age-related physical debility

Frailty
 Old age
 Senescence
 Senile asthenia
 Senile debility
EXCLUDES1 age-related cognitive decline (R41.81)
 sarcopenia (M62.84)
 senile psychosis (F03)
 senility NOS (R41.81)

Chapter-Level Notations

Chapter-specific Guidelines with Coding Examples

Each chapter begins with the Official Guidelines for Coding and Reporting specific to that chapter, where provided. Coding examples specific to outpatient care settings have been provided to illustrate the coding and/or sequencing guidance in these guidelines.

Muscle and Tendon Table

ICD-10-CM categorizes certain muscles and tendons in the upper and lower extremities by their action (e.g., extension or flexion) as well as their anatomical location. The Muscle/Tendon table is provided at the beginning of chapter 13 and chapter 19 to help users when code selection depends on the action of the muscle and/or tendon.

Note: This table is not all-inclusive, and proper code assignment should be based on the provider’s documentation.

Illustrations

This section includes illustrations of normal anatomy with ICD-10-CM-specific terminology.

SAMPLE

	Malignant Primary	Malignant Secondary	Ca in situ	Benign	Uncertain Behavior	Unspecified Behavior
Note: The list below gives the code number for neoplasms by anatomical site. For each site there are six possible code numbers according to whether the neoplasm in question is malignant, benign, in situ, of uncertain behavior, or of unspecified nature. The description of the neoplasm will often indicate which of the six columns is appropriate; e.g., malignant melanoma of skin, benign fibroadenoma of breast, carcinoma in situ of cervix uteri. Where such descriptors are not present, the remainder of the Index should be consulted where guidance is given to the appropriate column for each morphological (histological) variety listed; e.g., Mesonephroma — see Neoplasm, malignant; Embryoma — see also Neoplasm, uncertain behavior; Disease, Bowen's — see Neoplasm, skin, in situ. However, the guidance in the Index can be overridden if one of the descriptors mentioned above is present; e.g., malignant adenoma of colon is coded to C18.9 and not to D12.6 as the adjective "malignant" overrides the Index entry "Adenoma — see also Neoplasm, benign, by site." Codes listed with a dash -, following the code have a required additional character for laterality. The tabular list must be reviewed for the complete code.						
Neoplasm, neoplastic	C80.1	C79.9	D09.9	D36.9	D48.9	D49.9
abdomen,						
abdominal	C76.2	C79.8- <input checked="" type="checkbox"/>	D09.8	D36.7	D48.7	D49.89
cavity	C76.2	C79.8- <input checked="" type="checkbox"/>	D09.8	D36.7	D48.7	D49.89
organ	C76.2	C79.8- <input checked="" type="checkbox"/>	D09.8	D36.7	D48.7	D49.89
viscera	C76.2	C79.8- <input checked="" type="checkbox"/>	D09.8	D36.7	D48.7	D49.89
wall — see also						
Neoplasm,						
abdomen, wall,	C44.509	C79.2	D04.5	D23.5	D48.5	D49.2
skin						
connective	C49.4	C79.8- <input checked="" type="checkbox"/>	—	D21.4	D48.1	D49.2
tissue	C44.509	—	—	—	—	—
skin						
basal cell						
carcinoma	C44.519	—	—	—	—	—
specified type						
NEC	C44.599	—	—	—	—	—
squamous cell						
carcinoma	C44.529	—	—	—	—	—
abdominopelvic	C76.8	C79.8- <input checked="" type="checkbox"/>	—	D36.7	D48.7	D49.89
accessory sinus — see						
Neoplasm, sinus						
acoustic nerve	C72.4- <input checked="" type="checkbox"/>	C79.49	—	D33.3	D43.3	D49.7
adenoid (pharynx)						
(tissue)	C11.1	C79.89	D00.08	D10.6	D37.05	D49.0
adipose tissue — see						
also Neoplasm,						
connective						
tissue	C49.4	C79.89	—	D21.9	D48.1	D49.2
adnexa (uterine)	C57.4	C79.89	D07.39	D28.7	D39.8	D49.59
adrenal	C74.9- <input checked="" type="checkbox"/>	C79.7- <input checked="" type="checkbox"/>	D09.3	D35.0- <input checked="" type="checkbox"/>	D44.1- <input checked="" type="checkbox"/>	D49.7
capsule	C74.9- <input checked="" type="checkbox"/>	C79.7- <input checked="" type="checkbox"/>	D09.3	D35.0- <input checked="" type="checkbox"/>	D44.1- <input checked="" type="checkbox"/>	D49.7
cortex	C74.9- <input checked="" type="checkbox"/>	C79.7- <input checked="" type="checkbox"/>	D09.3	D35.0- <input checked="" type="checkbox"/>	D44.1- <input checked="" type="checkbox"/>	D49.7
gland	C74.9- <input checked="" type="checkbox"/>	C79.7- <input checked="" type="checkbox"/>	D09.3	D35.0- <input checked="" type="checkbox"/>	D44.1- <input checked="" type="checkbox"/>	D49.7
medulla	C74.1- <input checked="" type="checkbox"/>	C79.7- <input checked="" type="checkbox"/>	D09.3	D35.0- <input checked="" type="checkbox"/>	D44.1- <input checked="" type="checkbox"/>	D49.7
ala nasi (external) —						
see also Neoplasm,						
skin, nose	C44.301	C79.2	D04.39	D23.39	D48.5	D49.2
alimentary canal or						
tract NEC	C26.9	C78.80	D01.9	D13.9	D37.9	D49.0
alveolar	C03.9	C79.89	D00.03	D10.39	D37.09	D49.0
mucosa	C03.9	C79.89	D00.03	D10.39	D37.09	D49.0
lower	C03.1	C79.89	D00.03	D10.39	D37.09	D49.0
upper	C03.0	C79.89	D00.03	D10.39	D37.09	D49.0
ridge or process	C41.1	C79.51	—	D16.5	D48.0	D49.2
carcinoma	C03.9	C79.8- <input checked="" type="checkbox"/>	—	—	—	—
lower	C03.1	C79.8- <input checked="" type="checkbox"/>	—	—	—	—
upper	C03.0	C79.8- <input checked="" type="checkbox"/>	—	—	—	—
lower	C41.1	C79.51	—	D16.5	D48.0	D49.2
mucosa	C03.9	C79.89	D00.03	D10.39	D37.09	D49.0
lower	C03.1	C79.89	D00.03	D10.39	D37.09	D49.0
upper	C03.0	C79.89	D00.03	D10.39	D37.09	D49.0
upper	C41.0	C79.51	—	D16.4	D48.0	D49.2
sulcus	C06.1	C79.89	D00.02	D10.39	D37.09	D49.0
alveolus	C03.9	C79.89	D00.03	D10.39	D37.09	D49.0
lower	C03.1	C79.89	D00.03	D10.39	D37.09	D49.0
upper	C03.0	C79.89	D00.03	D10.39	D37.09	D49.0
ampulla of Vater	C24.1	C78.89	D01.5	D13.5	D37.6	D49.0
ankle NEC	C76.5- <input checked="" type="checkbox"/>	C79.89	D04.7- <input checked="" type="checkbox"/>	D36.7	D48.7	D49.89
anorectum, anorectal						
(junction)	C21.8	C78.5	D01.3	D12.9	D37.8	D49.0
antecubital fossa or						
space	C76.4- <input checked="" type="checkbox"/>	C79.89	D04.6- <input checked="" type="checkbox"/>	D36.7	D48.7	D49.89
Neoplasm, neoplastic						
— continued						
antrum (Highmore)						
(maxillary)	C31.0	C78.39	D02.3	D14.0	D38.5	D49.1
pyloric	C16.3	C78.89	D00.2	D13.1	D37.1	D49.0
typanicum	C30.1	C78.39	D02.3	D14.0	D38.5	D49.1
anus, anal	C21.0	C78.5	D01.3	D12.9	D37.8	D49.0
canal	C21.1	C78.5	D01.3	D12.9	D37.8	D49.0
cloacogenic						
zone	C21.2	C78.5	D01.3	D12.9	D37.8	D49.0
margin — see also						
Neoplasm, anus,						
skin	C44.500	C79.2	D04.5	D23.5	D48.5	D49.2
overlapping lesion						
with						
rectosigmoid						
junction or	C21.8	—	—	—	—	—
rectum	C44.500	C79.2	D04.5	D23.5	D48.5	D49.2
skin						
basal cell						
carcinoma	C44.510	—	—	—	—	—
specified type						
NEC	C44.590	—	—	—	—	—
squamous cell						
carcinoma	C44.520	—	—	—	—	—
sphincter	C21.1	C78.5	D01.3	D12.9	D37.8	D49.0
aorta (thoracic)	C49.3	C79.89	—	D21.3	D48.1	D49.2
abdominal	C49.4	C79.89	—	D21.4	D48.1	D49.2
aortic body	C75.5	C79.89	—	D35.6	D44.7	D49.7
aponeurosis	C49.9	C79.89	—	D21.9	D48.1	D49.2
palmar	C49.1- <input checked="" type="checkbox"/>	C79.89	—	D21.1- <input checked="" type="checkbox"/>	D48.1	D49.2
plantar	C49.2- <input checked="" type="checkbox"/>	C79.89	—	D21.2- <input checked="" type="checkbox"/>	D48.1	D49.2
appendix	C18.1	C78.5	D01.0	D12.1	D37.3	D49.0
arachnoid	C70.9	C79.49	—	D32.9	D42.9	D49.7
cerebral	C70.0	C79.32	—	D32.0	D42.0	D49.7
spinal	C70.1	C79.49	—	D32.1	D42.1	D49.7
areola	C50.0- <input checked="" type="checkbox"/>	C79.81	D05- <input checked="" type="checkbox"/>	D24- <input checked="" type="checkbox"/>	D48.6- <input checked="" type="checkbox"/>	D49.3
arm NEC	C76.4- <input checked="" type="checkbox"/>	C79.89	D04.6- <input checked="" type="checkbox"/>	D36.7	D48.7	D49.89
artery — see Neoplasm,						
connective tissue						
aryepiglottic fold	C13.1	C79.89	D00.08	D10.7	D37.05	D49.0
hypopharyngeal						
aspect	C13.1	C79.89	D00.08	D10.7	D37.05	D49.0
laryngeal aspect	C32.1	C78.39	D02.0	D14.1	D38.0	D49.1
marginal zone	C13.1	C79.89	D00.08	D10.7	D37.05	D49.0
arytenoid						
(cartilage)	C32.3	C78.39	D02.0	D14.1	D38.0	D49.1
fold — see Neoplasm,						
aryepiglottic						
associated with						
transplanted						
organ	C80.2	—	—	—	—	—
atlas	C41.2	C79.51	—	D16.6	D48.0	D49.2
atrium, cardiac	C38.0	C79.89	—	D15.1	D48.7	D49.89
auditory						
canal (external)						
(skin)	C44.20- <input checked="" type="checkbox"/>	C79.2	D04.2- <input checked="" type="checkbox"/>	D23.2- <input checked="" type="checkbox"/>	D48.5	D49.2
internal	C30.1	C78.39	D02.3	D14.0	D38.5	D49.1
nerve	C72.4- <input checked="" type="checkbox"/>	C79.49	—	D33.3	D43.3	D49.7
tube	C30.1	C78.39	D02.3	D14.0	D38.5	D49.1
opening	C11.2	C79.89	D00.08	D10.6	D37.05	D49.0
auricle, ear — see also						
Neoplasm, skin,						
ear	C44.20- <input checked="" type="checkbox"/>	C79.2	D04.2- <input checked="" type="checkbox"/>	D23.2- <input checked="" type="checkbox"/>	D48.5	D49.2
auricular canal						
(external) — see						
also Neoplasm, skin,						
ear	C44.20- <input checked="" type="checkbox"/>	C79.2	D04.2- <input checked="" type="checkbox"/>	D23.2- <input checked="" type="checkbox"/>	D48.5	D49.2
internal	C30.1	C78.39	D02.3	D14.0	D38.5	D49.2
autonomic nerve or						
nervous system						
NEC (see Neoplasm,						
nerve, peripheral)						
axilla, axillary	C76.1	C79.89	D09.8	D36.7	D48.7	D49.89
fold — see also						
Neoplasm, skin,						
trunk	C44.509	C79.2	D04.5	D23.5	D48.5	D49.2
back NEC	C76.8	C79.89	D04.5	D36.7	D48.7	D49.89
Bartholin's gland	C51.0	C79.82	D07.1	D28.0	D39.8	D49.59
basal ganglia	C71.0	C79.31	—	D33.0	D43.0	D49.6
basis pedunculi	C71.7	C79.31	—	D33.1	D43.1	D49.6
bile or biliary						
(tract)	C24.9	C78.89	D01.5	D13.5	D37.6	D49.0

Chapter 2. Neoplasms (C00-D49)

NOTE

Functional activity

All neoplasms are classified in this chapter, whether they are functionally active or not. An additional code from Chapter 4 may be used, to identify functional activity associated with any neoplasm.

Morphology [Histology]

Chapter 2 classifies neoplasms primarily by site (topography), with broad groupings for behavior, malignant, in situ, benign, etc. The Table of Neoplasms should be used to identify the correct topography code. In a few cases, such as for malignant melanoma and certain neuroendocrine tumors, the morphology (histologic type) is included in the category and codes.

Primary malignant neoplasms overlapping site boundaries

A primary malignant neoplasm that overlaps two or more contiguous (next to each other) sites should be classified to the subcategory/code .8 ("overlapping lesion"), unless the combination is specifically indexed elsewhere. For multiple neoplasms of the same site that are not contiguous, such as tumors in different quadrants of the same breast, codes for each site should be assigned.

Malignant neoplasm of ectopic tissue

Malignant neoplasms of ectopic tissue are to be coded to the site mentioned, e.g., ectopic pancreatic malignant neoplasms are coded to pancreas, unspecified (C25.9).

AHA: 2017.4Q,103; 2017.1Q,4,5-6,8

This chapter contains the following blocks:

- C00-C14 Malignant neoplasms of lip, oral cavity and pharynx
- C15-C26 Malignant neoplasms of digestive organs
- C30-C39 Malignant neoplasms of respiratory and intrathoracic organs
- C40-C41 Malignant neoplasms of bone and articular cartilage
- C43-C44 Melanoma and other malignant neoplasms of skin
- C45-C49 Malignant neoplasms of mesothelial and soft tissue
- C50 Malignant neoplasms of breast
- C51-C58 Malignant neoplasms of female genital organs
- C60-C63 Malignant neoplasms of male genital organs
- C64-C68 Malignant neoplasms of urinary tract
- C69-C72 Malignant neoplasms of eye, brain and other parts of central nervous system
- C73-C75 Malignant neoplasms of thyroid and other endocrine glands
- C7A Malignant neuroendocrine tumors
- C7B Secondary neuroendocrine tumors
- C76-C80 Malignant neoplasms of ill-defined, other secondary and unspecified sites
- C81-C96 Malignant neoplasms of lymphoid, hematopoietic and related tissue
- D00-D09 In situ neoplasms
- D10-D36 Benign neoplasms, except benign neuroendocrine tumors
- D3A Benign neuroendocrine tumors
- D37-D48 Neoplasms of uncertain behavior, polycythemia vera and myelodysplastic syndromes
- D49 Neoplasms of unspecified behavior

MALIGNANT NEOPLASMS (C00-C96)

Malignant neoplasms, stated or presumed to be primary (of specified sites), and certain specified histologies, except neuroendocrine, and of lymphoid, hematopoietic and related tissue (C00-C75)

AHA: 2022.1Q,16

TIP: Codes from this code block can be assigned for outpatient encounters based on the diagnosis listed in a pathology or cytology report when authenticated by a pathologist and available at the time of code assignment.

Malignant neoplasms of lip, oral cavity and pharynx (C00-C14)

✓4M C00 Malignant neoplasm of lip

Use additional code to identify:

- alcohol abuse and dependence (F10.-)
- history of tobacco dependence (Z87.891)
- tobacco dependence (F17.-)
- tobacco use (Z72.0)

EXCLUDES 1 malignant melanoma of lip (C43.0)
Merkel cell carcinoma of lip (C4A.0)
other and unspecified malignant neoplasm of skin of lip (C44.0-)

C00.0 Malignant neoplasm of external upper lip

- Malignant neoplasm of lipstick area of upper lip
- Malignant neoplasm of upper lip NOS
- Malignant neoplasm of vermilion border of upper lip

C00.1 Malignant neoplasm of external lower lip

- Malignant neoplasm of lower lip NOS
- Malignant neoplasm of lipstick area of lower lip
- Malignant neoplasm of vermilion border of lower lip

C00.2 Malignant neoplasm of external lip, unspecified

- Malignant neoplasm of vermilion border of lip NOS

C00.3 Malignant neoplasm of upper lip, inner aspect

- Malignant neoplasm of buccal aspect of upper lip
- Malignant neoplasm of frenulum of upper lip
- Malignant neoplasm of mucosa of upper lip
- Malignant neoplasm of oral aspect of upper lip

C00.4 Malignant neoplasm of lower lip, inner aspect

- Malignant neoplasm of buccal aspect of lower lip
- Malignant neoplasm of frenulum of lower lip
- Malignant neoplasm of mucosa of lower lip
- Malignant neoplasm of oral aspect of lower lip

C00.5 Malignant neoplasm of lip, unspecified, inner aspect

- Malignant neoplasm of buccal aspect of lip, unspecified
- Malignant neoplasm of frenulum of lip, unspecified
- Malignant neoplasm of mucosa of lip, unspecified
- Malignant neoplasm of oral aspect of lip, unspecified

C00.6 Malignant neoplasm of commissure of lip, unspecified

C00.8 Malignant neoplasm of overlapping sites of lip

C00.9 Malignant neoplasm of lip, unspecified


C01 Malignant neoplasm of base of tongue

- Malignant neoplasm of dorsal surface of base of tongue
- Malignant neoplasm of fixed part of tongue NOS
- Malignant neoplasm of posterior third of tongue

Use additional code to identify:

- alcohol abuse and dependence (F10.-)
- history of tobacco dependence (Z87.891)
- tobacco dependence (F17.-)
- tobacco use (Z72.0)

Malignant Neoplasm of Tongue



✓4M C02 Malignant neoplasm of other and unspecified parts of tongue

Use additional code to identify:

- alcohol abuse and dependence (F10.-)
- history of tobacco dependence (Z87.891)
- tobacco dependence (F17.-)
- tobacco use (Z72.0)

C02.0 Malignant neoplasm of dorsal surface of tongue

- Malignant neoplasm of anterior two-thirds of tongue, dorsal surface

EXCLUDES 2 malignant neoplasm of dorsal surface of base of tongue (C01)

C02.1 Malignant neoplasm of border of tongue

- Malignant neoplasm of tip of tongue

C02.2 Malignant neoplasm of ventral surface of tongue

- Malignant neoplasm of anterior two-thirds of tongue, ventral surface
- Malignant neoplasm of frenulum linguae

C02.3 Malignant neoplasm of anterior two-thirds of tongue, part unspecified

- Malignant neoplasm of middle third of tongue NOS
- Malignant neoplasm of mobile part of tongue NOS

Chapter 4. Endocrine, Nutritional, and Metabolic Diseases (E00–E89)

Chapter-specific Guidelines with Coding Examples

The chapter-specific guidelines from the ICD-10-CM Official Guidelines for Coding and Reporting have been provided below. Along with these guidelines are coding examples, contained in the shaded boxes, that have been developed to help illustrate the coding and/or sequencing guidance found in these guidelines.

a. Diabetes mellitus

The diabetes mellitus codes are combination codes that include the type of diabetes mellitus, the body system affected, and the complications affecting that body system. As many codes within a particular category as are necessary to describe all of the complications of the disease may be used. They should be sequenced based on the reason for a particular encounter. Assign as many codes from categories E08–E13 as needed to identify all of the associated conditions that the patient has.

Patient is seen for uncontrolled diabetes, type 2, with hyperglycemia diabetic nephropathy, and diabetic gastroparesis

E11.65 **Type 2 diabetes mellitus with hyperglycemia**

E11.21 **Type 2 diabetes mellitus with diabetic nephropathy**

E11.43 **Type 2 diabetes mellitus with diabetic autonomic (poly)neuropathy**

K31.84 **Gastroparesis**

Explanation: Use as many codes to describe the diabetic complications as needed. Many are combination codes that describe more than one condition. Code first the reason for the encounter. The term “uncontrolled” can refer to either hyperglycemia or hypoglycemia. In this case, “uncontrolled” is described as “with hyperglycemia.”

1) Type of diabetes

The age of a patient is not the sole determining factor, though most type 1 diabetics develop the condition before reaching puberty. For this reason, type 1 diabetes mellitus is also referred to as juvenile diabetes.

A 45-year-old patient is diagnosed with type 1 diabetes

E10.9 **Type 1 diabetes mellitus without complications**

Explanation: Although most type 1 diabetics are diagnosed in childhood or adolescence, it can also begin in adults.

2) Type of diabetes mellitus not documented

If the type of diabetes mellitus is not documented in the medical record the default is E11.-, Type 2 diabetes mellitus.

Office visit lists diabetic retinopathy with macular edema and hypertension on patient problem list

E11.311 **Type 2 diabetes mellitus with unspecified diabetic retinopathy with macular edema**

I10 **Essential (primary) hypertension**

Explanation: Since the type of diabetes was not documented, default to category E11.

3) Diabetes mellitus and the use of insulin, oral hypoglycemics, and injectable non-insulin drugs

If the documentation in a medical record does not indicate the type of diabetes but does indicate that the patient uses insulin, code E11.-, Type 2 diabetes mellitus, should be assigned. Additional code(s) should be assigned from category Z79 to identify the long-term (current) use of insulin, oral hypoglycemic drugs, or injectable non-insulin antidiabetic, as follows:

If the patient is treated with both oral **hypoglycemic drugs** and insulin, both code Z79.4, Long term (current) use of insulin, and code Z79.84, Long term (current) use of oral hypoglycemic drugs, should be assigned.

If the patient is treated with both insulin and an injectable non-insulin antidiabetic drug, assign codes Z79.4, Long term (current) use of insulin, and **Z79.85, Long-term (current) use of injectable non-insulin antidiabetic drugs.**

If the patient is treated with both oral hypoglycemic drugs and an injectable non-insulin antidiabetic drug, assign codes Z79.84, Long term (current) use of oral hypoglycemic drugs, and **Z79.85, Long-term (current) use of injectable non-insulin antidiabetic drugs.**

Code Z79.4 should not be assigned if insulin is given temporarily to bring a type 2 patient's blood sugar under control during an encounter.

Office visit lists chronic diabetes with daily insulin use on patient problem list

E11.9 **Type 2 diabetes mellitus without complications**

Z79.4 **Long term (current) use of insulin**

Explanation: Do not assume that a patient on insulin must have type 1 diabetes. The default for diabetes without further specification defaults to type 2. Add the code for long term use of insulin.

4) Diabetes mellitus in pregnancy and gestational diabetes

See Section I.C.15. *Diabetes mellitus in pregnancy.*

See Section I.C.15. *Gestational (pregnancy induced) diabetes*

5) Complications due to insulin pump malfunction

(a) Underdose of insulin due to insulin pump failure

An underdose of insulin due to an insulin pump failure should be assigned to a code from subcategory T85.6, Mechanical complication of other specified internal and external prosthetic devices, implants and grafts, that specifies the type of pump malfunction, as the principal or first-listed code, followed by code T38.3X6-, Underdosing of insulin and oral hypoglycemic [antidiabetic] drugs. Additional codes for the type of diabetes mellitus and any associated complications due to the underdosing should also be assigned.

A 24-year-old type 1 diabetic male treated in for hyperglycemia; insulin pump found to be malfunctioning and underdosing

T85.614A **Breakdown (mechanical) of insulin pump, initial encounter**

T38.3X6A **Underdosing of insulin and oral hypoglycemic [antidiabetic] drugs, initial encounter**

E10.65 **Type 1 diabetes mellitus with hyperglycemia**

Explanation: The complication code for the mechanical breakdown of the pump is sequenced first, followed by the underdosing code and type of diabetes with complication. Code all other diabetic complication codes necessary to describe the patient's condition.

(b) Overdose of insulin due to insulin pump failure

The principal or first-listed code for an encounter due to an insulin pump malfunction resulting in an overdose of insulin, should also be T85.6-, Mechanical complication of other specified internal and external prosthetic devices, implants and grafts, followed by code T38.3X1-, Poisoning by insulin and oral hypoglycemic [antidiabetic] drugs, accidental (unintentional).

A 24-year-old type 1 diabetic male found down with diabetic coma, brought into ED and treated for hypoglycemia; insulin pump found to be malfunctioning and overdosing

T85.614A **Breakdown (mechanical) of insulin pump, initial encounter**

T38.3X1A **Poisoning by insulin and oral hypoglycemic [antidiabetic] drugs, accidental (unintentional), initial encounter**

E10.641 **Type 1 diabetes mellitus with hypoglycemia with coma**

Explanation: The complication code for the mechanical breakdown of the pump is sequenced first, followed by the poisoning code and type of diabetes with complication. All the characters in the combination code must be used to form a valid code and to fully describe the type of diabetes, the hypoglycemia, and the coma.

6) Secondary diabetes mellitus

Codes under categories E08, Diabetes mellitus due to underlying condition, E09, Drug or chemical induced diabetes mellitus, and E13, Other specified diabetes mellitus, identify complications/manifestations associated with secondary diabetes mellitus. Secondary diabetes is always caused by another condition or event (e.g., cystic fibrosis,

F34.1 Dysthymic disorder Rx Q
 Depressive neurosis
 Depressive personality disorder
 Dysthymia
 Neurotic depression
 Persistent anxiety depression
 Persistent depressive disorder

EXCLUDES 2 anxiety depression (mild or not persistent) (F41.8)

DEF: Depression without psychosis. It is a less severe but persistent depression and is considered a mild to moderate chronic form of depression.

✓ 5th **F34.8 Other persistent mood [affective] disorders**

AHA: 2016,4Q,14

F34.81 Disruptive mood dysregulation disorder HCC Rx ESR COM Q

F34.89 Other specified persistent mood disorders HCC Rx ESR Q

F34.9 Persistent mood [affective] disorder, unspecified HCC Rx ESR

F39 Unspecified mood [affective] disorder HCC Rx ESR
 Affective psychosis NOS

Anxiety, dissociative, stress-related, somatoform and other nonpsychotic mental disorders (F40–F48)

✓ 4th **F40 Phobic anxiety disorders**

DEF: Phobia: Broad-range anxiety with abnormally intense dread of certain objects or specific situations that would not normally have that effect.

✓ 5th **F40.0 Agoraphobia**

DEF: Profound anxiety or fear of leaving familiar settings like home, or being in unfamiliar locations or with strangers or crowds. Agoraphobia may or may not be preceded by recurrent panic attacks.

F40.00 Agoraphobia, unspecified Rx

F40.01 Agoraphobia with panic disorder Rx

Panic disorder with agoraphobia
EXCLUDES 1 panic disorder without agoraphobia (F41.0)

F40.02 Agoraphobia without panic disorder Rx

✓ 5th **F40.1 Social phobias**

Anthropophobia
 Social anxiety disorder
 Social anxiety disorder of childhood
 Social neurosis

F40.10 Social phobia, unspecified Rx

F40.11 Social phobia, generalized Rx

✓ 5th **F40.2 Specific (isolated) phobias**

EXCLUDES 2 dysmorphophobia (nondelusional) (F45.22)
 nosophobia (F45.22)

✓ 6th **F40.21 Animal type phobia**

F40.210 Arachnophobia Rx
 Fear of spiders

F40.218 Other animal type phobia Rx

✓ 6th **F40.22 Natural environment type phobia**

F40.220 Fear of thunderstorms Rx

F40.228 Other natural environment type phobia Rx

✓ 6th **F40.23 Blood, injection, injury type phobia**

F40.230 Fear of blood Rx

F40.231 Fear of injections and transfusions Rx

F40.232 Fear of other medical care Rx

F40.233 Fear of injury Rx

✓ 6th **F40.24 Situational type phobia**

F40.240 Claustrophobia Rx

F40.241 Acrophobia Rx

F40.242 Fear of bridges Rx

F40.243 Fear of flying Rx

F40.248 Other situational type phobia Rx

✓ 6th **F40.29 Other specified phobia**

F40.290 Androphobia Rx
 Fear of men

F40.291 Gynephobia Rx
 Fear of women

F40.298 Other specified phobia Rx

F40.8 Other phobic anxiety disorders Rx

Phobic anxiety disorder of childhood

F40.9 Phobic anxiety disorder, unspecified Rx

Phobia NOS

Phobic state NOS

✓ 4th **F41 Other anxiety disorders**

EXCLUDES 2 anxiety in:

acute stress reaction (F43.0)

neurasthenia (F48.8)

psychophysiologic disorders (F45.-)

transient adjustment reaction (F43.2)

separation anxiety (F93.0)

F41.0 Panic disorder [episodic paroxysmal anxiety] Rx

Panic attack

Panic state

EXCLUDES 1 panic disorder with agoraphobia (F40.01)

DEF: Neurotic disorder characterized by recurrent panic or anxiety, apprehension, fear, or terror. Symptoms include shortness of breath, palpitations, dizziness, and shakiness; fear of dying may persist.

F41.1 Generalized anxiety disorder Rx

Anxiety neurosis

Anxiety reaction

Anxiety state

Overanxious disorder

EXCLUDES 2 neurasthenia (F48.8)

F41.3 Other mixed anxiety disorders

F41.8 Other specified anxiety disorders

Anxiety depression (mild or not persistent)

Anxiety hysteria

Mixed anxiety and depressive disorder

AHA: 2021,1Q,10

F41.9 Anxiety disorder, unspecified

Anxiety NOS

AHA: 2021,1Q,10

✓ 4th **F42 Obsessive-compulsive disorder**

EXCLUDES 2 obsessive-compulsive personality (disorder) (F60.5)

obsessive-compulsive symptoms occurring in depression (F32–F33)

obsessive-compulsive symptoms occurring in schizophrenia (F20.-)

AHA: 2016,4Q,14–15

F42.2 Mixed obsessional thoughts and acts Rx

F42.3 Hoarding disorder Rx

F42.4 Excoriation (skin-picking) disorder Rx

EXCLUDES 1 factitial dermatitis (L98.1)

other specified behavioral and emotional disorders with onset usually occurring in early childhood and adolescence (F98.8)

F42.8 Other obsessive-compulsive disorder Rx

Anancastic neurosis

Obsessive-compulsive neurosis

F42.9 Obsessive-compulsive disorder, unspecified Rx

✓ 4th **F43 Reaction to severe stress, and adjustment disorders**

F43.0 Acute stress reaction

Acute crisis reaction

Acute reaction to stress

Combat and operational stress reaction

Combat fatigue

Crisis state

Psychic shock

✓ 5th **F43.1 Post-traumatic stress disorder (PTSD)**

Traumatic neurosis

DEF: Preoccupation with traumatic events beyond normal experience (i.e., rape, personal assault, etc.) that may also include recurring flashbacks of the trauma. Symptoms include difficulty remembering, sleeping, or concentrating, and guilt feelings for surviving.

F43.10 Post-traumatic stress disorder, unspecified Rx

F43.11 Post-traumatic stress disorder, acute Rx

F43.12 Post-traumatic stress disorder, chronic Rx

Chapter 6. Diseases of the Nervous System (G00-G99)

Chapter-specific Guidelines with Coding Examples

The chapter-specific guidelines from the ICD-10-CM Official Guidelines for Coding and Reporting have been provided below. Along with these guidelines are coding examples, contained in the shaded boxes, that have been developed to help illustrate the coding and/or sequencing guidance found in these guidelines.

a. Dominant/nondominant side

Codes from category G81, Hemiplegia and hemiparesis, and subcategories G83.1, Monoplegia of lower limb, G83.2, Monoplegia of upper limb, and G83.3, Monoplegia, unspecified, identify whether the dominant or nondominant side is affected. Should the affected side be documented, but not specified as dominant or nondominant, and the classification system does not indicate a default, code selection is as follows:

- For ambidextrous patients, the default should be dominant.
- If the left side is affected, the default is non-dominant.
- If the right side is affected, the default is dominant.

Hemiplegia affecting left side of ambidextrous patient

G81.92 Hemiplegia, unspecified affecting left dominant side

Explanation: Documentation states that the left side is affected and dominant is used for ambidextrous persons.

Right spastic hemiplegia, unknown whether patient is right- or left-handed

G81.11 Spastic hemiplegia affecting right dominant side

Explanation: Since it is unknown whether the patient is right- or left-handed, if the right side is affected, the default is dominant.

b. Pain—Category G89

1) General coding information

Codes in category G89, Pain, not elsewhere classified, may be used in conjunction with codes from other categories and chapters to provide more detail about acute or chronic pain and neoplasm-related pain, unless otherwise indicated below.

If the pain is not specified as acute or chronic, post-thoracotomy, postprocedural, or neoplasm-related, do not assign codes from category G89.

A code from category G89 should not be assigned if the underlying (definitive) diagnosis is known, unless the reason for the encounter is pain control/ management and not management of the underlying condition.

When an admission or encounter is for a procedure aimed at treating the underlying condition (e.g., spinal fusion, kyphoplasty), a code for the underlying condition (e.g., vertebral fracture, spinal stenosis) should be assigned as the principal diagnosis. No code from category G89 should be assigned.

Elderly patient with back pain is admitted for outpatient kyphoplasty for age-related osteopathic compression fracture at vertebra T3

M80.08XA Age-related osteoporosis with current pathological fracture, vertebra(e), initial encounter for fracture

Explanation: No code is assigned for the pain as it is inherent in the underlying condition being treated.

(a) Category G89 codes as principal or first-listed diagnosis

Category G89 codes are acceptable as principal diagnosis or the first-listed code:

- When pain control or pain management is the reason for the admission/encounter (e.g., a patient with displaced intervertebral disc, nerve impingement and severe back pain presents for injection of steroid into the spinal canal). The underlying cause of the pain should be reported as an additional diagnosis, if known.

Patient presents for steroid injection in the right elbow due to chronic pain associated with primary degenerative joint disease.

G89.29 Other chronic pain

M19.021 Primary osteoarthritis, right elbow

Explanation: Since the encounter is for control of pain, not treating the underlying condition, the pain code is sequenced first followed by the underlying condition. The M25 pain code is not necessary as the underlying condition code represents the specific site.

- When a patient is admitted for the insertion of a neurostimulator for pain control, assign the appropriate pain code as the principal or first-listed diagnosis. When an admission or encounter is for a procedure aimed at treating the underlying condition and a neurostimulator is inserted for pain control during the same admission/encounter, a code for the underlying condition should be assigned as the principal diagnosis and the appropriate pain code should be assigned as a secondary diagnosis.

(b) Use of category G89 codes in conjunction with site specific pain codes

(i) **Assigning category G89 and site-specific pain codes**

Codes from category G89 may be used in conjunction with codes that identify the site of pain (including codes from chapter 18) if the category G89 code provides additional information. For example, if the code describes the site of the pain, but does not fully describe whether the pain is acute or chronic, then both codes should be assigned.

Patient is seen to evaluate chronic right knee pain

M25.561 Pain in right knee

G89.29 Other chronic pain

Explanation: No underlying condition has been determined yet so the pain would be the reason for the visit. The M25 pain code in this instance does not fully describe the condition as it does not represent that the pain is chronic. The G89 chronic pain code is assigned to provide specificity.

(ii) **Sequencing of category G89 codes with site-specific pain codes**

The sequencing of category G89 codes with site-specific pain codes (including chapter 18 codes), is dependent on the circumstances of the encounter/admission as follows:

- If the encounter is for pain control or pain management, assign the code from category G89 followed by the code identifying the specific site of pain (e.g., encounter for pain management for acute neck pain from trauma is assigned code G89.11, Acute pain due to trauma, followed by code M54.2, Cervicalgia, to identify the site of pain).

Management of acute, traumatic left shoulder pain

G89.11 Acute pain due to trauma

M25.512 Pain in left shoulder

Explanation: The reason for the encounter is to manage or control the pain, not to treat or evaluate an underlying condition. The G89 pain code is assigned as the first-listed diagnosis but in this instance does not fully describe the condition as it does not include the site and laterality. The M25 pain code is added to provide this information.

- If the encounter is for any other reason except pain control or pain management, and a related definitive diagnosis has not been established (confirmed) by the provider, assign the code for the specific site of pain first, followed by the appropriate code from category G89.

✓4th O70 Perineal laceration during delivery**[INCLUDES]** episiotomy extended by laceration**[EXCLUDES 1]** obstetric high vaginal laceration alone (O71.4)**AHA:** 2016,2Q,34; 2016,1Q,3-4,5**O70.0 First degree perineal laceration during delivery** **COM M ♀**

Perineal laceration, rupture or tear involving fourchette during delivery

Perineal laceration, rupture or tear involving labia during delivery

Perineal laceration, rupture or tear involving skin during delivery

Perineal laceration, rupture or tear involving vagina during delivery

Perineal laceration, rupture or tear involving vulva during delivery

Slight perineal laceration, rupture or tear during delivery

O70.1 Second degree perineal laceration during delivery **COM M ♀**

Perineal laceration, rupture or tear during delivery as in O70.0, also involving pelvic floor

Perineal laceration, rupture or tear during delivery as in O70.0, also involving perineal muscles

Perineal laceration, rupture or tear during delivery as in O70.0, also involving vaginal muscles

[EXCLUDES 1] perineal laceration involving anal sphincter (O70.2)**✓5th O70.2 Third degree perineal laceration during delivery**

Perineal laceration, rupture or tear during delivery as in O70.1, also involving anal sphincter

Perineal laceration, rupture or tear during delivery as in O70.1, also involving rectovaginal septum

Perineal laceration, rupture or tear during delivery as in O70.1, also involving sphincter NOS

[EXCLUDES 1] anal sphincter tear during delivery without third degree perineal laceration (O70.4)

perineal laceration involving anal or rectal mucosa (O70.3)

AHA: 2016,4Q,53-54**O70.20 Third degree perineal laceration during delivery, unspecified** **COM M ♀****O70.21 Third degree perineal laceration during delivery, IIIa** **COM M ♀**

Third degree perineal laceration during delivery with less than 50% of external anal sphincter (EAS) thickness torn

O70.22 Third degree perineal laceration during delivery, IIIb **COM M ♀**

Third degree perineal laceration during delivery with more than 50% external anal sphincter (EAS) thickness torn

O70.23 Third degree perineal laceration during delivery, IIIc **COM M ♀**

Third degree perineal laceration during delivery with both external anal sphincter (EAS) and internal anal sphincter (IAS) torn

O70.3 Fourth degree perineal laceration during delivery **COM M ♀**

Perineal laceration, rupture or tear during delivery as in O70.2, also involving anal mucosa

Perineal laceration, rupture or tear during delivery as in O70.2, also involving rectal mucosa

O70.4 Anal sphincter tear complicating delivery, not associated with third degree laceration **COM M ♀****[EXCLUDES 1]** anal sphincter tear with third degree perineal laceration (O70.2)**O70.9 Perineal laceration during delivery, unspecified** **COM M ♀****✓4th O71 Other obstetric trauma****[INCLUDES]** obstetric damage from instruments**✓5th O71.0 Rupture of uterus (spontaneous) before onset of labor****[EXCLUDES 1]** disruption of (current) cesarean delivery wound (O90.0)

laceration of uterus, NEC (O71.81)

O71.00 Rupture of uterus before onset of labor, unspecified trimester **COM M ♀****O71.02 Rupture of uterus before onset of labor, second trimester** **COM M ♀****O71.03 Rupture of uterus before onset of labor, third trimester** **COM M ♀****O71.1 Rupture of uterus during labor** **COM M ♀**

Rupture of uterus not stated as occurring before onset of labor

[EXCLUDES 1] disruption of cesarean delivery wound (O90.0)

laceration of uterus, NEC (O71.81)

O71.2 Postpartum inversion of uterus **COM M ♀****O71.3 Obstetric laceration of cervix** **COM M ♀**

Annular detachment of cervix

O71.4 Obstetric high vaginal laceration alone **COM M ♀**

Laceration of vaginal wall without perineal laceration

[EXCLUDES 1] obstetric high vaginal laceration with perineal laceration (O70.-)**AHA:** 2016,1Q,5**O71.5 Other obstetric injury to pelvic organs** **COM M ♀**

Obstetric injury to bladder

Obstetric injury to urethra

[EXCLUDES 2] obstetric periurethral trauma (O71.82)**AHA:** 2014,4Q,18**O71.6 Obstetric damage to pelvic joints and ligaments** **COM M ♀**

Obstetric avulsion of inner symphyseal cartilage

Obstetric damage to coccyx

Obstetric traumatic separation of symphysis (pubis)

O71.7 Obstetric hematoma of pelvis **COM M ♀**

Obstetric hematoma of perineum

Obstetric hematoma of vagina

Obstetric hematoma of vulva

✓5th O71.8 Other specified obstetric trauma**O71.81 Laceration of uterus, not elsewhere classified** **COM M ♀****O71.82 Other specified trauma to perineum and vulva** **COM M ♀**

Obstetric periurethral trauma

AHA: 2016,1Q,4; 2014,4Q,18**O71.89 Other specified obstetric trauma** **COM M ♀****O71.9 Obstetric trauma, unspecified** **COM M ♀****✓4th O72 Postpartum hemorrhage****[INCLUDES]** hemorrhage after delivery of fetus or infant**O72.0 Third-stage hemorrhage** **COM M ♀**

Hemorrhage associated with retained, trapped or adherent placenta

Retained placenta NOS

Code also type of adherent placenta (O43.2-)

AHA: 2019,3Q,11**O72.1 Other immediate postpartum hemorrhage** **COM M ♀**

Hemorrhage following delivery of placenta

Postpartum hemorrhage (atonic) NOS

Uterine atony with hemorrhage

[EXCLUDES 1] uterine atony NOS (O62.2)

uterine atony without hemorrhage (O62.2)

postpartum atony of uterus without hemorrhage (O75.89)

AHA: 2016,1Q,4**DEF:** Uterine atony: Failure of the uterine muscles to contract after the fetus and placenta are delivered.**O72.2 Delayed and secondary postpartum hemorrhage** **COM M ♀**

Hemorrhage associated with retained portions of placenta or membranes after the first 24 hours following delivery of placenta

Retained products of conception NOS, following delivery

O72.3 Postpartum coagulation defects **COM M ♀**

Postpartum afibrinogenemia

Postpartum fibrinolysis

✓4th O73 Retained placenta and membranes, without hemorrhage**[EXCLUDES 1]** placenta accreta (O43.21-)

placenta increta (O43.22-)

placenta percreta (O43.23-)

DEF: Postpartum condition resulting from failure to expel placental membrane tissues due to failed contractions of the uterine wall.**O73.0 Retained placenta without hemorrhage** **COM M ♀**

Adherent placenta, without hemorrhage

Trapped placenta without hemorrhage

O73.1 Retained portions of placenta and membranes, without hemorrhage **COM M ♀**

Retained products of conception following delivery, without hemorrhage

Chapter 21. Factors Influencing Health Status and Contact With Health Services (Z00-Z99)

NOTE

Z codes represent reasons for encounters. A corresponding procedure code must accompany a Z code if a procedure is performed. Categories Z00-Z99 are provided for occasions when circumstances other than a disease, injury or external cause classifiable to categories A00-Y89 are recorded as "diagnoses" or "problems." This can arise in two main ways:

- (a) When a person who may or may not be sick encounters the health services for some specific purpose, such as to receive limited care or service for a current condition, to donate an organ or tissue, to receive prophylactic vaccination (immunization), or to discuss a problem which is in itself not a disease or injury.
- (b) When some circumstance or problem is present which influences the person's health status but is not in itself a current illness or injury.

AHA: 2018,4Q,60-61

This chapter contains the following blocks:

- Z00-Z13 Persons encountering health services for examinations
 Z14-Z15 Genetic carrier and genetic susceptibility to disease
 Z16 Resistance to antimicrobial drugs
 Z17 Estrogen receptor status
 Z18 Retained foreign body fragments
 Z19 Hormone sensitivity malignancy status
 Z20-Z29 Persons with potential health hazards related to communicable diseases
 Z30-Z39 Persons encountering health services in circumstances related to reproduction
 Z40-Z53 Encounters for other specific health care
 Z55-Z65 Persons with potential health hazards related to socioeconomic and psychosocial circumstances
 Z66 Do not resuscitate status
 Z67 Blood type
 Z68 Body mass index (BMI)
 Z69-Z76 Persons encountering health services in other circumstances
 Z77-Z99 Persons with potential health hazards related to family and personal history and certain conditions influencing health status

Persons encountering health services for examinations (Z00-Z13)

NOTE

Nonspecific abnormal findings disclosed at the time of these examinations are classified to categories R70-R94.

EXCLUDES 1 examinations related to pregnancy and reproduction (Z30-Z36, Z39-)

✓ 4th **Z00 Encounter for general examination without complaint, suspected or reported diagnosis**

EXCLUDES 1 encounter for examination for administrative purposes (Z02-)

EXCLUDES 2 encounter for pre-procedural examinations (Z01.81-) special screening examinations (Z11-Z13)

AHA: 2017,4Q,95

✓ 5th **Z00.0 Encounter for general adult medical examination**

Encounter for adult periodic examination (annual) (physical) and any associated laboratory and radiologic examinations

EXCLUDES 1 encounter for examination of sign or symptom - code to sign or symptom

general health check-up of infant or child (Z00.12-)

Z00.00 Encounter for general adult medical examination without abnormal findings PDX A

Encounter for adult health check-up NOS

AHA: 2016,1Q,36

Z00.01 Encounter for general adult medical examination with abnormal findings PDX A

Use additional code to identify abnormal findings

AHA: 2016,1Q,35-36

✓ 5th **Z00.1 Encounter for newborn, infant and child health examinations**

✓ 6th **Z00.11 Newborn health examination**

Health check for child under 29 days old

Use additional code to identify any abnormal findings

EXCLUDES 1 health check for child over 28 days old (Z00.12-)

Z00.110 Health examination for newborn under 8 days old PDX N

Health check for newborn under 8 days old

Z00.111 Health examination for newborn 8 to 28 days old PDX N

Health check for newborn 8 to 28 days old
 Newborn weight check

✓ 6th **Z00.12 Encounter for routine child health examination**

Health check (routine) for child over 28 days old

Immunizations appropriate for age

Routine developmental screening of infant or child
 Routine vision and hearing testing

EXCLUDES 1 health check for child under 29 days old (Z00.11-)

health supervision of foundling or other healthy infant or child (Z76.1-Z76.2)
 newborn health examination (Z00.11-)

AHA: 2018,4Q,36

Z00.121 Encounter for routine child health examination with abnormal findings PDX P

Use additional code to identify abnormal findings

AHA: 2016,1Q,34-35

Z00.129 Encounter for routine child health examination without abnormal findings PDX P

Encounter for routine child health examination NOS

AHA: 2016,1Q,34

Z00.2 Encounter for examination for period of rapid growth in childhood PDX P

Z00.3 Encounter for examination for adolescent development state PDX P

Encounter for puberty development state

Z00.5 Encounter for examination of potential donor of organ and tissue PDX

Z00.6 Encounter for examination for normal comparison and control in clinical research program

Examination of participant or control in clinical research program

✓ 5th **Z00.7 Encounter for examination for period of delayed growth in childhood**

Z00.70 Encounter for examination for period of delayed growth in childhood without abnormal findings PDX P

Z00.71 Encounter for examination for period of delayed growth in childhood with abnormal findings PDX P

Use additional code to identify abnormal findings

Z00.8 Encounter for other general examination PDX

Encounter for health examination in population surveys

✓ 4th **Z01 Encounter for other special examination without complaint, suspected or reported diagnosis**

INCLUDES routine examination of specific system

NOTE Codes from category Z01 represent the reason for the encounter. A separate procedure code is required to identify any examinations or procedures performed

EXCLUDES 1 encounter for examination for administrative purposes (Z02-)
 encounter for examination for suspected conditions, proven not to exist (Z03-)

encounter for laboratory and radiologic examinations as a component of general medical examinations (Z00.0-)

encounter for laboratory, radiologic and imaging examinations for sign(s) and symptom(s) - code to the sign(s) or symptom(s)

EXCLUDES 2 screening examinations (Z11-Z13)

✓ 5th **Z01.0 Encounter for examination of eyes and vision**

EXCLUDES 1 examination for driving license (Z02.4)

Z01.00 Encounter for examination of eyes and vision without abnormal findings PDX

Encounter for examination of eyes and vision NOS

Z01.01 Encounter for examination of eyes and vision with abnormal findings PDX

Use additional code to identify abnormal findings

AHA: 2016,4Q,21

Chapter 10. Diseases of the Respiratory System (J00–J99)

Respiratory System

